

HUMAN OLFACTORY RECEPTORS AND GENES ENCODING SAME

Cross Reference to Related Applications

This application claims priority to the following provisional applications: U.S. Ser. No. 60/188,914, filed March 13, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENES ENCODING SAME," to Zozulya; U.S. Ser. No. 60/192,033, filed March 24, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENES ENCODING SAME," to Zozulya; U.S. Ser. No. 60/198,474, filed April 12, 2000, entitled, "NOVEL OLFACTORY RECEPTORS AND GENE ENCODING THE SAME to Zozulya; U.S. Ser. No. 60/199,335, filed April 24, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/207,702, filed May 26, 2000, entitled, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/213,849, filed June 23, 2000, entitled, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/226,534, filed August 16, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; U.S. Ser. No. 60/230,732, filed September 7, 2000, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya; and U.S. Ser. No. 60/266,862, filed February 7, 2001, "HUMAN OLFACTORY RECEPTORS AND GENES ENCODING THE SAME", to Zozulya. All of these applications are herein incorporated by reference in their entirety.

Field of the Invention

The invention relates to newly identified mammalian chemosensory G protein-coupled receptors, particularly olfactory receptors, fragments thereof, classes of such receptors, genes and cDNAs encoding said receptors, vectors including said receptors, and cells that express said receptors. The invention also relates to methods of using such receptors, fragments, genes, cDNAs, vectors, and cells to identify molecules involved in olfactory perception. The invention therefore has application in the selection and design of odorant compositions, as well as malodor blockers (olfactory receptor antagonists), particularly perfumes and fragrance compositions and components of deodorants and other malodor blocking compositions.

Description of the Related Art

The olfactory system provides sensory information about the chemical composition of the external world. Olfactory sensation is thought to involve distinct
5 signaling pathways. These pathways are believed to be mediated by olfactory receptors (ORs). Cells which express olfactory receptors, when exposed to certain chemical stimuli, elicit olfactory sensation by depolarizing to generate an action potential, which is believed to trigger the sensation.

As such, olfactory receptors specifically recognize molecules that elicit
10 specific olfactory sensation. These molecules are also referred to herein as "odorants." Olfactory receptors belong to the 7-transmembrane receptor superfamily (Buck *et al.*, *Cell* 65:175-87 (1991)), which are also known as G protein-coupled receptors (GPCRs). G protein-coupled receptors control many physiological functions, such as endocrine function, exocrine function, heart rate, lipolysis,
15 carbohydrate metabolism, and transmembrane signaling. The biochemical analysis and molecular cloning of a number of such receptors has revealed many basic principles regarding the function of these receptors.

For example, U. S. Patent No. 5,691,188 describes how upon a ligand binding to a GPCR, the receptor presumably undergoes a conformational change leading to
20 activation of the G protein. G proteins are comprised of three subunits: a guanyl nucleotide binding α subunit, a β subunit, and a γ subunit. G proteins cycle between two forms, depending on whether GDP or GTP is bound to the α subunit. When GDP is bound, the G protein exists as a heterotrimer: the $G\alpha\beta\gamma$ complex. When GTP is bound, the α subunit dissociates from the heterotrimer, leaving a $G\beta\gamma$ complex. When
25 a $G\alpha\beta\gamma$ complex operatively associates with an activated G protein-coupled receptor in a cell membrane, the rate of exchange of GTP for bound GDP is increased and the rate of dissociation of the bound $G\alpha$ subunit from the $G\alpha\beta\gamma$ complex increases. The free $G\alpha$ subunit and $G\beta\gamma$ complex are thus capable of transmitting a signal to downstream elements of a variety of signal transduction pathways. These events form
30 the basis for a multiplicity of different cell signaling phenomena, including for example the signaling phenomena that are identified as neurological sensory perceptions such as taste and/or smell.

Genes encoding the olfactory receptors are active primarily in olfactory neurons (Axel, *Sci. Amer.*, 273:154-59 (1995)). Individual olfactory receptor types are expressed in subsets of cells distributed in distinct zones of the olfactory epithelium (Breer, *Semin. Cell Biol.*, 5:25-32 (1994)). The human genome contains approximately one thousand genes that encode a diverse repertoire of olfactory receptors (Rouquier, *Nat. Genet.*, 18:243-50 (1998); Trask, *Hum. Mol. Genet.*, 7:2007-20 (1998)). It has been demonstrated that members of the OR gene family are distributed on all but a few human chromosomes. Through fluorescence *in situ* hybridization analysis, Rouquier showed that OR sequences reside at more than 25 locations in the human genome. Rouquier also determined that the human genome has accumulated a striking number of dysfunctional OR copies: 72% of the analyzed sequences were found to be pseudogenes. An understanding of an animal's ability to detect and discriminate among the thousands of distinct odorants or tastants, and more particularly to distinguish, for example beneficial tastants or odorants from toxic tastants or odorants, is complicated by the fact that chemosensory receptors belong to a multigene family with over a thousand members. For instance, there are up to 1,000 odorant receptors in mammals.

Moreover, each chemosensory receptor neuron may express only one or a few of these receptors. With respect to odorant receptors, any given olfactory neuron can respond to a small set of odorant ligands. In addition, odorant discrimination for a given neuron may depend on the ligand specificity of the one or few receptors it expresses. To analyze odorant-receptor interactions and their effects on olfactory cells, specific ligands and the olfactory receptors to which they bind are identified. This analysis requires isolation and expression of olfactory polypeptides, followed by binding assays.

Some studies suggest that OR genes can be expressed in tissues other than the olfactory epithelium, indicating potential alternative biological roles for this class of chemosensory receptors. Expression of various ORs has been reported in human and murine erythroid cells (Feingold 1999), developing rat heart (Drutel, *Receptor Channels*, 3(1):33-40 (1995)), avian notochord (Nef, *PNAS*, 94(9):4766-71 (1997)) and lingual epithelium (Abe, *FES Lett.*, 316(3):253-56 (1993)). One experimentally documented case also established the existence of a large subset of mammalian ORs transcribed in testes and expressed on the surface of mature spermatozoa, thereby

suggesting a possible role of ORs in sperm chemotaxis (Parmenthler, *Nature*, 355:453-55 (1992); Walensky, *Mol. Med.*, 1(2):130-41 (1998); Branscomb, *Genetics*, 156(2):785-97 (2000)). It was also hypothesized that olfactory receptors might provide molecular codes for highly specific cell-cell recognition functions in development and embryogenesis (Dreyer, *PNAS*, 95(11):9072-77 (1998)).

Complete or partial sequences of numerous human and other eukaryotic chemosensory receptors are currently known. See, e.g., Pilpel, Y. and Lancet, D., *Protein Science*, 8:969-77 (1999); Mombaerts, P., *Annu. Rev. Neurosci.*, 22:487-50 (1999); see also, EP0867508A2, US 5874243, WO 92/17585, WO 95/18140, WO 97/17444, WO 99/67282. Due to the complexity of ligand-receptor interactions, and more particularly odorant-receptor interactions, information about ligand-receptor recognition is lacking. In part, the present invention addresses the need for better understanding of these interactions. The present invention also provides, among other things, novel chemosensory receptors, and methods for utilizing such novel chemosensory receptors and the genes and cDNAs encoding such receptors, especially for identifying compounds that can be used to module chemosensory transduction, such as olfaction.

Summary of the Invention

Toward that end, it is an object of the invention to provide a new family of G protein-coupled receptors comprising over two hundred fifty olfactory G protein-coupled receptors (OR) active in olfactory perception. It is another object of the invention to provide fragments and variants of such ORs which retain odorant-binding activity.

It is yet another object of the invention to provide nucleic acid sequences or molecules that encode such ORs, fragments, or allelic variants.

It is still another object of the invention to provide expression vectors which include nucleic acid sequences that encode such ORs, or fragments, or variants thereof, which are operably linked to at least one regulatory sequence such as a promoter, enhancer, or other sequences involved in positive or negative gene transcription and/or translation.

It is still another object of the invention to provide human or non-human cells that functionally express at least one of such ORs, or fragments, or variants thereof.

It is still another object of the invention to provide OR fusion proteins or polypeptides which include at least a fragment of at least one of such ORs.

It is another object of the invention to provide an isolated nucleic acid molecule encoding an OR comprising a nucleic acid sequence that is at least 30%,
5 more preferably at least 50%, still more preferably at least 60-70%, and still more preferably 75%, preferably 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to a nucleic acid sequence selected from the group consisting of: SEQ. ID. NO. 2, SEQ. ID. NO. 4, SEQ. ID. NO. 6, SEQ. ID. NO. 8, SEQ. ID. NO. 10, SEQ. ID. NO. 12, SEQ. ID. NO. 14, SEQ. ID. NO. 16, SEQ. ID. NO. 18, SEQ. ID. NO. 20, SEQ. ID. NO. 22, SEQ. ID. NO. 24, SEQ. ID. NO. 26, SEQ. ID. NO. 28, SEQ. ID. NO. 30, SEQ. ID. NO. 32, SEQ. ID. NO. 34, SEQ. ID. NO. 36, SEQ. ID. NO. 38, SEQ. ID. NO. 40, SEQ. ID. NO. 42, SEQ. ID. NO. 44, SEQ. ID. NO. 46, SEQ. ID. NO. 48, SEQ. ID. NO. 50, SEQ. ID. NO. 52, SEQ. ID. NO. 54, SEQ. ID. NO. 56, SEQ. ID. NO. 58, SEQ. ID. NO. 60, SEQ. ID. NO. 62, SEQ. ID. NO. 64, SEQ. ID. NO. 66, SEQ. ID. NO. 68, SEQ. ID. NO. 70, SEQ. ID. NO. 72, SEQ. ID. NO. 74, SEQ. ID. NO. 76, SEQ. ID. NO. 78, SEQ. ID. NO. 80, SEQ. ID. NO. 82, SEQ. ID. NO. 84, SEQ. ID. NO. 86, SEQ. ID. NO. 88, SEQ. ID. NO. 90, SEQ. ID. NO. 92, SEQ. ID. NO. 94, SEQ. ID. NO. 96, SEQ. ID. NO. 98, SEQ. ID. NO. 100, SEQ. ID. NO. 102, SEQ. ID. NO. 104, SEQ. ID. NO. 106, SEQ. ID. NO. 108, SEQ. ID. NO. 110, SEQ. ID. NO. 112, SEQ. ID. NO. 114, SEQ. ID. NO. 116, SEQ. ID. NO. 118, SEQ. ID. NO. 120, SEQ. ID. NO. 122, SEQ. ID. NO. 124, SEQ. ID. NO. 126, SEQ. ID. NO. 128, SEQ. ID. NO. 130, SEQ. ID. NO. 132, SEQ. ID. NO. 134, SEQ. ID. NO. 136, SEQ. ID. NO. 138, SEQ. ID. NO. 140, SEQ. ID. NO. 142, SEQ. ID. NO. 144, SEQ. ID. NO. 146, SEQ. ID. NO. 148, SEQ. ID. NO. 150, SEQ. ID. NO. 152, SEQ. ID. NO. 154, SEQ. ID. NO. 156, SEQ. ID. NO. 158, SEQ. ID. NO. 160, SEQ. ID. NO. 162, SEQ. ID. NO. 164, SEQ. ID. NO. 166, SEQ. ID. NO. 168, SEQ. ID. NO. 170, SEQ. ID. NO. 172, SEQ. ID. NO. 174, SEQ. ID. NO. 176, SEQ. ID. NO. 178, SEQ. ID. NO. 180, SEQ. ID. NO. 182, SEQ. ID. NO. 184, SEQ. ID. NO. 186, SEQ. ID. NO. 188, SEQ. ID. NO. 190, SEQ. ID. NO. 192, SEQ. ID. NO. 194, SEQ. ID. NO. 196, SEQ. ID. NO. 198, SEQ. ID. NO. 200, SEQ. ID. NO. 202, SEQ. ID. NO. 204, SEQ. ID. NO. 206, SEQ. ID. NO. 208, SEQ. ID. NO. 210, SEQ. ID. NO. 212, SEQ. ID. NO. 214, SEQ. ID. NO. 216, SEQ. ID. NO. 218, SEQ. ID. NO. 220, SEQ. ID. NO. 222, SEQ. ID.

NO. 224, SEQ. ID. NO. 226, SEQ. ID. NO. 228, SEQ. ID. NO. 230, SEQ. ID.
NO. 232, SEQ. ID. NO. 234, SEQ. ID. NO. 236, SEQ. ID. NO. 238, SEQ. ID
NO. 240, SEQ. ID. NO. 242, SEQ. ID. NO. 244, SEQ. ID. NO. 246, SEQ. ID. NO.
248, SEQ. ID. NO. 250, SEQ. ID. NO. 252, SEQ. ID. NO. 254, SEQ. ID. NO. 256,
5 SEQ. ID. NO. 258, SEQ. ID. NO. 260, SEQ. ID. NO. 262, SEQ. ID. NO. 264, SEQ.
ID. NO. 266, SEQ. ID. NO. 268, SEQ. ID. NO. 270, SEQ. ID. NO. 272, SEQ. ID.
NO. 274, SEQ ID NO: 276, SEQ ID NO: 278, SEQ ID NO: 280, SEQ ID NO: 282,
SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID
NO: 292, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300,
10 SEQ ID NO: 302, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID
NO: 310, SEQ ID NO: 312, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 318,
SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 324, SEQ ID NO: 326, SEQ ID
NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 334, SEQ ID NO: 336,
SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID
15 NO: 346, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 352, SEQ ID NO: 354,
SEQ ID NO: 356, SEQ ID NO: 358, SEQ ID NO: 360, SEQ ID NO: 362, SEQ ID
NO: 364, SEQ ID NO: 366, SEQ ID NO: 368, SEQ ID NO: 370 ,SEQ ID NO: 372,
SEQ ID NO: 374, SEQ ID NO: 376, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID
NO: 382, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 388, SEQ ID NO: 390,
20 SEQ ID NO: 392, SEQ ID NO: 394, SEQ ID NO: 396, SEQ ID NO: 398, SEQ ID
NO: 400, SEQ ID NO: 402, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408,
SEQ ID NO: 410, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 416, SEQ ID
NO: 418, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 426,
SEQ ID NO: 428, SEQ ID NO: 430, SEQ ID NO: 432, SEQ ID NO: 434, SEQ ID
25 NO: 436, SEQ ID NO: 438, SEQ ID NO: 440, SEQ ID NO: 442, SEQ ID NO: 444,
SEQ ID NO: 446, SEQ ID NO: 448, SEQ ID NO: 450, SEQ ID NO: 452, SEQ ID
NO: 454, SEQ ID NO: 456, SEQ ID NO: 458, SEQ ID NO: 460, SEQ ID NO: 462,
SEQ ID NO: 464, SEQ ID NO: 466, SEQ ID NO: 468, SEQ ID NO: 470, SEQ ID
NO: 472, SEQ ID NO: 474, SEQ ID NO: 476, SEQ ID NO: 478, SEQ ID NO: 480,
30 SEQ ID NO: 482, SEQ ID NO: 484, SEQ ID NO: 486, SEQ ID NO: 488, SEQ ID
NO: 490, SEQ ID NO: 492, SEQ ID NO: 494, SEQ ID NO: 496, SEQ ID NO: 498,
SEQ ID NO: 500, SEQ ID NO: 502, SEQ ID NO: 504, SEQ ID NO: 506, SEQ ID
NO: 508, SEQ ID NO: 510 and SEQ ID NO: 512.

It is a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a polypeptide having an amino acid sequence which is at least 40%, more preferably at least 50%, still more preferably at least 60-70%, and still more preferably 75%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.

NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.
243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
5 NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
10 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
15 SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
20 NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.
ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID.
NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO.
25 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447,
SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ.
ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID.
NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO.
473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481,
30 SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ.
ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO:
499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ
ID NO: 509 and SEQ ID NO: 511.

It is still a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a fragment of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO. 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251, SEQ. ID. NO. 253,

SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ. ID. NO. 261, SEQ.
 ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID. NO. 269, SEQ. ID.
 NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO. 277, SEQ. ID. NO.
 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285, SEQ. ID. NO. 287,
 5 SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ. ID. NO. 295, SEQ.
 ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID. NO. 303, SEQ. ID.
 NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO. 311, SEQ. ID. NO.
 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319, SEQ. ID. NO. 321,
 SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ. ID. NO. 329, SEQ.
 10 ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID. NO. 337, SEQ. ID.
 NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO. 345, SEQ. ID. NO.
 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353, SEQ. ID. NO. 355,
 SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ. ID. NO. 363, SEQ.
 ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO: 371, SEQ. ID. NO.
 15 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381,
 SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ.
 ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID.
 NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO.
 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415,
 20 SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ.
 ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID.
 NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO.
 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449,
 SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ.
 25 ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID.
 NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO.
 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483,
 SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ.
 ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO:
 30 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and
 SEQ ID NO: 511, wherein the fragment is at least 10, preferably 20, 30, 50, 70, 100,
 or 150 amino acids in length.

It is still a further object of the invention to provide an isolated nucleic acid molecule comprising a nucleic acid sequence that encodes a variant of said fragment, wherein there is a variation in at most 10, preferably 5, 4, 3, 2, or 1 amino acid residues.

5 It is still another object of the invention to provide an isolated polypeptide comprising an amino acid sequence that is at least 40%, 50%, 60%, 70%, 80%, 90%, 95%, 96%, 97%, 98%, or 99% identical to an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ.
10 ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61,
15 SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID.
20 NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID.
25 NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID.
30 NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID.

NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID.
 NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.
 NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.
 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
 5 SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
 ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
 NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
 SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
 10 ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
 NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
 SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
 ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
 15 NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
 SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
 ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
 20 SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
 ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
 NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
 SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.
 25 ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID.
 NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO.
 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447,
 SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ.
 ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID.
 30 NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO.
 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481,
 SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ.
 ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO:

499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

It is still a further object of the invention to provide an isolated polypeptide comprising a fragment of a polypeptide having an amino acid sequence selected from the group consisting of: SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.

243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
 SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
 ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
 NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
 5 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
 SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
 ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
 NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
 10 SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
 ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
 NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
 SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
 15 ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
 SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
 ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
 NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
 20 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
 SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.
 ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID.
 NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO.
 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447,
 25 SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ.
 ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID.
 NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO.
 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481,
 SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ.
 30 ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO:
 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ
 ID NO: 509 and SEQ ID NO: 511, wherein the fragment is at least 40, preferably 60,
 80, 100, 150, 200, or 250 amino acids in length.

It is still a further object of the invention to provide an isolated polypeptide comprising a variant of said fragment, especially naturally occurring allelic variants, the expression of which may be significant in the manner by which different persons in the human population perceive odors differently, both on a qualitative and
5 quantitative level, wherein there is a variation in at most 10, preferably 5, 4, 3, 2, or 1 amino acid residues.

It is still another object of the invention to provide agonists, including inverse agonists, or antagonists of such ORs, or fragments or variants thereof.

It is yet another object of the invention to provide methods for representing the
10 perception of odor and/or for predicting the perception of odor in a mammal, including in a human. Preferably, such methods may be performed by using the ORs, or fragments or variants thereof, and genes encoding such ORs, or fragments or variants thereof, disclosed herein.

It is yet another object of the invention to provide novel molecules or combinations of
15 molecules which elicit a predetermined olfactory perception in a mammal. Such molecules or compositions can be generated by determining a value of olfactory perception in a mammal for a known molecule or combinations of molecules; determining a value of olfactory perception in a mammal for one or more unknown molecules or combinations of molecules; comparing the value of olfactory perception
20 in a mammal for one or more unknown compositions to the value of olfactory perception in a mammal for one or more known compositions; selecting a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal; and combining two or more unknown molecules or combinations of molecules to form a molecule or combination of molecules that elicits a
25 predetermined olfactory perception in a mammal. The combining step yields a single molecule or a combination of molecules that elicits a predetermined olfactory perception in a mammal.

It is still a further object of the invention to provide a method of screening one or more compounds for the presence of an odor detectable by a mammal, comprising:
30 a step of contacting said one or more compounds with the disclosed ORs, fragments or variants thereof, preferably wherein the mammal is a human.

It is another object of the invention to provided a method for simulating a fragrance, comprising: for each of a plurality of ORs, or fragments of variants thereof

disclosed herein, preferably human ORs, ascertaining the extent to which the OR interacts with the fragrance; and combining a plurality of compounds, each having a previously ascertained interaction with one or more of the ORs, in amounts that together provide a receptor-stimulation profile that mimics the profile for the fragrance. Interaction of a fragrance with an OR can be determined using any of the binding or reporter assays described herein. The plurality of compounds may then be combined to form a mixture. If desired, one or more of the plurality of the compounds can be combined covalently. The combined compounds substantially stimulate at least 50%, 60%, 70%, 75%, 80% or 90% or all of the receptors that are substantially stimulated by the fragrance.

In yet another aspect of the invention, a method is provided wherein a plurality of standard compounds are tested against a plurality of ORs, or fragments or variants thereof, to ascertain the extent to which the ORs each interact with each standard compound, thereby generating a receptor stimulation profile for each standard compound. These receptor stimulation profiles may then be stored in a relational database on a data storage medium. The method may further comprise providing a desired receptor-stimulation profile for a scent; comparing the desired receptor stimulation profile to the relational database; and ascertaining one or more combinations of standard compounds that most closely match the desired receptor-stimulation profile. The method may further comprise combining standard compounds in one or more of the ascertained combinations to simulate the scent.

It is a further object of the invention to provide a method for representing olfactory perception of a particular smell in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4, n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is greater than or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 256; and generating from said values a quantitative representation of olfactory perception. The ORs may be an olfactory receptor disclosed herein, or fragments or variants thereof, the representation may constitute a point or a volume in n -dimensional space, may constitute a graph or a spectrum, and may constitute a matrix of quantitative representations. Also, the

providing step may comprise contacting a plurality of recombinantly produced ORs, or fragments or variants thereof, with a test composition and quantitatively measuring the interaction of said composition with said receptors.

It is yet another object of the invention to provide a method for predicting the
5 olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4 n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is
10 greater than or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 256; for one or more molecules or combinations of molecules yielding known olfactory perception in a mammal; and generating from said values a quantitative
15 representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal, providing values X_1 to X_n representative of the quantitative stimulation of each of n ORs of said vertebrate, where n is greater than or equal to 4, n is greater than or equal to 12; n is greater than or equal to 24, n is greater than or equal to 48; n is greater than
20 or equal to 72; n is greater than or equal to 96; n is greater than or equal to 120; n is greater than or equal to 144; n is greater than or equal to 168; n is greater than or equal to 192; n is greater than or equal to 216, or n is greater than or equal to 273; for one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal; and generating from said values a quantitative representation of
25 olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, and predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal by comparing the quantitative representation of olfactory perception in a mammal for the
30 one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal to the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known

olfactory perception in a mammal. The ORs used in this method may include an olfactory receptor, or fragment or variant thereof, disclosed herein.

Brief Description of the Drawings

5 Figure 1 illustrates the multiple sequence alignment derived for fifty novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins described herein are designated AOLFR1 through AOLFR52. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences
10 AOLFR2 through AOLFR52 were analyzed for alignment with the AOLFR1 amino acid sequence.

 Figure 2 illustrates the multiple sequence alignment derived for fifty novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins
15 described herein are designated AOLFR54 through AOLFR109. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR55 through AOLFR109 were analyzed for alignment with the AOLFR54 amino acid sequence.

 Figure 3 illustrates the multiple sequence alignment derived for fifty novel
20 ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty novel human olfactory receptors (hOR) proteins described herein are designated AOLFR110 through AOLFR163. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR111 through AOLFR163 were analyzed for alignment with the
25 AOLFR110 amino acid sequence.

 Figure 4 illustrates the multiple sequence alignment derived for fifty-four novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty-four novel human olfactory receptors (hOR) proteins described herein are designated AOLFR165 through AOLFR217. The
30 alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR166 through AOLFR217 were analyzed for alignment with the AOLFR165 amino acid sequence.

Figure 5 illustrates the multiple sequence alignment derived for fifty-two novel ORs, indicating areas of homology and presence of sequence motifs characteristic for olfactory receptors. The fifty-two novel human olfactory receptors (hOR) proteins described herein, which are designated AOLFR218 through AOLFR328. The alignment protocol used the Clustal method with PAM250 residue weight table. Amino acid sequences AOLFR219 through AOLFR328 were analyzed for alignment with the AOLFR218 amino acid sequence.

Detailed Description of the Invention

The invention thus provides isolated nucleic acid molecules encoding olfactory-cell-specific G protein-coupled receptors ("GPCRs"), and the polypeptides they encode. These nucleic acid molecules and the polypeptides that they encode are members of the olfactory receptor family. Other members of the olfactory receptor family are disclosed in Krautwurst, *et al.*, *Cell*, 95:917-26 (1998), and WO 0035274, the contents of which are herein incorporated by reference in their entireties.

According to one aspect of the invention, genes encoding over two hundred fifty distinct, novel human olfactory (odorant) receptors (also herein referred to ORs) have been identified in genome sequence databases. All of these receptor genes have been initially detected by computer DNA sequence analysis of genomic clones (unfinished High Throughput Genomic Sequence database accession numbers AB045359, AP002532, AP002533, AL365440, AC073487, AL359636, AL359955, AP002535, AB045365, AL359218, AC002555, AB045361, AL359512, AC023255, AL358773, AL357767, AL358874, AC068380, AC025283, AP002407, AC018700, AC022289, AC006313, AC002556, AC011571, AL121944, AC007194, AP001112, AC021660, AP000723, AC016856, AC018700, AP000818, AC00596, AP000916, AC011517, AP001112, AP000916, AC021427, AC021427, AC020884, AC019108, AL135841, AL133410, AF186996, AL138834, AC009237, AC025249, AC010930, AC009758, AC009642, AC009758, AC025249, AF101706, AC009642, AC025249, AC021660, AC011647, AC011711, AC09642, AC020597, AC011711, AC019088, AC022882, AC011571, AL121944, AP000435, AC012616, AC010332, AC010766, AP000743, AC021809, AC011879, AC021304, AC023226, AL160314, AC021304, AC020380, AC011904, AC004977, AC021304, AP000868, AP000825, AC023080, AC022207, AC121986, AC010814, AC018700, AC021304, AC008620, AC011537,

AC010760, AC027641, AC017103, AC024729, AC024257, AC025115, AP001524, AP000916, AC010814, AL162254, AC025234, AP001521, AC026090, AC019088, AC016856, AC016787, AC009594, AC026038, AQ628489, AC025942, AL163152, AC026975, AC024654, AP001803, AP001804, AL353767, AP001884, AC026083, 5 AC018793, AP000818, AL353894, AL049734, AL355366, AC011464, AC037472, AC036111, AC019093, AC027239, AC027522, AC009545, AC021333, AC036216, AC021935, AC022762, AL356019, AC055861, AC018375, AC072059, AC068339, AC022891, AL357039, AP002345, AC044810, AC073113, AC024399, AC023564, AL390860, AC074365, AP002826, AL359636, AL391534, AC055731, AC076959, 10 AP002826, AC019088, AC009779, AL445307, AP002512, AP000818, AC079190) by virtue of their sequence homology to some of the known human and other mammalian olfactory receptor genes.

Alternatively, nucleic acids encoding the olfactory receptors (ORs) and polypeptides of the invention can be isolated from a variety of sources, genetically 15 engineered, amplified, synthesized, and/or expressed recombinantly according to the methods disclosed in WO 0035374, which is herein incorporated by reference in its entirety.

These nucleic acids provide valuable probes for the identification of olfactory cells, as the nucleic acids are specifically expressed in olfactory cells. They can also 20 serve as tools for the generation of sensory topographical maps that elucidate the relationship between olfactory cells and olfactory sensory neurons leading to olfactory centers in the brain. Furthermore, the nucleic acids and the polypeptides they encode can be used as probes to elucidate olfactory-induced behaviors.

The invention also provides methods of screening for modulators, *e.g.*, 25 activators, inhibitors, stimulators, enhancers, agonists, inverse agonists and antagonists, of the ORs, or fragments or variants thereof, of the invention. Such modulators of olfactory transduction are useful for pharmacological and genetic modulation of olfactory signaling pathways. These methods of screening can be used to identify high affinity agonists and antagonists of olfactory cell activity. These 30 modulator compounds can then be used in the food, pharmaceutical, and cosmetic industries to customize odors and fragrances.

Thus, the invention provides assays for olfactory modulation, where the ORs, or fragments or variants thereof, of the invention act as direct or indirect reporter

molecules for the effect of modulators on olfactory transduction. The ORs, or fragments or variants thereof, can be used in assays, *e.g.*, to measure changes in ion concentration, membrane potential, current flow, ion flux, transcription, signal transduction, receptor-ligand interaction, second messenger concentrations, *in vitro*, *in vivo* and *ex vivo*. In one embodiment, the ORs, or fragments or variants thereof, can be used as an indirect reporters via attachment to second reporter molecules, such as green fluorescent protein (*see, e.g.*, Mistili *et al.*, *Nature Biotech.*, 15:961-64 (1997)). In another embodiment, the ORs, or fragments or variants thereof, can be expressed in host cells, and modulation of olfactory transduction via OR activity can be assayed by measuring changes in Ca^{2+} levels.

Methods of assaying for modulators of olfactory transduction include *in vitro* ligand binding assays using the ORs of the invention, or fragments or variants thereof. More particularly, such assays can use the ORs; portions thereof such as the extracellular or transmembrane domains; chimeric proteins comprising one or more of such domains; oocyte receptor expression; tissue culture cell receptor expression; transcriptional activation of the receptor; G protein binding to the receptor; ligand binding assays; voltage, membrane potential and conductance changes; ion flux assays; changes in intracellular second messengers such as cAMP and inositol triphosphate; changes in intracellular Ca^{2+} levels; and neurotransmitter release.

The invention also provides for methods of detecting olfactory nucleic acid and protein expression, allowing for the investigation of olfactory transduction regulation and specific identification of olfactory receptor cells. The ORs, fragments, and variants of the invention can also be used to generate monoclonal and polyclonal antibodies useful for identifying olfactory receptor cells. Olfactory receptor cells can be identified using techniques such as reverse transcription and amplification of mRNA, isolation of total RNA or poly A⁺ RNA, northern blotting, dot blotting, *in situ* hybridization, RNase protection, S1 digestion, probing DNA microchip arrays, western blots, and the like.

A. Identification and Characterization of Olfactory Receptors

The amino acid sequences of the ORs and polypeptides of the invention can be identified by putative translation of the coding nucleic acid sequences. These various

amino acid sequences and the coding nucleic acid sequences may be compared to one another or to other sequences according to a number of methods.

For example, in sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters can be used, as described below for the BLASTN and BLASTP programs, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window," as used herein, includes reference to a segment of any one of the number of contiguous positions selected from the group consisting of: from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well known in the art. Optimal alignment of sequences for comparison can be conducted, *e.g.*, by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson & Lipman, *PNAS*, 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (*see, e.g., Current Protocols in Molecular Biology* (Ausubel *et al.*, eds. 1995 supplement)).

A preferred example of an algorithm that is suitable for determining percent sequence identity and sequence similarity are the BLAST and BLAST 2.0 algorithms, which are described in Altschul *et al.*, *Nuc. Acids Res.* 25:3389-3402 (1997) and Altschul *et al.*, *J Mol. Biol.* 215:403-410 (1990), respectively. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued

threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul *et al.*, Altschul *et al.*, *Nuc. Acids Res.* 25:3389-3402 (1977) and Altschul *et al.*, *J Mol. Biol.* 215:403-410 (1990)). These initial neighborhood word hits act as seeds for initiating
5 searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a
10 scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and
15 X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) or 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (*see* Henikoff & Henikoff, *PNAS*, 89:10915 (1989))
20 alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

Another example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments to show relationship and percent sequence identity. It also plots a so-
25 called "tree" or "dendogram" showing the clustering relationships used to create the alignment (*see, e.g.*, Figure 2). PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, *J Mol. Evol.* 35:351-60 (1987). The method used is similar to the method described by Higgins & Sharp, *CABIOS* 5:151-153 (1989). The program can align up to 300 sequences, each of a maximum length of
30 5,000 nucleotides or amino acids. The multiple alignment procedure begins with the pairwise alignment of the two most similar sequences, producing a cluster of two aligned sequences. This cluster is then aligned to the next most related sequence or cluster of aligned sequences. Two clusters of sequences are aligned by a simple

extension of the pairwise alignment of two individual sequences. The final alignment is achieved by a series of progressive, pairwise alignments. The program is run by designating specific sequences and their amino acid or nucleotide coordinates for regions of sequence comparison and by designating the program parameters. Using
5 PILEUP, a reference sequence is compared to other test sequences to determine the percent sequence identity relationship using the following parameters: default gap weight (3.00), default gap length weight (0.10), and weighted end gaps. PILEUP can be obtained from the GCG sequence analysis software package, *e.g.*, version 7. 0 (Devereaux *et al.*, *Nuc. Acids Res.* 12:387-395 (1984) encoded by the genes were
10 derived by conceptual translation of the corresponding open reading frames. Comparison of these protein sequences to all known proteins in the public sequence databases using BLASTP algorithm revealed their strong homology to the members of the mammalian olfactory receptor family, each of the odorant receptor sequences having at least 50%, and preferably at least 55%, at least 60%, at least 65%, and most
15 preferably at least 70%, amino acid identity to at least one known member of the family.

The nucleic acid molecules of the present invention are typically intronless and encode putative OR proteins generally having lengths of approximately 290 to approximately 400 amino acid residues that contain seven transmembrane domains, as
20 predicted by hydrophobicity plotting analysis, indicating that they belong to the G protein-coupled receptor 7-transmembrane (7TM) superfamily, which includes the subset of taste and olfactory receptors. In addition to the overall structural similarity, each of the ORs identified herein has a characteristic sequence signature of an olfactory receptor. In particular, all the identified sequences contain very close
25 matches to the following consensus amino acid motifs (Mombaerts, 1999, Pilpel 1999): EFILL (SEQ ID NO: 513) before transmembrane domain 1, LHTPMY (SEQ ID No: 514) in intracellular loop 1, MAYDRYVAIC (SEQ ID NO: 510) at the end of transmembrane domain 3 and the beginning of intracellular loop 2, SY at the end of transmembrane domain 5, FSTCSSH (SEQ ID NO: 516) in the beginning of
30 transmembrane domain 6, and PMLNPF (SEQ ID NO: 517) in transmembrane domain 7. Combination of all the above-mentioned structural features of the identified genes and encoded proteins strongly suggests that they represent novel members of the human olfactory receptor family.

As noted above, complete or partial sequences of numerous human and other eukaryotic olfactory receptors are currently known. The novel human receptors have amino acid sequences distinctly different from the previously known human olfactory receptors, which suggests their different specificity in odorant recognition. Therefore, these novel receptors and their genes can be used, alone or in combination with known olfactory receptors, in developing detection systems and assays for chemically distinct types of odorants not recognized by the known receptors, as well as for diagnostic and research purposes.

B. Definitions

As used herein, the following terms have the meanings ascribed to them unless specified otherwise.

“OR” refers to one or more members of a family of G protein-coupled receptors that are expressed in olfactory cells. Olfactory receptor cells can also be identified on the basis of morphology (*see, e.g., Roper, supra*), or by the expression of proteins specifically expressed in olfactory cells. OR family members may have the ability to act as receptors for olfactory transduction.

“OR” nucleic acids encode a family of GPCRs with seven transmembrane regions that have “G protein-coupled receptor activity,” *e.g.,* they may bind to G proteins in response to extracellular stimuli and promote production of second messengers such as IP₃, cAMP, cGMP, and Ca²⁺ via stimulation of enzymes such as phospholipase C and adenylate cyclase (for a description of the structure and function of GPCRs, *see, e.g., Fong, supra*, and Baldwin, *supra*). A single olfactory cell may contain many distinct OR polypeptides.

Topologically, certain chemosensory GPCRs have an “N-terminal domain;” “extracellular domains;” “transmembrane domains” comprising seven transmembrane regions, and corresponding cytoplasmic, and extracellular loops; “cytoplasmic domains,” and a “C-terminal domain” (*see, e.g., Hoon et al., Cell*, 96:541-51 (1999); Buck & Axel, *Cell*, 65:175-87 (1991)). These domains can be structurally identified using methods known to those of skill in the art, such as sequence analysis programs that identify hydrophobic and hydrophilic domains (*see, e.g., Stryer, Biochemistry*, (3rd ed. 1988); *see also* any of a number of Internet based sequence analysis programs, such as those found at dot.imgen.bcm.tmc.edu). Such domains are useful

for making chimeric proteins and for in vitro assays of the invention, *e.g.*, ligand binding assays.

“Extracellular domains” therefore refers to the domains of OR polypeptides that protrude from the cellular membrane and are exposed to the extracellular face of the cell. Such domains generally include the “N terminal domain” that is exposed to the extracellular face of the cell, and optionally can include portions of the extracellular loops of the transmembrane domain that are exposed to the extracellular face of the cell, *i.e.*, the loops between transmembrane regions 2 and 3, between transmembrane regions 4 and 5, and between transmembrane regions 6 and 7.

The “N terminal domain” region starts at the N-terminus and extends to a region close to the start of the transmembrane domain. “Transmembrane domain,” which comprises the seven “transmembrane regions,” refers to the domain of OR polypeptides that lies within the plasma membrane, and may also include the corresponding cytoplasmic (intracellular) and extracellular loops. The seven transmembrane regions and extracellular and cytoplasmic loops can be identified using standard methods, as described in Kyte & Doolittle, *J. Mol. Biol.*, 157:105-32 (1982)), or in Stryer, *supra*. The general secondary and tertiary structure of transmembrane domains, in particular the seven transmembrane domains of 7-transmembrane receptors such as olfactory receptors, are well known in the art. Thus, primary structure sequence can be designed or predicted based on known transmembrane domain sequences, as described in detail below. These transmembrane domains are useful for *in vitro* ligand-binding assays, both soluble and solid phase.

“Cytoplasmic domains” refers to the domains of OR polypeptides that face the inside of the cell, *e.g.*, the “C terminal domain” and the intracellular loops of the transmembrane domain, *e.g.*, the intracellular loop between transmembrane regions 1 and 2, the intracellular loop between transmembrane regions 3 and 4, and the intracellular loop between transmembrane regions 5 and 6. “C terminal domain” refers to the region that spans the end of the last transmembrane domain and the C-terminus of the protein, and which is normally located within the cytoplasm.

The term “ligand-binding region” or “ligand-binding domain” refers to sequences derived from a chemosensory receptor, particularly an olfactory receptor,

that substantially incorporates at least transmembrane domains II to VII. The ligand-binding region may be capable of binding a ligand, and more particularly, an odorant.

The phrase "functional effects" in the context of assays for testing compounds that modulate OR family member mediated olfactory transduction includes the determination of any parameter that is indirectly or directly under the influence of the receptor, *e.g.*, functional, physical and chemical effects. It includes ligand binding, changes in ion flux, membrane potential, current flow, transcription, G protein binding, GPCR phosphorylation or dephosphorylation, signal transduction, receptor-ligand interactions, second messenger concentrations (*e.g.*, cAMP, cGMP, IP3, or intracellular Ca^{2+}), *in vitro*, *in vivo*, and *ex vivo* and also includes other physiologic effects such increases or decreases of neurotransmitter or hormone release.

By "determining the functional effect" in the context of assays is meant assays for a compound that increases or decreases a parameter that is indirectly or directly under the influence of an OR family member, *e.g.*, functional, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, *e.g.*, changes in spectroscopic characteristics (*e.g.*, fluorescence, absorbance, refractive index), hydrodynamic (*e.g.*, shape), chromatographic, or solubility properties, patch clamping, voltage-sensitive dyes, whole cell currents, radioisotope efflux, inducible markers, oocyte OR gene expression; tissue culture cell OR expression; transcriptional activation of OR genes; ligand-binding assays; voltage, membrane potential and conductance changes; ion flux assays; changes in intracellular second messengers such as cAMP, cGMP, and inositol triphosphate (IP3); changes in intracellular calcium levels; neurotransmitter release, and the like.

"Inhibitors," "activators," and "modulators" of OR genes or proteins are used interchangeably to refer to inhibitory, activating, or modulating molecules identified using *in vitro* and *in vivo* assays for olfactory transduction, *e.g.*, ligands, agonists, antagonists, and their homologs and mimetics. Inhibitors are compounds that, *e.g.*, bind to, partially or totally block stimulation, decrease, prevent, delay activation, inactivate, desensitize, or down regulate olfactory transduction, *e.g.*, antagonists. Activators are compounds that, *e.g.*, bind to, stimulate, increase, open, activate, facilitate, enhance activation, sensitize, or up regulate olfactory transduction, *e.g.*, agonists. Modulators include compounds that, *e.g.*, alter the interaction of a receptor

with: extracellular proteins that bind activators or inhibitor (*e.g.*, ebnerin and other members of the hydrophobic carrier family); G proteins; kinases (*e.g.*, homologs of rhodopsin kinase and beta adrenergic receptor kinases that are involved in deactivation and desensitization of a receptor); and arrestins, which also deactivate and desensitize receptors. Modulators can include genetically modified versions of OR family members, *e.g.*, with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, small chemical molecules and the like. Such assays for inhibitors and activators include, *e.g.*, expressing OR family members in cells or cell membranes, applying putative modulator compounds, in the presence or absence of tastants, *e.g.*, sweet tastants, and then determining the functional effects on olfactory transduction, as described above. Samples or assays comprising OR family members that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of modulation. Control samples (untreated with modulators) are assigned a relative OR activity value of 100%. Inhibition of a OR is achieved when the OR activity value relative to the control is about 80%, optionally 50% or 25-0%. Activation of an OR is achieved when the OR activity value relative to the control is 110%, optionally 150%, optionally 200-500%, or 1000-3000% higher.

The terms "purified," "substantially purified," and "isolated" as used herein refer to the state of being free of other, dissimilar compounds with which the compound of the invention is normally associated in its natural state, so that the "purified," "substantially purified," and "isolated" subject comprises at least 0.5%, 1%, 5%, 10%, or 20%, and most preferably at least 50% or 75% of the mass, by weight, of a given sample. In one preferred embodiment, these terms refer to the compound of the invention comprising at least 95% of the mass, by weight, of a given sample. As used herein, the terms "purified," "substantially purified," and "isolated" "isolated," when referring to a nucleic acid or protein, of nucleic acids or proteins, also refers to a state of purification or concentration different than that which occurs naturally in the mammalian, especially human, body. Any degree of purification or concentration greater than that which occurs naturally in the mammalian, especially human, body, including (1) the purification from other associated structures or compounds or (2) the association with structures or compounds to which it is not normally associated in the mammalian, especially human, body, are within the

meaning of "isolated." The nucleic acid or protein or classes of nucleic acids or proteins, described herein, may be isolated, or otherwise associated with structures or compounds to which they are not normally associated in nature, according to a variety of methods and processes known to those of skill in the art.

5 As used herein, the term "isolated," when referring to a nucleic acid or polypeptide refers to a state of purification or concentration different than that which occurs naturally in the mammalian, especially human, body. Any degree of purification or concentration greater than that which occurs naturally in the body, including (1) the purification from other naturally-occurring associated structures or
10 compounds, or (2) the association with structures or compounds to which it is not normally associated in the body are within the meaning of "isolated" as used herein. The nucleic acids or polypeptides described herein may be isolated or otherwise associated with structures or compounds to which they are not normally associated in nature, according to a variety of methods and processes known to those of skill in the
15 art.

 As used herein, the terms "amplifying" and "amplification" refer to the use of any suitable amplification methodology for generating or detecting recombinant or naturally expressed nucleic acid, as described in detail, below. For example, the invention provides methods and reagents (*e.g.*, specific degenerate oligonucleotide
20 primer pairs) for amplifying (*e.g.*, by polymerase chain reaction, PCR) naturally expressed (*e.g.*, genomic or mRNA) or recombinant (*e.g.*, cDNA) nucleic acids of the invention (*e.g.*, tastant-binding sequences of the invention) *in vivo* or *in vitro*.

 The term "7- transmembrane receptor" means a polypeptide belonging to a superfamily of transmembrane proteins that have seven domains that span the plasma
25 membrane seven times (thus, the seven domains are called "transmembrane" or "TM" domains TM I to TM VII). The families of olfactory and certain taste receptors each belong to this super-family. 7-transmembrane receptor polypeptides have similar and characteristic primary, secondary and tertiary structures, as discussed in further detail below.

30 The term "library" means a preparation that is a mixture of different nucleic acid or polypeptide molecules, such as the library of recombinantly generated chemosensory, particularly olfactory receptor ligand-binding domains generated by amplification of nucleic acid with degenerate primer pairs, or an isolated collection of

vectors that incorporate the amplified ligand-binding domains, or a mixture of cells each randomly transfected with at least one vector encoding an olfactory receptor.

The term “nucleic acid” or “nucleic acid sequence” refers to a deoxy-ribonucleotide or ribonucleotide oligonucleotide in either single- or double-stranded
5 form. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogs of natural nucleotides. The term also encompasses nucleic-acid-like structures with synthetic backbones (*see e.g., Oligonucleotides and Analogues, a Practical Approach*, ed. F. Eckstein, Oxford Univ. Press (1991); *Antisense Strategies, Annals of the N.Y. Acad. of Sci.*, Vol. 600, Eds. Baserga *et al.* (NYAS 1992); Milligan
10 *J. Med. Chem.* 36:1923-1937 (1993); *Antisense Research and Applications* (1993, CRC Press), WO 97/03211; WO 96/39154; Mata, *Toxicol. Appl. Pharmacol.* 144:189-197 (1997); Strauss-Soukup, *Biochemistry* 36:8692-8698 (1997); Samstag, *Antisense Nucleic Acid Drug Dev*, 6:153-156 (1996)).

Unless otherwise indicated, a particular nucleic acid sequence also implicitly
15 encompasses conservatively modified variants thereof (*e.g.*, degenerate codon substitutions) and complementary sequences, as well as the sequence explicitly indicated. Specifically, degenerate codon substitutions may be achieved by generating, *e.g.*, sequences in which the third position of one or more selected codons is substituted with mixed-base and/or deoxyinosine residues (Batzner *et al.*, *Nucleic
20 Acid Res.*, 19:5081 (1991); Ohtsuka *et al.*, *J. Biol. Chem.*, 260:2605-08 (1985); Rossolini *et al.*, *Mol. Cell. Probes*, 8:91-98 (1994)). The term nucleic acid is used interchangeably with gene, cDNA, mRNA, oligonucleotide, and polynucleotide.

The terms “polypeptide,” “peptide” and “protein” are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid
25 polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers and non-naturally occurring amino acid polymer.

The term “plasma membrane translocation domain” or simply “translocation domain” means a polypeptide domain that, when incorporated into the amino terminus
30 of a polypeptide coding sequence, can with great efficiency “chaperone” or “translocate” the hybrid (“fusion”) protein to the cell plasma membrane. For instance, a “translocation domain” may be derived from the amino terminus of the bovine rhodopsin receptor polypeptide. In one embodiment, the translocation domain may be

functionally equivalent to an exemplary translocation domain (5'-MNGTEGPNFYVPFSNKTGVV; SEQ ID NO: 518). However, rhodopsin from any mammal may be used, as can other translocation facilitating sequences. Thus, the translocation domain is particularly efficient in translocating 7-transmembrane fusion proteins to the plasma membrane, and a protein (*e.g.*, an olfactory receptor polypeptide) comprising an amino terminal translocating domain will be transported to the plasma membrane more efficiently than without the domain. However, if the N-terminal domain of the polypeptide is active in binding, the use of other translocation domains may be preferred.

10 “Functional equivalency” means the domain’s ability and efficiency in translocating newly translated proteins to the plasma membrane as efficiently as exemplary SEQ ID NO: 518 under similar conditions; relative efficiencies can be measured (in quantitative terms) and compared, as described herein. Domains falling within the scope of the invention can be determined by routine screening for their efficiency in translocating newly synthesized polypeptides to the plasma membrane in a cell (mammalian, *Xenopus*, and the like) with the same efficiency as the twenty amino acid long translocation domain SEQ ID NO: 518, as described in detail below.

15 The “translocation domain,” “ligand-binding domain”, and chimeric receptors compositions described herein also include “analogs,” or “conservative variants” and “mimetics” (“peptidomimetics”) with structures and activity that substantially correspond to the exemplary sequences. Thus, the terms “conservative variant” or “analog” or “mimetic” refer to a polypeptide which has a modified amino acid sequence, such that the change(s) do not substantially alter the polypeptide’s (the conservative variant’s) structure and/or activity, as defined herein. These include conservatively modified variations of an amino acid sequence, *i.e.*, amino acid substitutions, additions or deletions of those residues that are not critical for protein activity, or substitution of amino acids with residues having similar properties (*e.g.*, acidic, basic, positively or negatively charged, polar or non-polar, *etc.*) such that the substitutions of even critical amino acids does not substantially alter structure and/or activity. Conservative substitution tables providing functionally similar amino acids are well known in the art.

More particularly, “conservatively modified variants” applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences,

conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids
5 encode any given protein.

For instance, the codons GCA, GCC, GCG and GCU all encode the amino acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to any of the corresponding codons described without altering the encoded polypeptide.

10 Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes every possible silent variation of the nucleic acid. One of skill will recognize that each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only
15 codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, each silent variation of a nucleic acid which encodes a polypeptide is implicit in each described sequence.

Conservative substitution tables providing functionally similar amino acids are well known in the art. For example, one exemplary guideline to select conservative
20 substitutions includes (original residue followed by exemplary substitution): ala/gly or ser; arg/lys; asn/gln or his; asp/glu; cys/ser; gln/asn; gly/asp; gly/ala or pro; his/asn or gln; ile/leu or val; leu/ile or val; lys/arg or gln or glu; met/leu or tyr or ile; phe/met or leu or tyr; ser/thr; thr/ser; trp/tyr; tyr/trp or phe; val/ile or leu. An alternative exemplary guideline uses the following six groups, each containing amino acids that
25 are conservative substitutions for one another: 1) Alanine (A), Serine (S), Threonine (T); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (I); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); and 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); (*see also, e.g.,* Creighton, *Proteins*, W.H. Freeman and Company (1984); Schultz and Schimer, *Principles of*
30 *Protein Structure*, Springer-Verlag (1979)). One of skill in the art will appreciate that the above-identified substitutions are not the only possible conservative substitutions. For example, for some purposes, one may regard all charged amino acids as conservative substitutions for each other whether they are positive or negative. In

addition, individual substitutions, deletions or additions that alter, add or delete a single amino acid or a small percentage of amino acids in an encoded sequence can also be considered "conservatively modified variations."

5 The terms "mimetic" and "peptidomimetic" refer to a synthetic chemical compound that has substantially the same structural and/or functional characteristics of the polypeptides, *e.g.*, translocation domains, ligand-binding domains, or chimeric receptors of the invention. The mimetic can be either entirely composed of synthetic, non-natural analogs of amino acids, or may be a chimeric molecule of partly natural peptide amino acids and partly non-natural analogs of amino acids. The mimetic can
10 also incorporate any amount of natural amino acid conservative substitutions as long as such substitutions also do not substantially alter the mimetic's structure and/or activity.

As with polypeptides of the invention which are conservative variants, routine experimentation will determine whether a mimetic is within the scope of the
15 invention, *i.e.*, that its structure and/or function is not substantially altered. Polypeptide mimetic compositions can contain any combination of non-natural structural components, which are typically from three structural groups: a) residue linkage groups other than the natural amide bond ("peptide bond") linkages; b) non-natural residues in place of naturally occurring amino acid residues; or c) residues
20 which induce secondary structural mimicry, *i.e.*, to induce or stabilize a secondary structure, *e.g.*, a beta turn, gamma turn, beta sheet, alpha helix conformation, and the like. A polypeptide can be characterized as a mimetic when all or some of its residues are joined by chemical means other than natural peptide bonds. Individual peptidomimetic residues can be joined by peptide bonds, other chemical bonds or
25 coupling means, such as, *e.g.*, glutaraldehyde, N-hydroxysuccinimide esters, bifunctional maleimides, N,N'-dicyclohexylcarbodiimide (DCC) or N,N'-diisopropylcarbodiimide (DIC). Linking groups that can be an alternative to the traditional amide bond ("peptide bond") linkages include, *e.g.*, ketomethylene (*e.g.*, -C(=O)-CH₂- for -C(=O)-NH-), aminomethylene (CH₂-NH), ethylene, olefin
30 (CH=CH), ether (CH₂-O), thioether (CH₂-S), tetrazole (CN₄), thiazole, retroamide, thioamide, or ester (*see, e.g.*, Spatola, *Chemistry and Biochemistry of Amino Acids, Peptides and Proteins*, 7:267-357, "Peptide Backbone Modifications," Marcell Dekker, NY (1983)). A polypeptide can also be characterized as a mimetic by

containing all or some non-natural residues in place of naturally occurring amino acid residues; non-natural residues are well described in the scientific and patent literature.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include ³²P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, for example, probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are optionally directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one

source and a coding region from another source. Similarly, a heterologous protein indicates that the protein comprises two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

5 A “promoter” is defined as an array of nucleic acid sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A “constitutive” promoter is a promoter
10 that is active under most environmental and developmental conditions. An “inducible” promoter is a promoter that is active under environmental or developmental regulation. The term “operably linked” refers to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the
15 expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

As used herein, “recombinant” refers to a polynucleotide synthesized or otherwise manipulated *in vitro* (e.g., “recombinant polynucleotide”), to methods of using recombinant polynucleotides to produce gene products in cells or other
20 biological systems, or to a polypeptide (“recombinant protein”) encoded by a recombinant polynucleotide. “Recombinant means” also encompass the ligation of nucleic acids having various coding regions or domains or promoter sequences from different sources into an expression cassette or vector for expression of, e.g., inducible or constitutive expression of a fusion protein comprising a translocation domain of the
25 invention and a nucleic acid sequence amplified using a primer of the invention.

The phrase “selectively (or specifically) hybridizes to” refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

30 The phrase “stringent hybridization conditions” refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acid, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer

sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, *Techniques in Biochemistry and Molecular Biology - Hybridisation with Nucleic Probes*, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent

5 conditions are selected to be about 5-10° C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at

10 equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides) and at least about 60° C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the

15 addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times background, optionally 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1 % SDS at 65°C. Such

20 hybridizations and wash steps can be carried out for, e.g., 1, 2, 5, 10, 15, 30, 60; or more minutes.

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially related if the polypeptides that they encode are substantially related. This occurs, for example, when a copy of a nucleic acid is created using the maximum

25 codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1x SSC at 45°C. Such hybridizations and wash steps can be carried out for, e.g., 1, 2, 5, 10, 15, 30, 60, or

30 more minutes. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency.

“Antibody” refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad
5 immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair
10 having one “light” (about 25 kDa) and one “heavy” chain (about 50-70 kDa). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (VL) and variable heavy chain (VH) refer to these light and heavy chains respectively.

A “chimeric antibody” is an antibody molecule in which (a) the constant
15 region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, *e.g.*, an enzyme, toxin, hormone, growth factor, drug, *etc.*; or (b) the variable region, or a portion thereof, is altered, replaced or
20 exchanged with a variable region having a different or altered antigen specificity.

An “anti-OR” antibody is an antibody or antibody fragment that specifically binds a polypeptide encoded by a OR gene, cDNA, or a subsequence thereof.

The term “immunoassay” is an assay that uses an antibody to specifically bind an antigen. The immunoassay is characterized by the use of specific binding
25 properties of a particular antibody to isolate, target, and/or quantify the antigen.

The phrase “specifically (or selectively) binds” to an antibody or, “specifically (or selectively) immunoreactive with,” when referring to a protein or peptide, refers to a binding reaction that is determinative of the presence of the protein in a heterogeneous population of proteins and other biologics. Thus, under designated
30 immunoassay conditions, the specified antibodies bind to a particular protein at least two times the background and do not substantially bind in a significant amount to other proteins present in the sample. Specific binding to an antibody under such conditions may require an antibody that is selected for its specificity for a particular

protein. For example, polyclonal antibodies raised to an OR family member from specific species such as rat, mouse, or human can be selected to obtain only those polyclonal antibodies that are specifically immunoreactive with the OR polypeptide or an immunogenic portion thereof and not with other proteins, except for orthologs or polymorphic variants and alleles of the OR polypeptide. This selection may be achieved by subtracting out antibodies that cross-react with OR molecules from other species or other OR molecules. Antibodies can also be selected that recognize only OR GPCR family members but not GPCRs from other families. A variety of immunoassay formats may be used to select antibodies specifically immunoreactive with a particular protein. For example, solid-phase ELISA immunoassays are routinely used to select antibodies specifically immunoreactive with a protein (*see, e.g., Harlow & Lane, Antibodies, A Laboratory Manual, (1988), for a description of immunoassay formats and conditions that can be used to determine specific immunoreactivity*). Typically a specific or selective reaction will be at least twice background signal or noise and more typically more than 10 to 100 times background.

The phrase "selectively associates with" refers to the ability of a nucleic acid to "selectively hybridize" with another as defined above, or the ability of an antibody to "selectively (or specifically) bind to a protein, as defined above.

The term "expression vector" refers to any recombinant expression system for the purpose of expressing a nucleic acid sequence of the invention *in vitro* or *in vivo*, constitutively or inducibly, in any cell, including prokaryotic, yeast, fungal, plant, insect or mammalian cell. The term includes linear or circular expression systems. The term includes expression systems that remain episomal or integrate into the host cell genome. The expression systems can have the ability to self-replicate or not, i.e., drive only transient expression in a cell. The term includes recombinant expression "cassettes which contain only the minimum elements needed for transcription of the recombinant nucleic acid.

By "host cell" is meant a cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, HEK-293, and the like, *e.g., cultured cells, explants, and cells in vivo.*

C. Isolation and Expression of Olfactory Receptors

Isolation and expression of the ORs, or fragments or variants thereof, of the invention can be performed as described below. PCR primers can be used for the amplification of nucleic acids encoding olfactory receptor ligand-binding regions and libraries of these nucleic acids can thereby be generated. Libraries of expression vectors can then be used to infect or transfect host cells for the functional expression of these libraries. These genes and vectors can be made and expressed *in vitro* or *in vivo*. One of skill will recognize that desired phenotypes for altering and controlling nucleic acid expression can be obtained by modulating the expression or activity of the genes and nucleic acids (*e.g.*, promoters, enhancers and the like) within the vectors of the invention. Any of the known methods described for increasing or decreasing expression or activity can be used. The invention can be practiced in conjunction with any method or protocol known in the art, which are well described in the scientific and patent literature.

The nucleic acid sequences of the invention and other nucleic acids used to practice this invention, whether RNA, cDNA, genomic DNA, vectors, viruses or hybrids thereof, may be isolated from a variety of sources, genetically engineered, amplified, and/or expressed recombinantly. Any recombinant expression system can be used, including, in addition to mammalian cells, *e.g.*, bacterial, yeast, insect or plant systems.

Alternatively, these nucleic acids can be synthesized *in vitro* by well-known chemical synthesis techniques, as described in, *e.g.*, Carruthers, *Cold Spring Harbor Symp. Quant. Biol.* 47:411-418 (1982); Adams, *Am. Chem. Soc.* 105:661 (1983); Belousov, *Nucleic Acids Res.* 25:3440-3444 (1997); Frenkel, *Free Radic. Biol. Med.* 19:373-380 (1995); Blommers, *Biochemistry* 33:7886-7896 (1994); Narang, *Meth. Enzymol.* 68:90 (1979); Brown, *Meth. Enzymol.* 68:109 (1979); Beaucage, *Tetra. Lett.* 22:1859 (1981); U.S. Patent No. 4,458,066. Double-stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence..

Techniques for the manipulation of nucleic acids, such as, for example, for generating mutations in sequences, subcloning, labeling probes, sequencing, hybridization and the like are well described in the scientific and patent literature.

See, e.g., Sambrook, ed., *Molecular Cloning: a Laboratory manual* (2nd ed.), Vols. 1-3, Cold Spring Harbor Laboratory (1989); *Current Protocols in Molecular Biology*, Ausubel, ed. John Wiley & Sons, Inc., New York (1997); *Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization With Nucleic Acid Probes*, Part I, Theory and Nucleic Acid Preparation, Tijssen, ed. Elsevier, N.Y. (1993).

Nucleic acids, vectors, capsids, polypeptides, and the like can be analyzed and quantified by any of a number of general means well known to those of skill in the art. These include, e.g., analytical biochemical methods such as NMR, spectrophotometry, radiography, electrophoresis, capillary electrophoresis, high performance liquid chromatography (HPLC), thin layer chromatography (TLC), and hyperdiffusion chromatography, various immunological methods, e.g., fluid or gel precipitin reactions, immunodiffusion, immunoelectrophoresis, radioimmunoassays (RIAs), enzyme-linked immunosorbent assays (ELISAs), immuno-fluorescent assays, Southern analysis, Northern analysis, dot-blot analysis, gel electrophoresis (e.g., SDS-PAGE), RT-PCR, quantitative PCR, other nucleic acid or target or signal amplification methods, radiolabeling, scintillation counting, and affinity chromatography.

Oligonucleotide primers are used to amplify nucleic acid encoding an olfactory receptor ligand-binding region. The nucleic acids described herein can also be cloned or measured quantitatively using amplification techniques. Using exemplary degenerate primer pair sequences, (see below), the skilled artisan can select and design suitable oligonucleotide amplification primers. Amplification methods are also well known in the art, and include, e.g., polymerase chain reaction, PCR (PCR Protocols, a Guide to Methods and Applications, ed. Innis. Academic Press, N.Y. (1990) and PCR Strategies, ed. Innis, Academic Press, Inc., N.Y. (1995), ligase chain reaction (LCR) (see, e.g., Wu, *Genomics* 4:560 (1989); Landegren, *Science* 241:1077,(1988); Barringer, *Gene* 89:117 (1990)); transcription amplification (see, e.g., Kwoh, *PNAS*, 86:1173 (1989)); and, self-sustained sequence replication (see, e.g., Guatelli, *PNAS*, 87:1874 (1990)); Q Beta replicase amplification (see, e.g., Smith, *J. Clin. Microbiol.* 35:1477-1491 (1997)); automated Q-beta replicase amplification assay (see, e.g., Burg, *Mol. Cell. Probes* 10:257-271 (1996)) and other RNA polymerase mediated techniques (e.g., NASBA, Cangene, Mississauga, Ontario); see also Berger, *Methods Enzymol.* 152:307-316 (1987); Sambrook;

Ausubel; U.S. Patent Nos. 4,683,195 and 4,683,202; Sooknanan, *Biotechnology* 13:563-564 (1995).

Once amplified, the nucleic acids, either individually or as libraries, may be cloned according to methods known in the art, if desired, into any of a variety of vectors using routine molecular biological methods; methods for cloning *in vitro* amplified nucleic acids are described, *e.g.*, U.S. Pat. No. 5,426,039. To facilitate cloning of amplified sequences, restriction enzyme sites can be "built into" the PCR primer pair. For example, Pst I and Bsp E1 sites were designed into the exemplary primer pairs of the invention. These particular restriction sites have a sequence that, when ligated, are "in-frame" with respect to the 7-membrane receptor "donor" coding sequence into which they are spliced (the ligand-binding region coding sequence is internal to the 7-membrane polypeptide, thus, if it is desired that the construct be translated downstream of a restriction enzyme splice site, out of frame results should be avoided; this may not be necessary if the inserted ligand-binding domain comprises substantially most of the transmembrane VII region). The primers can be designed to retain the original sequence of the "donor" 7-membrane receptor (the Pst I and Bsp E1 sequence in the primers of the invention generate an insert that, when ligated into the Pst I/Bsp E1 cut vector, encode residues found in the "donor" mouse olfactory receptor M4 sequence). Alternatively, the primers can encode amino acid residues that are conservative substitutions (*e.g.*, hydrophobic for hydrophobic residue, see above discussion) or functionally benign substitutions (*e.g.*, do not prevent plasma membrane insertion, cause cleavage by peptidase, cause abnormal folding of receptor, and the like).

The primer pairs are designed to selectively amplify ligand-binding regions of olfactory receptor proteins. These domain regions may vary for different ligands, and more particularly odorants; thus, what may be a minimal binding region for one ligand, and more particularly odorants, may be too limiting for a second potential ligand. Thus, domain regions of different sizes comprising different domain structures may be amplified; for example, transmembrane (TM) domains II through VII, III through VII, III through VI or II through VI, or variations thereof (*e.g.*, only a subsequence of a particular domain, mixing the order of the domains, and the like), of a 7-transmembrane OR.

As domain structures and sequence of many 7-membrane proteins, particularly olfactory receptors, are known, the skilled artisan can readily select domain-flanking and internal domain sequences as model sequences to design degenerate amplification primer pairs. For example, a nucleic acid sequence encoding domain regions II through VII can be generated by PCR amplification using a primer pair. To amplify a nucleic acid comprising transmembrane domain I (TM I) sequence, a degenerate primer can be designed from a nucleic acid that encodes the amino acid sequence LFLLYL3' (SEQ ID NO: 519). Such a degenerate primer can be used to generate a binding domain incorporating TM I through TM III, TM I through TM IV, TM I through TM V, TM I through TM VI or TM I through TM VII).

To amplify a nucleic acid comprising a transmembrane domain III (TM III) sequence, a degenerate primer (of at least about 17 residues) can be designed from a nucleic acid that encodes the amino acid sequence M(A/G)(Y/F)DRYVAI 3' (SEQ ID NO: 520) (encoded by a nucleic acid sequence such as 5'-ATGG(G/C)CT(A/T)TGACCG(C/A/T)T(AT)(C/T)GT-3' (SEQ ID NO: 521)). Such a degenerate primer can be used to generate a binding domain incorporating TM III through TM IV, TM III through TM V, TM III through TM VI or TM III through TM VII.

To amplify transmembrane domain VI (TM VI) sequence, a degenerate primer (of at least about 17 residues) can be designed from nucleic acid encoding an amino acid sequence TC(G/A)SHL (SEQ ID NO: 522), encoded by a sequence such as 5'-AG(G/A)TGN(G/C)(T/A)N(G/C)C(G/A)CANGT-3' (SEQ ID NO: 522). Such a degenerate primer can be used to generate a binding domain incorporating TM I through TM VI, TM II through TM VI, TM III through TM VI or TM IV through TM VI).

Paradigms to design degenerate primer pairs are well known in the art. For example, a COnsensus-DEgenerate Hybrid Oligonucleotide Primer (CODEHOP) (SEQ ID NO: 523) strategy computer program is accessible as <http://blocks.fhcrc.org/codehop.html>, and is directly linked from the BlockMaker multiple sequence alignment site for hybrid primer prediction beginning with a set of related protein sequences, as known olfactory receptor ligand-binding regions (*see, e.g., Rose, Nucleic Acids Res.* 26:1628-1635 (1998); Singh, *Biotechniques*, 24:318-19 (1998)).

Means to synthesize oligonucleotide primer pairs are well known in the art. "Natural" base pairs or synthetic base pairs can be used. For example, use of artificial nucleobases offers a versatile approach to manipulate primer sequence and generate a more complex mixture of amplification products. Various families of artificial nucleobases are capable of assuming multiple hydrogen bonding orientations through internal bond rotations to provide a means for degenerate molecular recognition. Incorporation of these analogs into a single position of a PCR primer allows for generation of a complex library of amplification products. *See, e.g., Hoops, Nucleic Acids Res.* 25:4866-4871 (1997). Nonpolar molecules can also be used to mimic the shape of natural DNA bases. A non-hydrogen-bonding shape mimic for adenine can replicate efficiently and selectively against a nonpolar shape mimic for thymine (*see, e.g., Morales, Nat. Struct. Biol.* 5:950-954 (1998)). For example, two degenerate bases can be the pyrimidine base 6H, 8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one or the purine base N6-methoxy-2,6-diaminopurine (*see, e.g., Hill, PNAS*, 95:4258-63 (1998)). Exemplary degenerate primers of the invention incorporate the nucleobase analog 5'-Dimethoxytrityl-N-benzoyl-2'-deoxy-Cytidine,3'-[(2-cyanoethyl)-(N,N-diisopropyl)]-phosphoramidite (the term "P" in the sequences, see above). This pyrimidine analog hydrogen bonds with purines, including A and G residues.

Exemplary primer pairs for amplification of olfactory receptor transmembrane domains II through VII include:

- (a) 5'-GGGGTCCGGAG(A/G)(C/G)(A/G)TA(A/G/T)AT(A/G/P)A(A/G/P)(A/G/P)GG-3' (SEQ ID NO: 524) and
5'-GGGGCTGCAGACACC(A/C/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 525).
- (b) 5'-GGGGTCCGGAG(A/G)(C/G)T(A/G)A(A/G/T)AT(A/G/P)A(A/G/P)(A/G/P)GG-3' (SEQ ID NO: 526); and
5'-GGGGCTGCAGACACC(A/C/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 527)
- (c) 5'-GGGGTCCGGAG(A/G)(C/G)T(A/G)A(A/G/T)AT(A/G/C/T)A(A/G/C/T)(A/G/C/T)GG-3' (SEQ ID NO: 528) and
5'-GGGGCTGCAGACACC(A/C/G/T)ATGTA(C/T)(C/T)T(A/C/G/T)TT(C/T)(C/T)T-3' (SEQ ID NO: 558)

Nucleic acids that encode ligand-binding regions of olfactory receptors may be generated by amplification (*e.g., PCR*) of appropriate nucleic acid sequences using

degenerate primer pairs. The amplified nucleic acid can be genomic DNA from any cell or tissue or mRNA or cDNA derived from olfactory receptor-expressing cells, e.g., olfactory neurons or olfactory epithelium.

Isolation from olfactory receptor-expressing cells is well known in the art (cells expressing naturally or inducibly expressing olfactory receptors can be used to express the hybrid olfactory receptors of the invention to screen for potential odorants and odorant effect on cell physiology, as described below). For example, cells can be identified by olfactory marker protein (OMP), an abundant cytoplasmic protein expressed almost exclusively in mature olfactory sensory neurons (*see, e.g.,* Buiakova, *PNAS*, 93:9858-63 (1996)). Shirley, *Eur. J. Biochem.* 32:485-494 (1983), describes a rat olfactory preparation suitable for biochemical studies *in vitro* on olfactory mechanisms. Cultures of adult rat olfactory receptor neurons are described by Vargas, *Chem. Senses* 24:211-216 (1999). Because these cultured neurons exhibit typical voltage-gated currents and are responsive to application of odorants, they can also be used to express the hybrid olfactory receptors of the invention for odorant screening (endogenous olfactory receptor can be initially blocked, if desired, by, e.g., antisense, knockout, and the like). U.S. Patent No. 5,869,266 describes culturing human olfactory neurons for neurotoxicity tests and screening. Murrell, *J. Neurosci.* 19:8260-8270 (1999), describes differentiated olfactory receptor-expressing cells in culture that respond to odorants, as measured by an influx of calcium.

In one embodiment, hybrid protein-coding sequences comprising nucleic acids ORs fused to the translocation sequences described herein may be constructed. Also provided are hybrid ORs comprising the translocation motifs and ligand-binding domains of olfactory receptors. These nucleic acid sequences can be operably linked to transcriptional or translational control elements, e.g., transcription and translation initiation sequences, promoters and enhancers, transcription and translation terminators, polyadenylation sequences, and other sequences useful for transcribing DNA into RNA. In construction of recombinant expression cassettes, vectors, transgenics, and a promoter fragment can be employed to direct expression of the desired nucleic acid in all tissues. Olfactory cell-specific transcriptional elements can also be used to express the fusion polypeptide receptor, including, e.g., a 6.7 kb region upstream of the M4 olfactory receptor coding region. This region was sufficient to direct expression in olfactory epithelium with wild type zonal restriction and

distributed neuronal expression for endogenous olfactory receptors (Qasba, *J. Neurosci.* 18:227-236 (1998)). Receptor genes are normally expressed in a small subset of neurons throughout a zonally restricted region of the sensory epithelium. The transcriptional or translational control elements can be isolated from natural
5 sources, obtained from such sources as ATCC or GenBank libraries, or prepared by synthetic or recombinant methods.

In another embodiment, fusion proteins, either having C-terminal or, more preferably, N-terminal translocation sequences, may also comprise the translocation motif described herein. However, these fusion proteins can also comprise additional
10 elements for, *e.g.*, protein detection, purification, or other applications. Detection and purification facilitating domains include, *e.g.*, metal chelating peptides such as polyhistidine tracts or histidine-tryptophan modules or other domains that allow purification on immobilized metals; maltose binding protein; protein A domains that allow purification on immobilized immunoglobulin; or the domain utilized in the
15 FLAGS extension/affinity purification system (Immunex Corp, Seattle WA).

The inclusion of a cleavable linker sequences such as Factor Xa (*see, e.g.*, Ottavi, *Biochimie* 80:289-293 (1998)), subtilisin protease recognition motif (*see, e.g.*, Polyak, *Protein Eng.* 10:615-619 (1997)); enterokinase (Invitrogen, San Diego, CA), and the like, between the translocation domain (for efficient plasma membrane
20 expression) and the rest of the newly translated polypeptide may be useful to facilitate purification. For example, one construct can include a polypeptide-encoding nucleic acid sequence linked to six histidine residues followed by a thioredoxin, an enterokinase cleavage site (*see, e.g.*, Williams, *Biochemistry* 34:1787-1797 (1995)), and an amino terminal translocation domain. The histidine residues facilitate
25 detection and purification while the enterokinase cleavage site provides a means for purifying the desired protein(s) from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described in the scientific and patent literature (*see, e.g.*, Kroll, *DNA Cell. Biol.* 12:441-53 (1993)).

30 Expression vectors, either as individual expression vectors or as libraries of expression vectors, comprising the olfactory binding domain-encoding sequences may be introduced into a genome or into the cytoplasm or a nucleus of a cell and expressed by a variety of conventional techniques, well described in the scientific and patent

literature (*see, e.g., Roberts, Nature* 328:731 (1987); Berger *supra*; Schneider, *Protein Expr. Purif.* 6435:10 (1995); Sambrook; Tijssen; Ausubel). Product information from manufacturers of biological reagents and experimental equipment also provide information regarding known biological methods. The vectors can be isolated from
5 natural sources, obtained from such sources as ATCC or GenBank libraries, or prepared by synthetic or recombinant methods.

The nucleic acids can be expressed in expression cassettes, vectors or viruses which are stably or transiently expressed in cells (*e.g., episomal expression systems*). Selection markers can be incorporated into expression cassettes and vectors to confer
10 a selectable phenotype on transformed cells and sequences. For example, selection markers can code for episomal maintenance and replication such that integration into the host genome is not required. For example, the marker may encode antibiotic resistance (*e.g., chloramphenicol, kanamycin, G418, bleomycin, hygromycin*) or herbicide resistance (*e.g., chlorosulfuron or Basta*) to permit selection of those cells
15 transformed with the desired DNA sequences (*see, e.g., Blondelet-Rouault, Gene* 190:315-17 (1997); Aubrecht, *J. Pharmacol. Exp. Ther.*, 281:992-97 (1997)). Because selectable marker genes conferring resistance to substrates like neomycin or hygromycin can only be utilized in tissue culture, chemoresistance genes are also used as selectable markers *in vitro* and *in vivo*.

20 A chimeric nucleic acid sequence may encode a ligand-binding domain within any 7-transmembrane polypeptide. 7-transmembrane receptors belong to a superfamily of transmembrane (TM) proteins having seven domains that traverse a plasma membrane seven times. Each of the seven domains spans the plasma membrane (TM I to TM VII). Because 7-transmembrane receptor polypeptides have
25 similar primary sequences and secondary and tertiary structures, structural domains (*e.g., TM domains*) can be readily identified by sequence analysis. For example, homology modeling, Fourier analysis and helical periodicity detection can identify and characterize the seven domains with a 7-transmembrane receptor sequence. Fast Fourier Transform (FFT) algorithms can be used to assess the dominant periods that
30 characterize profiles of the hydrophobicity and variability of analyzed sequences. To predict TM domains and their boundaries and topology, a "neural network algorithm" by "PHD server" can be used, as done by Pilpel, *Protein Science* 8:969-977 (1999); Rost, *Protein Sci.* 4:521-533 (1995). Periodicity detection enhancement and alpha

helical periodicity index can be done as by, *e.g.*, Donnelly, *Protein Sci.* 2:55-70 (1993). Other alignment and modeling algorithms are well known in the art, *see, e.g.*, Peitsch, *Receptors Channels* 4:161-164 (1996); Cronet, *Protein Eng.* 6:59-64 (1993) (homology and "discover modeling"); <http://bioinfo.weizmann.ac.il/>.

5 The library sequences include receptor sequences that correspond to TM ligand-binding domains, including, *e.g.*, TM II to VII, TM II to VI, TM III to VII, and TM III to VII, that have been amplified (*e.g.*, PCR) from mRNA of or cDNA derived from, *e.g.*, olfactory receptor-expressing neurons or genomic DNA.

Libraries of olfactory receptor ligand-binding TM domain sequences can
10 include a various TM domains or variations thereof, as described above. These sequences can be derived from any 7-transmembrane receptor. Because these polypeptides have similar primary sequences and secondary and tertiary structures, the seven domains can be identified by various analyses well known in the art, including, *e.g.*, homology modeling, Fourier analysis and helical periodicity (*see, e.g.*, Pilpel
15 *supra*), as described above. Using this information sequences flanking the seven domains can be identified and used to design degenerate primers for amplification of various combinations of TM regions and subsequences.

The present invention also includes not only the DNA and proteins having the specified amino acid sequences, but also DNA fragments, particularly fragments of,
20 for example, 40, 60, 80, 100, 150, 200, or 250 nucleotides, or more, as well as protein fragments of, for example, 10, 20, 30, 50, 70, 100, or 150 amino acids, or more.

Also contemplated are chimeric proteins, comprising at least 10, 20, 30, 50, 70, 100, or 150 amino acids, or more, of one of at least one of the olfactory receptors described herein, coupled to additional amino acids representing all or part of another
25 G protein receptor, preferably a member of the 7TM superfamily. These chimeras can be made from the instant receptors and a G protein receptor described herein, or they can be made by combining two or more of the present proteins. In one preferred embodiment, one portion of the chimera corresponds to and is derived from one or more of the domains of the seven transmembrane protein described herein, and the
30 remaining portion or portions come from another G protein-coupled receptor. Chimeric receptors are well known in the art, and the techniques for creating them and the selection and boundaries of domains or fragments of G protein-coupled receptors for incorporation therein are also well known. Thus, this knowledge of those skilled

in the art can readily be used to create such chimeric receptors. The use of such chimeric receptors can provide, for example, an olfactory selectivity characteristic of one of the receptors specifically disclosed herein, coupled with the signal transduction characteristics of another receptor, such as a well known receptor used in prior art assay systems.

For example, a domain such as a ligand-binding domain, an extracellular domain, a transmembrane domain (*e.g.*, one comprising seven transmembrane regions and corresponding extracellular and cytosolic loops), the transmembrane domain and a cytoplasmic domain, an active site, a subunit association region, etc., can be covalently linked to a heterologous protein. For instance, an extracellular domain can be linked to a heterologous GPCR transmembrane domain, or a heterologous GPCR extracellular domain can be linked to a transmembrane domain. Other heterologous proteins of choice can include, *e.g.*, green fluorescent protein, β -gal, glutamate receptor, and the rhodopsin presequence.

Polymorphic variants, alleles, and interspecies homologs that are substantially identical to an olfactory receptor disclosed herein can be isolated using the nucleic acid probes described above. It is hypothesized that allelic differences in receptors may explain why there is a difference in olfactory sensation in different human subjects. Accordingly, the identification of such alleles may be significant, especially with respect to producing receptor libraries that adequately represent the olfactory capability of the human population, *i.e.*, which take into account allelic differences in different individuals. Alternatively, expression libraries can be used to clone olfactory receptors and polymorphic variants, alleles, and interspecies homologs thereof, by detecting expressed homologs immunologically with antisera or purified antibodies made against an olfactory polypeptide, which also recognize and selectively bind to the olfactory receptor homolog.

Also within the scope of the invention are host cells for expressing the ORs, fragments, or variants of the invention. To obtain high levels of expression of a cloned gene or nucleic acid, such as cDNAs encoding the olfactory receptors, fragments, or variants of the invention, one of skill typically subclones the nucleic acid sequence of interest into an expression vector that contains a strong promoter to direct transcription, a transcription/translation terminator, and if for a nucleic acid encoding a protein, a ribosome binding site for translational initiation. Suitable

bacterial promoters are well known in the art and described, *e.g.*, in Sambrook *et al.* However, bacterial or eukaryotic expression systems can be used.

Any of the well-known procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate transfection, polybrene, protoplast fusion, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (*see, e.g.*, Sambrook *et al.*) It is only necessary that the particular genetic engineering procedure used be capable of successfully introducing at least one gene into the host cell capable of expressing the olfactory receptor, fragment, or variant of interest.

After the expression vector is introduced into the cells, the transfected cells are cultured under conditions favoring expression of the receptor, fragment, or variant of interest, which is then recovered from the culture using standard techniques. Examples of such techniques are well known in the art. *See, e.g.*, WO 00/06593, which is incorporated by reference in a manner consistent with this disclosure.

D. Immunological Detection of OR Polypeptides

In addition to the detection of OR genes and gene expression using nucleic acid hybridization technology, one can also use immunoassays to detect ORs, *e.g.*, to identify olfactory receptor cells, and variants of OR family members. Immunoassays can be used to qualitatively or quantitatively analyze the ORs. A general overview of the applicable technology can be found in Harlow & Lane, *Antibodies: A Laboratory Manual* (1988).

1. Antibodies to OR family members

Methods of producing polyclonal and monoclonal antibodies that react specifically with a OR family member are known to those of skill in the art (*see, e.g.*, Coligan, *Current Protocols in Immunology* (1991); Harlow & Lane, *supra*; Goding, *Monoclonal Antibodies: Principles and Practice* (2d ed. 1986); and Kohler & Milstein, *Nature*, 256:495-97 (1975)). Such techniques include antibody preparation by selection of antibodies from libraries of recombinant antibodies in phage or similar vectors, as well as preparation of polyclonal and monoclonal antibodies by

immunizing rabbits or mice (*see, e.g., Huse et al., Science, 246:1275-81 (1989); Ward et al., Nature, 341:544-46 (1989)*).

A number of OR-comprising immunogens may be used to produce antibodies specifically reactive with a OR family member. For example, a recombinant OR protein, or an antigenic fragment thereof, can be isolated as described herein. Suitable antigenic regions include, *e.g.*, the conserved motifs that are used to identify members of the OR family. Recombinant proteins can be expressed in eukaryotic or prokaryotic cells as described above, and purified as generally described above. Recombinant protein is the preferred immunogen for the production of monoclonal or polyclonal antibodies. Alternatively, a synthetic peptide derived from the sequences disclosed herein and conjugated to a carrier protein can be used as an immunogen. Naturally occurring protein may also be used either in pure or impure form. The product is then injected into an animal capable of producing antibodies. Either monoclonal or polyclonal antibodies may be generated, for subsequent use in immunoassays to measure the protein.

Methods of production of polyclonal antibodies are known to those of skill in the art. For example, an inbred strain of mice (*e.g.*, BALB/C mice) or rabbits may be immunized with the protein using a standard adjuvant, such as Freund's adjuvant, and a standard immunization protocol. The animal's immune response to the immunogen preparation is monitored by taking test bleeds and determining the titer of reactivity to the OR. When appropriately high titers of antibody to the immunogen are obtained, blood is collected from the animal and antisera are prepared. Further fractionation of the antisera to enrich for antibodies reactive to the protein can be done if desired (*see Harlow & Lane, supra*).

Monoclonal antibodies may be obtained by various techniques familiar to those skilled in the art. Briefly, spleen cells from an animal immunized with a desired antigen may be immortalized, commonly by fusion with a myeloma cell (*see Kohler & Milstein, Eur. J. Immunol., 6:511-19 (1976)*). Alternative methods of immortalization include transformation with Epstein Barr Virus, oncogenes, or retroviruses, or other methods well known in the art. Colonies arising from single immortalized cells are screened for production of antibodies of the desired specificity and affinity for the antigen, and yield of the monoclonal antibodies produced by such cells may be enhanced by various techniques, including injection into the peritoneal cavity of a

vertebrate host. Alternatively, one may isolate DNA sequences which encode a monoclonal antibody or a binding fragment thereof by screening a DNA library from human B cells according to the general protocol outlined by Huse *et al.*, *Science*, 246:1275-1281 (1989).

5 Monoclonal antibodies and polyclonal sera are collected and titered against the immunogen protein in an immunoassay, for example, a solid phase immunoassay with the immunogen immobilized on a solid support. Typically, polyclonal antisera with a titer of 109 or greater are selected and tested for their cross reactivity against non-OR proteins, or even other OR family members or other related proteins from other
10 organisms, using a competitive binding immunoassay. Specific polyclonal antisera and monoclonal antibodies will usually bind with a K_d of at least about 0.1 mM, more usually at least about 1 pM, optionally at least about 0.1 pM or better, and optionally 0.01 pM or better.

 Once OR family member specific antibodies are available, individual OR
15 proteins can be detected by a variety of immunoassay methods. For a review of immunological and immunoassay procedures, *see Basic and Clinical Immunology* (Stites & Terr eds., 7th ed. 1991). Moreover, the immunoassays of the present invention can be performed in any of several configurations, which are reviewed extensively in *Enzyme Immunoassay* (Maggio, ed., 1980); and Harlow & Lane, *supra*.

20 2. Immunological binding assays

 OR proteins can be detected and/or quantified using any of a number of well recognized immunological binding assays (*see, e.g.*, U.S. Patents 4,366,241; 4,376,110; 4,517,288; and 4,837,168). For a review of the general immunoassays, *see also Methods in Cell Biology: Antibodies in Cell Biology*, volume 37 (Asai, ed. 1993);
25 *Basic and Clinical Immunology* (Stites & Terr, eds., 7th ed. 1991). Immunological binding assays (or immunoassays) typically use an antibody that specifically binds to a protein or antigen of choice (in this case an OR family member or an antigenic subsequence thereof). The antibody (*e.g.*, anti-OR) may be produced by any of a number of means well known to those of skill in the art and as described above.

30 Immunoassays also often use a labeling agent to specifically bind to and label the complex formed by the antibody and antigen. The labeling agent may itself be one of the moieties comprising the antibody/antigen complex. Thus, the labeling agent may be a labeled OR polypeptide or a labeled anti-OR antibody. Alternatively, the

labeling agent may be a third moiety, such a secondary antibody that specifically binds to the antibody/OR complex (a secondary antibody is typically specific to antibodies of the species from which the first antibody is derived). Other proteins capable of specifically binding immunoglobulin constant regions, such as protein A or protein G may also be used as the label agent. These proteins exhibit a strong non-immunogenic reactivity with immunoglobulin constant regions from a variety of species (*see, e.g., Kronval et al., J. Immunol., 111:1401-1406 (1973); Akerstrom et al., J. Immunol., 135:2589-2542 (1985)*). The labeling agent can be modified with a detectable moiety, such as biotin, to which another molecule can specifically bind, such as streptavidin. A variety of detectable moieties are well known to those skilled in the art.

Throughout the assays, incubation and/or washing steps may be required after each combination of reagents. Incubation steps can vary from about 5 seconds to several hours, optionally from about 5 minutes to about 24 hours. However, the incubation time will depend upon the assay format, antigen, volume of solution, concentrations, and the like. Usually, the assays will be carried out at ambient temperature, although they can be conducted over a range of temperatures, such as 10°C to 40°C.

a. Non-competitive assay formats

Immunoassays for detecting an OR protein in a sample may be either competitive or noncompetitive. Noncompetitive immunoassays are assays in which the amount of antigen is directly measured. In one preferred "sandwich" assay, for example, the anti-OR antibodies can be bound directly to a solid substrate on which they are immobilized. These immobilized antibodies then capture the OR protein present in the test sample. The OR protein is thus immobilized is then bound by a labeling agent, such as a second OR antibody bearing a label. Alternatively, the second antibody may lack a label, but it may, in turn, be bound by a labeled third antibody specific to antibodies of the species from which the second antibody is derived. The second or third antibody is typically modified with a detectable moiety, such as biotin, to which another molecule specifically binds, *e.g., streptavidin*, to provide a detectable moiety.

b. Competitive assay formats

In competitive assays, the amount of OR protein present in the sample is measured indirectly by measuring the amount of a known, added (exogenous) OR

protein displaced (competed away) from an anti-OR antibody by the unknown OR protein present in a sample. In one competitive assay, a known amount of OR protein is added to a sample and the sample is then contacted with an antibody that specifically binds to the OR. The amount of exogenous OR protein bound to the antibody is inversely proportional to the concentration of OR protein present in the sample. In a particularly preferred embodiment, the antibody is immobilized on a solid substrate. The amount of OR protein bound to the antibody may be determined either by measuring the amount of OR protein present in a OR/antibody complex, or alternatively by measuring the amount of remaining uncomplexed protein. The amount of OR protein may be detected by providing a labeled OR molecule.

A hapten inhibition assay is another preferred competitive assay. In this assay the known OR protein is immobilized on a solid substrate. A known amount of anti-OR antibody is added to the sample, and the sample is then contacted with the immobilized OR. The amount of anti-OR antibody bound to the known immobilized OR protein is inversely proportional to the amount of OR protein present in the sample. Again, the amount of immobilized antibody may be detected by detecting either the immobilized fraction of antibody or the fraction of the antibody that remains in solution. Detection may be direct where the antibody is labeled or indirect by the subsequent addition of a labeled moiety that specifically binds to the antibody as described above.

c. Cross-reactivity determinations

Immunoassays in the competitive binding format can also be used for cross-reactivity determinations. For example, a protein at least partially encoded by the nucleic acid sequences disclosed herein can be immobilized to a solid support. Proteins (*e.g.*, OR proteins and homologs) are added to the assay that compete for binding of the antisera to the immobilized antigen. The ability of the added proteins to compete for binding of the antisera to the immobilized protein is compared to the ability of the OR polypeptide encoded by the nucleic acid sequences disclosed herein to compete with itself. The percent cross-reactivity for the above proteins is calculated, using standard calculations. Those antisera with less than 10% cross-reactivity with each of the added proteins listed above are selected and pooled. The cross-reacting antibodies are optionally removed from the pooled antisera by immunoabsorption with the added considered proteins, *e.g.*, distantly related

homologs. In addition, peptides comprising amino acid sequences representing conserved motifs that are used to identify members of the OR family can be used in cross-reactivity determinations.

The immunoabsorbed and pooled antisera are then used in a competitive binding immunoassay as described above to compare a second protein, thought to be perhaps an allele or polymorphic variant of a OR family member, to the immunogen protein (*i.e.*, OR protein encoded by the nucleic acid sequences disclosed herein). In order to make this comparison, the two proteins are each assayed at a wide range of concentrations and the amount of each protein required to inhibit 50% of the binding of the antisera to the immobilized protein is determined. If the amount of the second protein required to inhibit 50% of binding is less than 10 times the amount of the protein encoded by nucleic acid sequences disclosed herein required to inhibit 50% of binding, then the second protein is said to specifically bind to the polyclonal antibodies generated to a OR immunogen.

Antibodies raised against OR conserved motifs can also be used to prepare antibodies that specifically bind only to GPCRs of the OR family, but not to GPCRs from other families.

Polyclonal antibodies that specifically bind to a particular member of the OR family, *e.g.*, AOLFR1, can be made by subtracting out cross-reactive antibodies using other OR family members. Species-specific polyclonal antibodies can be made in a similar way. For example, antibodies specific to human AOLFR1 can be made by, subtracting out antibodies that are cross-reactive with orthologous sequences, *e.g.*, rat OR1 or mouse OR1.

d. Other assay formats

Western blot (immunoblot) analysis is used to detect and quantify the presence of OR protein in the sample. The technique generally comprises separating sample proteins by gel electrophoresis on the basis of molecular weight, transferring the separated proteins to a suitable solid support, (such as a nitrocellulose filter, a nylon filter, or derivatized nylon filter), and incubating the sample with the antibodies that specifically bind the OR protein. The anti-OR polypeptide antibodies specifically bind to the OR polypeptide on the solid support. These antibodies may be directly labeled or alternatively may be subsequently detected using labeled antibodies (*e.g.*, labeled sheep anti-mouse antibodies) that specifically bind to the anti-OR antibodies.

Other, assay formats include liposome immunoassays (LIA), which use liposomes designed to bind specific molecules (*e.g.*, antibodies) and release encapsulated reagents or markers. The released chemicals are then detected according to standard techniques (*see Monroe et al., Amer. Clin. Prod. Rev.*, 5:34-41 (1986)).

5 e. **Reduction of non-specific binding**

One of skill in the art will appreciate that it is often desirable to minimize non-specific binding in immunoassays. Particularly, where the assay involves an antigen or antibody immobilized on a solid substrate it is desirable to minimize the amount of non-specific binding to the substrate. Means of reducing such non-specific
10 binding are well known to those of skill in the art. Typically, this technique involves coating the substrate with a proteinaceous composition. In particular, protein compositions such as bovine serum albumin (BSA), nonfat powdered milk, and gelatin are widely used with powdered milk being most preferred.

 f. **Labels**

15 The particular label or detectable group used in the assay is not a critical aspect of the invention, as long as it does not significantly interfere with the specific binding of the antibody used in the assay. The detectable group can be any material having a detectable physical or chemical property. Such detectable labels have been well-developed in the field of immunoassays and, in general, most any label useful in such
20 methods can be applied to the present invention. Thus, a label is any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Useful labels in the present invention include magnetic beads (*e.g.*, DYNABEADSTM) (SEQ ID NO: 529), fluorescent dyes (*e.g.*, fluorescein isothiocyanate, Texas red, rhodamine, and the like), radiolabels (*e.g.*, ³H, ¹²⁵I, ³⁵S, ¹⁴C,
25 or ³²P), enzymes (*e.g.*, horseradish peroxidase, alkaline phosphatase and others commonly used in an ELISA), and colorimetric labels such as colloidal gold or colored glass or plastic beads (*e.g.*, polystyrene, polypropylene, latex, *etc.*).

The label may be coupled directly or indirectly to the desired component of the assay according to methods well known in the art. As indicated above, a wide variety
30 of labels may be used, with the choice of label depending on sensitivity required, ease of conjugation with the compound, stability requirements, available instrumentation, and disposal provisions.

Non-radioactive labels are often attached by indirect means. Generally, a ligand molecule (*e.g.*, biotin) is covalently bound to the molecule. The ligand then binds to another molecules (*e.g.*, streptavidin) molecule, which is either inherently detectable or covalently bound to a signal system, such as a detectable enzyme, a fluorescent compound, or a chemiluminescent compound. The ligands and their targets can be used in any suitable combination with antibodies that recognize a OR protein, or secondary antibodies that recognize anti-OR.

The molecules can also be conjugated directly to signal generating compounds, *e.g.*, by conjugation with an enzyme or fluorophore. Enzymes of interest as labels will primarily be hydrolases, particularly phosphatases, esterases and glycosidases, or oxidotases, particularly peroxidases. Fluorescent compounds include fluorescein and its derivatives, rhodamine and its derivatives, dansyl, umbelliferone, *etc.* Chemiluminescent compounds include luciferin, and 2,3-dihydrophthalazinediones, *e.g.*, luminol. For a review of various labeling or signal producing systems that may be used, *see* U.S. Patent No. 4,391,904.

Means of detecting labels are well known to those of skill in the art. Thus, for example, where the label is a radioactive label, means for detection include a scintillation counter or photographic film as in autoradiography. Where the label is a fluorescent label, it may be detected by exciting the fluorochrome with the appropriate wavelength of light and detecting the resulting fluorescence. The fluorescence may be detected visually, by means of photographic film, by the use of electronic detectors such as charge coupled devices (CCDs) or photomultipliers and the like. Similarly, enzymatic labels may be detected by providing the appropriate substrates for the enzyme and detecting the resulting reaction product. Finally simple colorimetric labels may be detected simply by observing the color associated with the label. Thus, in various dipstick assays, conjugated gold often appears pink, while various conjugated beads appear the color of the bead.

Some assay formats do not require the use of labeled components. For instance, agglutination assays can be used to detect the presence of the target antibodies. In this case, antigen-coated particles are agglutinated by samples comprising the target antibodies. In this format, none of the components need be labeled and the presence of the target antibody is detected by simple visual inspection.

E. Detection of Olfactory Modulators

Methods and compositions for determining whether a test compound specifically binds to a mammalian chemosensory, and more particularly, an olfactory receptor of the invention, both *in vitro* and *in vivo* are described below. Many aspects of cell physiology can be monitored to assess the effect of ligand-binding to a naturally-occurring or chimeric olfactory receptor. These assays may be performed on intact cells expressing an olfactory receptor, on permeabilized cells or on membrane fractions produced by standard methods.

Olfactory receptors are normally located on the specialized cilia of olfactory neurons. These receptors bind odorants and initiate the transduction of chemical stimuli into electrical signals. An activated or inhibited G protein will in turn alter the properties of target enzymes, channels, and other effector proteins. Some examples include the activation of cGMP phosphodiesterase by transducin in the visual system, adenylate cyclase by the stimulatory G protein, phospholipase C by Gq and other cognate G proteins, and modulation of diverse channels by Gi and other G proteins. Downstream consequences can also be examined such as generation of diacyl glycerol and IP3 by phospholipase C, and in turn, for calcium mobilization by IP3.

The OR protein of the assay will typically be selected from a polypeptide having a sequence selected from SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID.

NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID.
 NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID.
 NO. 145, SEQ. ID. NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID.
 NO. 153, SEQ. ID. NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID.
 5 NO. 161, SEQ. ID. NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID.
 NO. 169, SEQ. ID. NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID.
 NO. 177, SEQ. ID. NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID.
 NO. 185, SEQ. ID. NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID.
 NO. 193, SEQ. ID. NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID.
 10 NO. 201, SEQ. ID. NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID.
 NO. 209, SEQ. ID. NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID.
 NO. 217, SEQ. ID. NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID.
 NO. 225, SEQ. ID. NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID.
 NO. 233, SEQ. ID. NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO.
 15 241, SEQ. ID. NO. 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249,
 SEQ. ID. NO. 251, SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ.
 ID. NO. 259, SEQ. ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID.
 NO. 267, SEQ. ID. NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO.
 275, SEQ. ID. NO. 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283,
 20 SEQ. ID. NO. 285, SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ.
 ID. NO. 293, SEQ. ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID.
 NO. 301, SEQ. ID. NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO.
 309, SEQ. ID. NO. 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317,
 SEQ. ID. NO. 319, SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ.
 25 ID. NO. 327, SEQ. ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID.
 NO. 335, SEQ. ID. NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO.
 343, SEQ. ID. NO. 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351,
 SEQ. ID. NO. 353, SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ.
 ID. NO. 361, SEQ. ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID.
 30 NO. 369, SEQ ID NO: 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO.
 377, SEQ. ID. NO. 379, SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385,
 SEQ. ID. NO. 387, SEQ. ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ.
 ID. NO. 395, SEQ. ID. NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID.

NO. 403, SEQ. ID. NO. 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413, SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ. ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ. ID. NO. 495, SEQ. ID. NO. 497, SEQ. ID. NO. 499, SEQ. ID. NO. 501, SEQ. ID. NO. 503, SEQ. ID. NO. 505, SEQ. ID. NO. 507, SEQ. ID. NO. 509 and SEQ. ID. NO. 511, or conservatively modified variant thereof.

Alternatively, the OR protein of the assay can be derived from a eukaryote host cell and can include an amino acid subsequence having at least about 30-40% amino acid sequence identity to SEQ. ID. NO. 1, SEQ. ID. NO. 3, SEQ. ID. NO. 5, SEQ. ID. NO. 7, SEQ. ID. NO. 9, SEQ. ID. NO. 11, SEQ. ID. NO. 13, SEQ. ID. NO. 15, SEQ. ID. NO. 17, SEQ. ID. NO. 19, SEQ. ID. NO. 21, SEQ. ID. NO. 23, SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, SEQ. ID. NO. 49, SEQ. ID. NO. 51, SEQ. ID. NO. 53, SEQ. ID. NO. 55, SEQ. ID. NO. 57, SEQ. ID. NO. 59, SEQ. ID. NO. 61, SEQ. ID. NO. 63, SEQ. ID. NO. 65, SEQ. ID. NO. 67, SEQ. ID. NO. 69, SEQ. ID. NO. 71, SEQ. ID. NO. 73, SEQ. ID. NO. 75, SEQ. ID. NO. 77, SEQ. ID. NO. 79, SEQ. ID. NO. 81, SEQ. ID. NO. 83, SEQ. ID. NO. 85, SEQ. ID. NO. 87, SEQ. ID. NO. 89, SEQ. ID. NO. 91, SEQ. ID. NO. 93, SEQ. ID. NO. 95, SEQ. ID. NO. 97, SEQ. ID. NO. 99, SEQ. ID. NO. 101, SEQ. ID. NO. 103, SEQ. ID. NO. 105, SEQ. ID. NO. 107, SEQ. ID. NO. 109, SEQ. ID. NO. 111, SEQ. ID. NO. 113, SEQ. ID. NO. 115, SEQ. ID. NO. 117, SEQ. ID. NO. 119, SEQ. ID. NO. 121, SEQ. ID. NO. 123, SEQ. ID. NO. 125, SEQ. ID. NO. 127, SEQ. ID. NO. 129, SEQ. ID. NO. 131, SEQ. ID. NO. 133, SEQ. ID. NO. 135, SEQ. ID. NO. 137, SEQ. ID. NO. 139, SEQ. ID. NO. 141, SEQ. ID. NO. 143, SEQ. ID. NO. 145, SEQ. ID.

NO. 147, SEQ. ID. NO. 149, SEQ. ID. NO. 151, SEQ. ID. NO. 153, SEQ. ID.
 NO. 155, SEQ. ID. NO. 157, SEQ. ID. NO. 159, SEQ. ID. NO. 161, SEQ. ID.
 NO. 163, SEQ. ID. NO. 165, SEQ. ID. NO. 167, SEQ. ID. NO. 169, SEQ. ID.
 NO. 171, SEQ. ID. NO. 173, SEQ. ID. NO. 175, SEQ. ID. NO. 177, SEQ. ID.
 5 NO. 179, SEQ. ID. NO. 181, SEQ. ID. NO. 183, SEQ. ID. NO. 185, SEQ. ID.
 NO. 187, SEQ. ID. NO. 189, SEQ. ID. NO. 191, SEQ. ID. NO. 193, SEQ. ID.
 NO. 195, SEQ. ID. NO. 197, SEQ. ID. NO. 199, SEQ. ID. NO. 201, SEQ. ID.
 NO. 203, SEQ. ID. NO. 205, SEQ. ID. NO. 207, SEQ. ID. NO. 209, SEQ. ID.
 NO. 211, SEQ. ID. NO. 213, SEQ. ID. NO. 215, SEQ. ID. NO. 217, SEQ. ID.
 10 NO. 219, SEQ. ID. NO. 221, SEQ. ID. NO. 223, SEQ. ID. NO. 225, SEQ. ID.
 NO. 227, SEQ. ID. NO. 229, SEQ. ID. NO. 231, SEQ. ID. NO. 233, SEQ. ID.
 NO. 235, SEQ. ID. NO. 237, SEQ. ID. NO. 239, SEQ. ID. NO. 241, SEQ. ID. NO.
 243, SEQ. ID. NO. 245, SEQ. ID. NO. 247, SEQ. ID. NO. 249, SEQ. ID. NO. 251,
 SEQ. ID. NO. 253, SEQ. ID. NO. 255, SEQ. ID. NO. 257, SEQ. ID. NO. 259, SEQ.
 15 ID. NO. 261, SEQ. ID. NO., 263, SEQ. ID. NO., 265, SEQ. ID. NO. 267, SEQ. ID.
 NO. 269, SEQ. ID. NO. 271, SEQ. ID. NO. 273, SEQ. ID. NO. 275, SEQ. ID. NO.
 277, SEQ. ID. NO. 279, SEQ. ID. NO. 281, SEQ. ID. NO. 283, SEQ. ID. NO. 285,
 SEQ. ID. NO. 287, SEQ. ID. NO. 289, SEQ. ID. NO. 291, SEQ. ID. NO. 293, SEQ.
 ID. NO. 295, SEQ. ID. NO. 297, SEQ. ID. NO. 299, SEQ. ID. NO. 301, SEQ. ID.
 20 NO. 303, SEQ. ID. NO. 305, SEQ. ID. NO. 307, SEQ. ID. NO. 309, SEQ. ID. NO.
 311, SEQ. ID. NO. 313, SEQ. ID. NO. 315, SEQ. ID. NO. 317, SEQ. ID. NO. 319,
 SEQ. ID. NO. 321, SEQ. ID. NO. 323, SEQ. ID. NO. 325, SEQ. ID. NO. 327, SEQ.
 ID. NO. 329, SEQ. ID. NO. 331, SEQ. ID. NO. 333, SEQ. ID. NO. 335, SEQ. ID.
 NO. 337, SEQ. ID. NO. 339, SEQ. ID. NO. 341, SEQ. ID. NO. 343, SEQ. ID. NO.
 25 345, SEQ. ID. NO. 347, SEQ. ID. NO. 349, SEQ. ID. NO. 351, SEQ. ID. NO. 353,
 SEQ. ID. NO. 355, SEQ. ID. NO. 357, SEQ. ID. NO. 359, SEQ. ID. NO. 361, SEQ.
 ID. NO. 363, SEQ. ID. NO. 365, SEQ. ID. NO. 367, SEQ. ID. NO. 369, SEQ ID NO:
 371, SEQ. ID. NO. 373, SEQ. ID. NO. 375, SEQ. ID. NO. 377, SEQ. ID. NO. 379,
 SEQ. ID. NO. 381, SEQ. ID. NO. 383, SEQ. ID. NO. 385, SEQ. ID. NO. 387, SEQ.
 30 ID. NO. 389, SEQ. ID. NO. 391, SEQ. ID. NO. 393, SEQ. ID. NO. 395, SEQ. ID.
 NO. 397, SEQ. ID. NO. 399, SEQ. ID. NO. 401, SEQ. ID. NO. 403, SEQ. ID. NO.
 405, SEQ. ID. NO. 407, SEQ. ID. NO. 409, SEQ. ID. NO. 411, SEQ. ID. NO. 413,
 SEQ. ID. NO. 415, SEQ. ID. NO. 417, SEQ. ID. NO. 419, SEQ. ID. NO. 421, SEQ.

ID. NO. 423, SEQ. ID. NO. 425, SEQ. ID. NO. 427, SEQ. ID. NO. 429, SEQ. ID. NO. 431, SEQ. ID. NO. 433, SEQ. ID. NO. 435, SEQ. ID. NO. 437, SEQ. ID. NO. 439, SEQ. ID. NO. 441, SEQ. ID. NO. 443, SEQ. ID. NO. 445, SEQ. ID. NO. 447, SEQ. ID. NO. 449, SEQ. ID. NO. 451, SEQ. ID. NO. 453, SEQ. ID. NO. 455, SEQ. ID. NO. 457, SEQ. ID. NO. 459, SEQ. ID. NO. 461, SEQ. ID. NO. 463, SEQ. ID. NO. 465, SEQ. ID. NO. 467, SEQ. ID. NO. 469, SEQ. ID. NO. 471, SEQ. ID. NO. 473, SEQ. ID. NO. 475, SEQ. ID. NO. 477, SEQ. ID. NO. 479, SEQ. ID. NO. 481, SEQ. ID. NO. 483, SEQ. ID. NO. 485, SEQ. ID. NO. 487, SEQ. ID. NO. 489, SEQ. ID. NO. 491, SEQ. ID. NO. 493, SEQ ID NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503, SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511.

Preferably, the amino acid sequence identity will be at least 50-75% preferably 85%, 90%, 95%, 96%, 97%, 98%, or 99%. Optionally, the polypeptide of the assays can comprise a domain of an OR protein, such as an extracellular domain, transmembrane region, transmembrane domain, cytoplasmic domain, ligand-binding domain, subunit association domain, active site, and the like. Either the OR protein or a domain thereof can be covalently linked to a heterologous protein to create a chimeric protein used in the assays described herein. As discussed *infra*, the family of ORs provided herein exhibits substantial sequence similarity at both the DNA and protein level, but also significant dissimilarity. In particular, the members possess an average percentage sequence identity to other members of the family when determined over the full length of the gene by about 30%. Moreover, different members of the genes at the protein level exhibit an average on the order of about 40% sequence identity to other members of the family when the full length protein sequences are compared. However, while there exist differences, there are characteristic similarities, *e.g.* the consensus sequence already mentioned, which further define members of this novel genus of receptors.

Modulators of OR activity can be tested using OR polypeptides as described above, either recombinant or naturally occurring. The protein can be isolated, expressed in a cell, expressed in a membrane derived from a cell, expressed in tissue or in an animal, either recombinant or naturally occurring. Modulation can be tested using one of the *in vitro* or *in vivo* assays described herein.

1. In vitro binding assays

Olfactory transduction can also be examined *in vitro* with soluble or solid state reactions, using a full-length OR or a chimeric molecule such as an extracellular domain or transmembrane region, or combination thereof, of a OR covalently linked to a heterologous signal transduction domain, or a heterologous extracellular domain and/or transmembrane region covalently linked to the transmembrane and/or cytoplasmic domain of an OR. Furthermore, ligand-binding domains of the protein of interest can be used *in vitro* in soluble or solid state reactions to assay for ligand binding. In numerous embodiments, a chimeric receptor will be made that comprises all or part of a OR polypeptide, as well an additional sequence that facilitates the localization of the OR to the membrane, such as a rhodopsin, *e.g.*, an N-terminal fragment of a rhodopsin protein, *e.g.* bovine or another mammalian rhodopsin.

Ligand binding to a OR protein, a domain, or chimeric protein can be tested in solution, in a bilayer membrane, attached to a solid phase, in a lipid monolayer, or in vesicles. Binding of a modulator can be tested using, *e.g.*, changes in spectroscopic characteristics (*e.g.*, fluorescence, absorbance, refractive index) hydrodynamic (*e.g.*, shape), chromatographic, or solubility properties.

Receptor-G protein interactions can also be examined. For example, binding of the G protein to the receptor or its release from the receptor can be examined. For example, in the absence of GTP, an activator will lead to the formation of a tight complex of a G protein (all three subunits) with the receptor. This complex can be detected in a variety of ways, as noted above. Such an assay can be modified to search for inhibitors, *e.g.*, by adding an activator to the receptor and G protein in the absence of GTP, which form a tight complex, and then screen for inhibitors by looking at dissociation of the receptor-G protein complex. In the presence of GTP, release of the alpha subunit of the G protein from the other two G protein subunits serves as a criterion of activation.

An activated or inhibited G protein will in turn alter the properties of target enzymes, channels, and other effector proteins. The classic examples are the activation of cGMP phosphodiesterase by transducin in the visual system, adenylate cyclase by the stimulatory G protein, phospholipase C by Gq and other cognate G proteins, and modulation of diverse channels by Gi and other G proteins.

Downstream consequences can also be examined such as generation of diacyl glycerol and IP3 by phospholipase C, and in turn, for calcium mobilization by IP3.

In another embodiment of the invention, a GTP γ S assay may be used. As described above, upon activation of a GPCR, the G α subunit of the G protein complex is stimulated to exchange bound GDP for GTP. Ligand-mediated stimulation of G protein exchange activity can be measured in a biochemical assay measuring the binding of added radioactively-labeled GTP γ ³⁵S to the G protein in the presence of a putative ligand. Typically, membranes containing the chemosensory receptor of interest are mixed with a complex of G proteins. Potential inhibitors and/or activators and GTP γ S are added to the assay, and binding of GTP γ S to the G protein is measured. Binding can be measured by liquid scintillation counting or by any other means known in the art, including scintillation proximity assays (SPA). In other assays formats, fluorescently-labeled GTP γ S can be utilized.

2. Fluorescence Polarization Assays

In another embodiment, Fluorescence Polarization ("FP") based assays may be used to detect and monitor odorant binding. Fluorescence polarization is a versatile laboratory technique for measuring equilibrium binding, nucleic acid hybridization, and enzymatic activity. Fluorescence polarization assays are homogeneous in that they do not require a separation step such as centrifugation, filtration, chromatography, precipitation or electrophoresis. These assays are done in real time, directly in solution and do not require an immobilized phase. Polarization values can be measured repeatedly and after the addition of reagents since measuring the polarization is rapid and does not destroy the sample. Generally, this technique can be used to measure polarization values of fluorophores from low picomolar to micromolar levels. This section describes how fluorescence polarization can be used in a simple and quantitative way to measure the binding of odorants to the olfactory receptors of the invention.

When a fluorescently labeled molecule is excited with plane polarized light, it emits light that has a degree of polarization that is inversely proportional to its molecular rotation. Large fluorescently labeled molecules remain relatively stationary during the excited state (4 nanoseconds in the case of fluorescein) and the polarization of the light remains relatively constant between excitation and emission. Small fluorescently labeled molecules rotate rapidly during the excited state and the

polarization changes significantly between excitation and emission. Therefore, small molecules have low polarization values and large molecules have high polarization values. For example, a single-stranded fluorescein-labeled oligonucleotide has a relatively low polarization value but when it is hybridized to a complementary strand, it has a higher polarization value. When using FP to detect and monitor odorant-binding which may activate or inhibit the olfactory receptors of the invention, fluorescence-labeled odorants or auto-fluorescent odorants may be used.

Fluorescence polarization (P) is defined as:

$$P = \frac{Int_{\parallel} - Int_{\perp}}{Int_{\parallel} + Int_{\perp}}$$

Where \parallel is the intensity of the emission light parallel to the excitation light plane and \perp is the intensity of the emission light perpendicular to the excitation light plane. P, being a ratio of light intensities, is a dimensionless number. For example, the Beacon [®] and Beacon 2000 [™] System may be used in connection with these assays. Such systems typically express polarization in millipolarization units (1 Polarization Unit = 1000 mP Units).

The relationship between molecular rotation and size is described by the Perrin equation and the reader is referred to Jolley, M. E. (1991) in Journal of Analytical Toxicology, pp. 236-240, which gives a thorough explanation of this equation. Summarily, the Perrin equation states that polarization is directly proportional to the rotational relaxation time, the time that it takes a molecule to rotate through an angle of approximately 68.5°. Rotational relaxation time is related to viscosity (η), absolute temperature (T), molecular volume (V), and the gas constant (R) by the following equation:

$$Rotational\ Relaxation\ Time = \frac{3\eta V}{RT}$$

The rotational relaxation time is small (\approx 1 nanosecond) for small molecules (e.g. fluorescein) and large (\approx 100 nanoseconds) for large molecules (e.g. immunoglobulins). If viscosity and temperature are held constant, rotational relaxation time, and therefore polarization, is directly related to the molecular volume. Changes in molecular volume may be due to interactions with other molecules, dissociation, polymerization, degradation, hybridization, or conformational changes of the fluorescently labeled molecule. For example, fluorescence polarization has been

used to measure enzymatic cleavage of large fluorescein labeled polymers by proteases, DNases, and RNases. It also has been used to measure equilibrium binding for protein/protein interactions, antibody/antigen binding, and protein/DNA binding.

3. Solid state and soluble high throughput assays

5 In yet another embodiment, the invention provides soluble assays using molecules such as a domain such as ligand-binding domain, an extracellular domain, a transmembrane domain (*e.g.*, one comprising seven transmembrane regions and cytosolic loops), the transmembrane domain and a cytoplasmic domain, an active site, a subunit association region, etc.; a domain that is covalently linked to a heterologous
10 protein to create a chimeric molecule; an OR protein; or a cell or tissue expressing an OR protein, either naturally occurring or recombinant. In another embodiment, the invention provides solid phase based in vitro assays in a high throughput format, where the domain, chimeric molecule, OR protein, or cell or tissue expressing the OR is attached to a solid phase substrate.

15 In the high throughput assays of the invention, it is possible to screen up to several thousand different modulators or ligands in a single day. In particular, each well of a microtiter plate can be used to run a separate assay against a selected potential modulator, or, if concentration or incubation time effects are to be observed, every 5-10 wells can test a single modulator. Thus, a single standard microtiter plate
20 can assay about 100 (*e.g.*, 96) modulators. If 1536 well plates are used, then a single plate can easily assay from about 1000 to about 1500 different compounds. It is also possible to assay multiple compounds in each plate well. Further, it is possible to assay several different plates per day; assay screens for up to about 6,000-20,000 different compounds is possible using the integrated systems of the invention. More
25 recently, microfluidic approaches to reagent manipulation have been developed.

The molecule of interest can be bound to the solid state component, directly or indirectly, via covalent or non covalent linkage, *e.g.*, via a tag. The tag can be any of a variety of components. In general, a molecule which binds the tag (a tag binder) is fixed to a solid support, and the tagged molecule of interest (*e.g.*, the olfactory
30 transduction molecule of interest) is attached to the solid support by interaction of the tag and the tag binder.

A number of tags and tag binders can be used, based upon known molecular interactions well described in the literature. For example, where a tag has a natural

binder, for example, biotin, protein A, or protein G, it can be used in conjunction with appropriate tag binders (avidin, streptavidin, neutravidin, the Fc region of an immunoglobulin, *etc.*). Antibodies to molecules with natural binders such as biotin are also widely available and appropriate tag binders (*see*, SIGMA Immunochemicals
5 1998 catalogue SIGMA, St. Louis MO).

Similarly, any haptenic or antigenic compound can be used in combination with an appropriate antibody to form a tag/tag binder pair. Thousands of specific antibodies are commercially available and many additional antibodies are described in the literature. For example, in one common configuration, the tag is a first antibody
10 and the tag binder is a second antibody which recognizes the first antibody. In addition to antibody-antigen interactions, receptor-ligand interactions are also appropriate as tag and tag-binder pairs. For example, agonists and antagonists of cell membrane receptors (*e.g.*, cell receptor-ligand interactions such as transferrin, c-kit, viral receptor ligands, cytokine receptors, chemokine receptors, interleukin receptors,
15 immunoglobulin receptors and antibodies, the cadherein family, the integrin family, the selectin family, and the like; *see, e.g.*, Pigott & Power, The Adhesion Molecule Facts Book I (1993)). Similarly, toxins and venoms, viral epitopes, hormones (*e.g.*, opiates, steroids, *etc.*), intracellular receptors (*e.g.*, which mediate the effects of various small ligands, including steroids, thyroid hormone, retinoids and vitamin D;
20 peptides), drugs, lectins, sugars, nucleic acids (both linear and cyclic polymer configurations), oligosaccharides, proteins, phospholipids and antibodies can all interact with various cell receptors.

Synthetic polymers, such as polyurethanes, polyesters, polycarbonates, polyureas, polyamides, polyethyleneimines, polyarylene sulfides, polysiloxanes,
25 polyimides, and polyacetates can also form an appropriate tag or tag binder. Many other tag/tag binder pairs are also useful in assay systems described herein, as would be apparent to one of skill upon review of this disclosure.

Common linkers such as peptides, polyethers, and the like can also serve as tags, and include polypeptide sequences, such as poly gly sequences of between about
30 5 and 200 amino acids. Such flexible linkers are known to persons of skill in the art. For example, poly(ethelyne glycol) linkers are available from Shearwater Polymers, Inc. Huntsville, Alabama. These linkers optionally have amide linkages, sulfhydryl linkages, or heterofunctional linkages.

Tag binders are fixed to solid substrates using any of a variety of methods currently available. Solid substrates are commonly derivatized or functionalized by exposing all or a portion of the substrate to a chemical reagent that fixes a chemical group to the surface which is reactive with a portion of the tag binder. For example, groups that are suitable for attachment to a longer chain portion would include amines, hydroxyl, thiol, and carboxyl groups. Aminoalkylsilanes and hydroxyalkylsilanes can be used to functionalize a variety of surfaces, such as glass surfaces. The construction of such solid phase biopolymer arrays is well described in the literature. See, e.g., Merrifield, *J. Am. Chem. Soc.*, 85:2149-54 (1963) (describing solid phase synthesis of, e.g., peptides); Geysen *et al.*, *J. Immun. Meth.*, 102:259-74 (1987) (describing synthesis of solid phase components on pins); Frank & Doring, *Tetrahedron*, 44:60316040 (1988) (describing synthesis of various peptide sequences on cellulose disks); Fodor *et al.*, *Science*, 251:767-77 (1991); Sheldon *et al.*, *Clinical Chemistry*, 39(4):718-19 (1993); and Kozal *et al.*, *Nature Medicine*, 2(7):753759 (1996) (all describing arrays of biopolymers fixed to solid substrates). Non-chemical approaches for fixing tag binders to substrates include other common methods, such as heat, cross-linking by UV radiation, and the like.

4. Computer-based assays

Yet another assay for compounds that modulate OR protein activity involves computer assisted compound design, in which a computer system is used to generate a three-dimensional structure of an OR protein based on the structural information encoded by its amino acid sequence. The input amino acid sequence interacts directly and actively with a preestablished algorithm in a computer program to yield secondary, tertiary, and quaternary structural models of the protein. The models of the protein structure are then examined to identify regions of the structure that have the ability to bind, e.g., ligands. These regions are then used to identify ligands that bind to the protein.

The three-dimensional structural model of the protein is generated by entering protein amino acid sequences of at least 10 amino acid residues or corresponding nucleic acid sequences encoding a OR polypeptide into the computer system. The nucleotide sequence encoding the polypeptide, or the amino acid sequence thereof, can be any of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 15, SEQ ID NO: 17, SEQ ID

NO: 19, SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID
NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID
NO: 39, SEQ ID NO: 41, SEQ ID NO: 43, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID
NO: 49, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID
5 NO: 59, SEQ ID NO: 61, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID
NO: 69, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 77, SEQ ID
NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 87, SEQ ID
NO: 89, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 95, SEQ ID NO: 97, SEQ ID
NO: 99, SEQ ID NO: 101, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107,
10 SEQ ID NO: 109, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID
NO: 117, SEQ ID NO: 119, SEQ ID NO: 121, SEQ ID NO: 123, SEQ ID NO: 125,
SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 133, SEQ ID
NO: 135, SEQ ID NO: 137, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 143,
SEQ ID NO: 145, SEQ ID NO: 147, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID
15 NO: 153, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 161,
SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID
NO: 171, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 179,
SEQ ID NO: 181, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID
NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 195, SEQ ID NO: 197,
20 SEQ ID NO: 199, SEQ ID NO: 201, SEQ ID NO: 203, SEQ ID NO: 205, SEQ ID
NO: 207, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 213, SEQ ID NO: 215,
SEQ ID NO: 217, SEQ ID NO: 219, SEQ ID NO: 221, SEQ ID NO: 223, SEQ ID
NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 233,
SEQ ID NO: 235, SEQ ID NO: 237, SEQ ID NO: 239, SEQ ID NO: 241, SEQ ID
25 NO: 243, SEQ ID NO: 245, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251,
SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 259, SEQ ID
NO: 261, SEQ ID NO: 263, SEQ ID NO: 265, SEQ ID NO: 267, SEQ ID NO: 269,
SEQ ID NO: 271, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 277, SEQ ID
NO: 279, SEQ ID NO: 281, SEQ ID NO: 283, SEQ ID NO: 285, SEQ ID NO: 287,
30 SEQ ID NO: 289, SEQ ID NO: 291, SEQ ID NO: 293, SEQ ID NO: 295, SEQ ID
NO: 297, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 303, SEQ ID NO: 305,
SEQ ID NO: 307, SEQ ID NO: 309, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID
NO: 315, SEQ ID NO: 317, SEQ ID NO: 319, SEQ ID NO: 321, SEQ ID NO: 323,

SEQ ID NO: 325, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 331, SEQ ID
NO: 333, SEQ ID NO: 335, SEQ ID NO: 337, SEQ ID NO: 339, SEQ ID NO: 341,
SEQ ID NO: 343, SEQ ID NO: 345, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID
NO: 351, SEQ ID NO: 353, SEQ ID NO: 355, SEQ ID NO: 357, SEQ ID NO: 359,
5 SEQ ID NO: 361, SEQ ID NO: 363, SEQ ID NO: 365, SEQ ID NO: 367, SEQ ID
NO: 369, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 375, SEQ ID NO: 377,
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID
NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 395,
SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID
10 NO: 405, SEQ ID NO: 407, SEQ ID NO: 409, SEQ ID NO: 411, SEQ ID NO: 413,
SEQ ID NO: 415, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 421, SEQ ID
NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 429, SEQ ID NO: 431,
SEQ ID NO: 433, SEQ ID NO: 435, SEQ ID NO: 437, SEQ ID NO: 439, SEQ ID
NO: 441, SEQ ID NO: 443, SEQ ID NO: 445, SEQ ID NO: 447, SEQ ID NO: 449,
15 SEQ ID NO: 451, SEQ ID NO: 453, SEQ ID NO: 455, SEQ ID NO: 457, SEQ ID
NO: 459, SEQ ID NO: 461, SEQ ID NO: 463, SEQ ID NO: 465, SEQ ID NO: 467,
SEQ ID NO: 469, SEQ ID NO: 471, SEQ ID NO: 473, SEQ ID NO: 475, SEQ ID
NO: 477, SEQ ID NO: 479, SEQ ID NO: 481, SEQ ID NO: 483, SEQ ID NO: 485,
SEQ ID NO: 487, SEQ ID NO: 489, SEQ ID NO: 491, SEQ ID NO: 493, SEQ ID
20 NO: 495, SEQ ID NO: 497, SEQ ID NO: 499, SEQ ID NO: 501, SEQ ID NO: 503,
SEQ ID NO: 505, SEQ ID NO: 507, SEQ ID NO: 509 and SEQ ID NO: 511, and
conservatively modified versions thereof.

The amino acid sequence represents the primary sequence or subsequence of
the protein, which encodes the structural information of the protein. At least 10
25 residues of the amino acid sequence (or a nucleotide sequence encoding 10 amino
acids) are entered into the computer system from computer keyboards, computer
readable substrates that include, but are not limited to, electronic storage media (*e.g.*,
magnetic diskettes, tapes, cartridges, and chips), optical media (*e.g.*, CD ROM),
information distributed by internet sites, and by RAM. The three-dimensional
30 structural model of the protein is then generated by the interaction of the amino acid
sequence and the computer system, using software known to those of skill in the art. .

The amino acid sequence represents a primary structure that encodes the
information necessary to form the secondary, tertiary and quaternary structure of the

protein of interest. The software looks at certain parameters encoded by the primary sequence to generate the structural model. These parameters are referred to as "energy terms," and primarily include electrostatic potentials, hydrophobic potentials, solvent accessible surfaces, and hydrogen bonding. Secondary energy terms include van der
5 Waals potentials. Biological molecules form the structures that minimize the energy terms in a cumulative fashion. The computer program is therefore using these terms encoded by the primary structure or amino acid sequence to create the secondary structural model.

The tertiary structure of the protein encoded by the secondary structure is then
10 formed on the basis of the energy terms of the secondary structure. The user at this point can enter additional variables such as whether the protein is membrane bound or soluble, its location in the body, and its cellular location, *e.g.*, cytoplasmic, surface, or nuclear. These variables along with the energy terms of the secondary structure are used to form the model of the tertiary structure. In modeling the tertiary structure, the
15 computer program matches hydrophobic faces of secondary structure with like, and hydrophilic faces of secondary structure with like.

Once the structure has been generated, potential ligand-binding regions are identified by the computer system. Three-dimensional structures for potential ligands are generated by entering amino acid or nucleotide sequences or chemical formulas of
20 compounds, as described above. The three-dimensional structure of the potential ligand is then compared to that of the OR protein to identify ligands that bind to the protein. Binding affinity between the protein and ligands is determined using energy terms to determine which ligands have an enhanced probability of binding to the protein.

25 Computer systems are also used to screen for mutations, polymorphic variants, alleles and interspecies homologs of OR genes. Such mutations can be associated with disease states or genetic traits. As described above, GeneChip™ and related technology can also be used to screen for mutations, polymorphic variants, alleles and interspecies homologs. Once the variants are identified, diagnostic assays can be used
30 to identify patients having such mutated genes. Identification of the mutated OR genes involves receiving input of a first nucleic acid or amino acid sequence of a OR gene, or conservatively modified versions thereof. The sequence is entered into the computer system as described above. The first nucleic acid or amino acid sequence is

then compared to a second nucleic acid or amino acid sequence that has substantial identity to the first sequence. The second sequence is entered into the computer system in the manner described above. Once the first and second sequences are compared, nucleotide or amino acid differences between the sequences are identified.

- 5 Such sequences can represent allelic differences in various OR genes, and mutations associated with disease states and genetic traits.

5. Cell-based binding assays

- In a preferred embodiment, an OR polypeptide is expressed in a eukaryotic cell as a chimeric receptor with a heterologous, chaperone sequence that facilitates its maturation and targeting through the secretory pathway. In a preferred embodiment, the heterologous sequence is a rhodopsin sequence, such as an N-terminal fragment of a rhodopsin. Such chimeric OR receptors can be expressed in any eukaryotic cell, such as HEK-293 cells. Preferably, the cells comprise a functional G protein, *e.g.*, G α 15, that is capable of coupling the chimeric receptor to an intracellular signaling pathway or to a signaling protein such as phospholipase C. Activation of such chimeric receptors in such cells can be detected using any standard method, such as by detecting changes in intracellular calcium by detecting FURA-2 dependent fluorescence in the cell.

- Activated GPCR receptors become substrates for kinases that phosphorylate the C-terminal tail of the receptor (and possibly other sites as well). Thus, activators will promote the transfer of ^{32}P from gamma-labeled GTP to the receptor, which can be assayed with a scintillation counter. The phosphorylation of the C-terminal tail will promote the binding of arrestin-like proteins and will interfere with the binding of G proteins. The kinase/arrestin pathway plays a key role in the desensitization of many GPCR receptors. For example, compounds that modulate the duration an olfactory receptor stays active would be useful as a means of prolonging a desired odor or cutting off an unpleasant one. For a general review of GPCR signal transduction and methods of assaying signal transduction, *see, e.g., Methods in Enzymology*, vols. 237 and 238 (1994) and volume 96 (1983); Bourne *et al.*, *Nature*, 10:349:117-27 (1991); Bourne *et al.*, *Nature*, 348:125-32 (1990); Pitcher *et al.*, *Annu. Rev. Biochem.*, 67:653-92 (1998).

OR modulation may be assayed by comparing the response of an OR polypeptide treated with a putative OR modulator to the response of an untreated

control sample. Such putative OR modulators can include odorants that either inhibit or activate OR polypeptide activity. In one embodiment, control samples (untreated with activators or inhibitors) are assigned a relative OR activity value of 100. Inhibition of an OR polypeptide is achieved when the OR activity value relative to the control is about 90%, optionally 50%, optionally 25-0%. Activation of an OR polypeptide is achieved when the OR activity value relative to the control is 110%, optionally 150%, 200-500%, or 1000-2000%.

Changes in ion flux may be assessed by determining changes in polarization (*i.e.*, electrical potential) of the cell or membrane expressing a OR protein. One means to determine changes in cellular polarization is by measuring changes in current (thereby measuring changes in polarization) with voltage-clamp and patch-clamp techniques, *e.g.*, the “cell-attached” mode, the “inside-out” mode, and the “whole cell” mode (*see, e.g.*, Ackerman *et al.*, *New Engl. J Med.*, 336:1575-1595 (1997)). Whole cell currents are conveniently determined using the standard. Other known assays include: radiolabeled ion flux assays and fluorescence assays using voltage-sensitive dyes (*see, e.g.*, Vestergaard-Bogind *et al.*, *J. Membrane Biol.*, 88:67-75 (1988); Gonzales & Tsien, *Chem. Biol.*, 4:269-277 (1997); Daniel *et al.*, *J. Pharmacol. Meth.*, 25:185-193 (1991); Holevinsky *et al.*, *J. Membrane Biology*, 137:59-70 (1994)). Generally, the compounds to be tested are present in the range from 1 pM to 100 mM.

The effects of the test compounds upon the function of the polypeptides can be measured by examining any of the parameters described above. Any suitable physiological change that affects GPCR activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as transmitter release, hormone release, transcriptional changes to both known and uncharacterized genetic markers (*e.g.*, northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second messengers such as Ca^{2+} , IP3, cGMP, or cAMP.

Preferred assays for GPCRs include cells that are loaded with ion or voltage sensitive dyes to report receptor activity. Assays for determining activity of such receptors can also use known agonists and antagonists for other G protein coupled receptors as negative or positive controls to assess activity of tested compounds. In

assays for identifying modulatory compounds (*e.g.*, agonists, antagonists), changes in the level of ions in the cytoplasm or membrane voltage will be monitored using an ion sensitive or membrane voltage fluorescent indicator, respectively. Among the ion-sensitive indicators and voltage probes that may be employed are those disclosed in the Molecular Probes 1997 Catalog. For G protein coupled receptors, promiscuous G proteins such as G α 15 and G α 16 can be used in the assay of choice (Wilkie *et al.*, *PNAS*, 88:10049-53 (1991)). Such promiscuous G proteins allow coupling of a wide range of receptors.

Receptor activation typically initiates subsequent intracellular events, *e.g.*, increases in second messengers such as IP₃, which releases intracellular stores of calcium ions. Activation of some G protein coupled receptors stimulates the formation of inositol triphosphate (IP₃) through phospholipase C-mediated hydrolysis of phosphatidylinositol (Berridge & Irvine, *Nature*, 312:315-21 (1984)). IP₃ in turn stimulates the release of intracellular calcium ion stores. Thus, a change in cytoplasmic calcium ion levels, or a change in second messenger levels such as IP₃ can be used to assess G protein coupled receptor function. Cells expressing such G protein coupled receptors may exhibit increased cytoplasmic calcium levels as a result of contribution from both intracellular stores and via activation of ion channels, in which case it may be desirable although not necessary to conduct such assays in calcium-free buffer, optionally supplemented with a chelating agent such as EGTA, to distinguish fluorescence response resulting from calcium release from internal stores.

Other assays can involve determining the activity of receptors which, when activated, result in a change in the level of intracellular cyclic nucleotides, *e.g.*, cAMP or cGMP, by activating or inhibiting enzymes such as adenylate cyclase. There are cyclic nucleotide-gated ion channels, *e.g.*, rod photoreceptor cell channels and olfactory neuron channels that are permeable to cations upon activation by binding of cAMP or cGMP (*see, e.g.*, Altenhofen *et al.*, *PNAS*, 88:9868-72 (1991) and Dhallan *et al.*, *Nature*, 347:184-187 (1990)). In cases where activation of the receptor results in a decrease in cyclic nucleotide levels, it may be preferable to expose the cells to agents that increase intracellular cyclic nucleotide levels, *e.g.*, forskolin, prior to adding a receptor-activating compound to the cells in the assay. Cells for this type of assay can be made by co-transfection of a host cell with DNA encoding a cyclic nucleotide-gated ion channel, GPCR phosphatase and DNA encoding a receptor (*e.g.*,

certain glutamate receptors, muscarinic acetylcholine receptors, dopamine receptors, serotonin receptors, and the like), which, when activated, causes a change in cyclic nucleotide levels in the cytoplasm.

In a preferred embodiment, OR protein activity is measured by expressing a
5 OR gene in a heterologous cell with a promiscuous G protein that links the receptor to a phospholipase C signal transduction pathway (*see* Offermanns & Simon, *J. Biol. Chem.*, 270:15175-15180 (1995)). Optionally the cell line is HEK-293 (which does not naturally express OR genes) and the promiscuous G protein is G α 15/G α 16 (Offermanns & Simon, *supra*). Modulation of olfactory transduction is assayed by
10 measuring changes in intracellular Ca²⁺ levels, which change in response to modulation of the OR signal transduction pathway via administration of a molecule that associates with a OR protein. Changes in Ca²⁺ levels are optionally measured using fluorescent Ca²⁺ indicator dyes and fluorometric imaging.

In one embodiment, the changes in intracellular cAMP or cGMP can be
15 measured using immunoassays. The method described in Offermanns & Simon, *J. Bio. Chem.*, 270:15175-15180 (1995), may be used to determine the level of cAMP. Also, the method described in Felley-Bosco *et al.*, *Am. J. Resp. Cell and Mol. Biol.*, 11:159-164 (1994), may be used to determine the level of cGMP. Further, an assay kit for measuring cAMP and/or cGMP is described in U.S. Patent 4,115,538, herein
20 incorporated by reference.

In another embodiment, phosphatidyl inositol (PI) hydrolysis can be analyzed according to U.S. Patent 5,436,128, herein incorporated by reference. Briefly, the assay involves labeling of cells with 3H-myoinositol for 48 or more hrs. The labeled cells are treated with a test compound for one hour. The treated cells are lysed and
25 extracted in chloroform-methanol-water after which the inositol phosphates were separated by ion exchange chromatography and quantified by scintillation counting. Fold stimulation is determined by calculating the ratio of cpm in the presence of agonist, to cpm in the presence of buffer control. Likewise, fold inhibition is determined by calculating the ratio of cpm in the presence of antagonist, to cpm in the
30 presence of buffer control (which may or may not contain an agonist).

In another embodiment, transcription levels can be measured to assess the effects of a test compound on signal transduction. A host cell containing an OR protein of interest is contacted with a test compound for a sufficient time to effect any

interactions, and then the level of gene expression is measured. The amount of time to effect such interactions may be empirically determined, such as by running a time course and measuring the level of transcription as a function of time. The amount of transcription may be measured by using any method known to those of skill in the art to be suitable. For example, mRNA expression of the protein of interest may be detected using northern blots or their polypeptide products may be identified using immunoassays. Alternatively, transcription based assays using reporter gene may be used as described in U.S. Patent 5,436,128, herein incorporated by reference. The reporter genes can be, e.g., chloramphenicol acetyltransferase, luciferase, '3-galactosidase and alkaline phosphatase. Furthermore, the protein of interest can be used as an indirect reporter via attachment to a second reporter such as green fluorescent protein (*see, e.g.,* Mistili & Spector, *Nature Biotechnology*, 15:961-64 (1997)).

The amount of transcription is then compared to the amount of transcription in either the same cell in the absence of the test compound, or it may be compared with the amount of transcription in a substantially identical cell that lacks the OR protein of interest. A substantially identical cell may be derived from the same cells from which the recombinant cell was prepared but which had not been modified by introduction of heterologous DNA. Any difference in the amount of transcription indicates that the test compound has in some manner altered the activity of the OR protein of interest.

6. Transgenic non-human animals expressing olfactory receptors

Non-human animals expressing one or more olfactory receptor sequences of the invention, particularly human olfactory receptor sequences, can also be used for receptor assays. Such expression can be used to determine whether a test compound specifically binds to a mammalian olfactory transmembrane receptor polypeptide *in vivo* by contacting a non-human animal stably or transiently transfected with a nucleic acid encoding an olfactory receptor or ligand-binding region thereof with a test compound and determining whether the animal reacts to the test compound by specifically binding to the receptor polypeptide.

Use of the translocation domains of the invention in the fusion polypeptides generates a cell expressing high levels of olfactory receptor. Animals transfected or infected with the vectors of the invention are particularly useful for assays to identify and characterize odorants/ligands that can bind to a specific or sets of receptors. Such

vector-infected animals expressing libraries of human olfactory sequences can be used for *in vivo* screening of odorants and their effect on, *e.g.*, cell physiology (*e.g.*, on olfactory neurons), on the CNS (*e.g.*, olfactory bulb activity), or behavior.

Means to infect/express the nucleic acids and vectors, either individually or as
5 libraries, are well known in the art. A variety of individual cell, organ or whole animal parameters can be measured by a variety of means. For example, recording of stimulant-induced waves (bulbar responses) from the main olfactory bulb or accessory olfactory bulb is a useful tool for measuring quantitative stable olfactory responses. When electrodes are located on the olfactory bulb surface it is possible to record stable
10 responses over a period of several days (*see, e.g.*, Kashiwayanagi, *Brain Res. Protoc.* 1:287-291 (1997)). In this study, electroolfactogram recordings were made with a four-electrode assembly from the olfactory epithelium overlying the endoturbinates facing the nasal septum. Four electrodes were fixed along the dorsal-to-ventral axis of one turbinate bone or were placed in corresponding positions on four turbinate
15 bones and moved together up toward the top of the bone. *See also*, Scott, *J. Neurophysiol.* 77:1950-1962 (1997); Scott, *J. Neurophysiol.* 75:2036-2049 (1996); Ezeh, *J. Neurophysiol.* 73:2207-2220 (1995). In other systems, fluorescence changes in nasal epithelium can be measured using the dye di-4-ANEPPS, which is applied on the rat's nasal septum and medial surface of the turbinates (*see, e.g.*, Youngentob, *J.*
20 *Neurophysiol.* 73:387-398 (1995)). Extracellular potassium activity (aK) measurements can also be carried out in *in vivo*. An increase in aK can be measured in the mucus and the proximal part of the nasal epithelium (*see, e.g.*, Khayari, *Brain Res.* 539:1-5 (1991)).

The OR sequences of the invention can be for example expressed in animal
25 nasal epithelium by delivery with an infecting agent, *e.g.*, adenovirus expression vector. Recombinant adenovirus-mediated expression of a recombinant gene in olfactory epithelium using green fluorescent protein as a marker is described by, *e.g.*, Touhara, *PNAS*, 96:4040-45 (1999).

The endogenous olfactory receptor genes can remain functional and wild-type
30 (native) activity can still be present. In other situations, where it is desirable that all olfactory receptor activity is by the introduced exogenous hybrid receptor, use of a knockout line is preferred. Methods for the construction of non-human transgenic

animals, particularly transgenic mice, and the selection and preparation of recombinant constructs for generating transformed cells are well known in the art.

Construction of a "knockout" cell and animal is based on the premise that the level of expression of a particular gene in a mammalian cell can be decreased or completely abrogated by introducing into the genome a new DNA sequence that serves to interrupt some portion of the DNA sequence of the gene to be suppressed. Also, "gene trap insertion" can be used to disrupt a host gene, and mouse embryonic stem (ES) cells can be used to produce knockout transgenic animals (*see, e.g.,* Holzschu, *Transgenic Res* 6:97-106 (1997)). The insertion of the exogenous is typically by homologous recombination between complementary nucleic acid sequences. The exogenous sequence is some portion of the target gene to be modified, such as exonic, intronic or transcriptional regulatory sequences, or any genomic sequence which is able to affect the level of the target gene's expression; or a combination thereof. Gene targeting via homologous recombination in pluripotent embryonic stem cells allows one to modify precisely the genomic sequence of interest. Any technique can be used to create, screen for, propagate, a knockout animal, *e.g., see* Bijvoet, *Hum. Mol. Genet.* 7:53-62 (1998); Moreadith, *J. Mol. Med.* 75:208-216 (1997); Tojo, *Cytotechnology* 19:161-165 (1995); Mudgett, *Methods Mol. Biol.* 48:167-184 (1995); Longo, *Transgenic Res.* 6:321-328 (1997); U.S. Patents Nos. 5,616,491; 5,464,764; 5,631,153; 5,487,992; 5,627,059; 5,272,071; WO 91/09955; WO 93/09222; WO 96/29411; WO 95/31560; WO 91/12650.

The nucleic acid libraries of the invention can also be used as reagents to produce "knockout" human cells and their progeny. Likewise, the nucleic acids of the invention can also be used as reagents to produce "knock-ins" in mice. The human or rat OR gene sequences can replace the orthologous ORs in the mouse genome. In this way, a mouse expressing a human or rat OR can be produced. This mouse can then be used to analyze the function of human or rat ORs, and to identify ligands for such ORs.

F. Modulators

The compounds tested as modulators of an OR family member can be any small chemical compound, or a biological entity, such as a protein, sugar, nucleic acid or lipid. Alternatively, modulators can be genetically altered versions of an OR gene.

Typically, test compounds will be small chemical molecules and peptides. Essentially any chemical compound can be used as a potential modulator or ligand in the assays of the invention, although most often compounds can be dissolved in aqueous or organic (especially DMSO-based) solutions are used. The assays are designed to
5 screen large chemical libraries by automating the assay steps and providing compounds from any convenient source to assays, which are typically run in parallel (e.g., in microtiter formats on microtiter plates in robotic assays). It will be appreciated that there are many suppliers of chemical compounds, including Sigma (St. Louis, MO), Aldrich (St. Louis, MO), Sigma-Aldrich (St. Louis, MO), Fluka
10 Chemika-Biochemica Analytika (Buchs, Switzerland) and the like.

The OR modulating compounds can be used in any number of consumer products, including, but not limited to, perfumes, fragrance compositions, deorderants, air fresheners, foods, drugs, *etc.*, or ingredients thereof, to thereby modulate the odor of the product, composition, or ingredient in a desired manner. As
15 one of skill in the art will recognize, OR modulating compounds can be used to enhance desirable odors, to block malodors, or a combination thereof.

In one preferred embodiment, high throughput screening methods involve providing a combinatorial chemical or peptide library containing a large number of potential therapeutic compounds (potential modulator or ligand compounds). Such
20 "combinatorial chemical libraries" or "ligand libraries" are then screened in one or more assays, as described herein, to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual odorant compositions.

25 A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis, by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library such as a polypeptide library is formed by combining a set of chemical building blocks (amino acids) in every possible way for
30 a given compound length (*i.e.*, the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks.

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (*see, e.g.*, U.S. Patent 5,010,175, Furka, *Int. J. Pept. Prot. Res.*, 37:487-93 (1991) and Houghton *et al.*, *Nature*, 354:84-88 (1991)). Other chemistries for generating chemical diversity libraries can also be used. Such chemistries include, but are not limited to: peptoids (*e.g.*, PCT Publication No. WO 91/19735), encoded peptides (*e.g.*, PCT Publication WO 93/20242), random bio-oligomers (*e.g.*, PCT Publication No. WO 92/00091), benzodiazepines (*e.g.*, U.S. Pat. No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides (Hobbs *et al.*, *PNAS*, 90:6909-13 (1993)), vinylogous polypeptides (Hagihara *et al.*, *J. Amer. Chem. Soc.*, 114:6568 (1992)), nonpeptidal peptidomimetics with glucose scaffolding (Hirschmann *et al.*, *J. Amer. Chem. Soc.*, 114:9217-18 (1992)), analogous organic syntheses of small compound libraries (Chen *et al.*, *J. Amer. Chem. Soc.*, 116:2661 (1994)), oligocarbamates (Cho *et al.*, *Science*, 261:1303 (1993)), peptidyl phosphonates (Campbell *et al.*, *J. Org. Chem.*, 59:658 (1994)), nucleic acid libraries (Ausubel, Berger and Sambrook, all *supra*), peptide nucleic acid libraries (U.S. Patent 5,539,083), antibody libraries (Vaughn *et al.*, *Nature Biotechnology*, 14(3):309-14 (1996) and PCT/US96/10287), carbohydrate libraries (Liang *et al.*, *Science*, 274:1520-22 (1996) and U.S. Patent 5,593,853), small organic molecule libraries (benzodiazepines, Baum, *C&EN*, Jan 18, page 33 (1993); thiazolidinones and metathiazanones, U.S. Patent 5,549,974; pynrolidines, U.S. Patents 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent 5,506,337; benzodiazepines, 5,288,514, and the like).

Devices for the preparation of combinatorial libraries are commercially available (*see, e.g.*, 357 MPS, 390 MPS (Advanced Chem Tech, Louisville KY), Symphony (Rainin, Woburn, MA), 433A (Applied Biosystems, Foster City, CA), 9050 Plus (Millipore, Bedford, MA)). In addition, numerous combinatorial libraries are themselves commercially available (*see, e.g.*, ComGenex, Princeton, NJ; Tripos, Inc., St. Louis, MO; 3D Pharmaceuticals, Exton, PA; Martek Biosciences; Columbia, MD; *etc.*).

G. Methods for Representing and Predicting the Perception of Odor

The invention also preferably provides methods for representing the perception of odor (or taste) and/or for predicting the perception of odor (or taste) in a mammal, including in a human. Preferably, such methods may be performed by using the
5 receptors and genes encoding said olfactory receptors disclosed herein.

Also contemplated as within the invention, is a method of screening one or more compounds for the presence of an odor detectable by a mammal, comprising: contacting said one or more compounds with the disclosed receptors, preferably wherein the mammal is a human. Also contemplated as within the invention is a
10 method for representing olfactory perception of a particular smell in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of each of n olfactory receptors of said vertebrate, where n is greater than or equal to 4; and generating from said values a quantitative representation of olfactory perception. The olfactory receptors may be an olfactory receptor disclosed herein, the
15 representation may constitute a point or a volume in n -dimensional space, may constitute a graph or a spectrum, and may constitute a matrix of quantitative representations. Also, the providing step may comprise contacting a plurality of recombinantly-produced olfactory receptors with a test composition and quantitatively measuring the interaction of said composition with said receptors.

Also contemplated as within the invention, is a method for predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal, comprising: providing values X_1 to X_n representative of the quantitative stimulation of
20 each of n olfactory receptors of said vertebrate, where n is greater than or equal to 4, for one or more molecules or combinations of molecules yielding known olfactory perception in a mammal; and generating from said values a quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal, providing values X_1 to X_n representative of the quantitative stimulation of each of n olfactory receptors of
25 said vertebrate, where n is greater than or equal to 4, for one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal; and generating from said values a quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding
30

unknown olfactory perception in a mammal, and predicting the olfactory perception in a mammal generated by one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal by comparing the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding unknown olfactory perception in a mammal to the quantitative representation of olfactory perception in a mammal for the one or more molecules or combinations of molecules yielding known olfactory perception in a mammal. The olfactory receptors used in this method may include an olfactory receptor disclosed herein.

10 In another embodiment, novel molecules or combinations of molecules are generated which elicit a predetermined olfactory perception in a mammal by determining a value of olfactory perception in a mammal for a known molecule or combinations of molecules as described above; determining a value of olfactory perception in a mammal for one or more unknown molecules or combinations of molecules as described above; comparing the value of olfactory perception in a mammal for one or more unknown compositions to the value of olfactory perception in a mammal for one or more known compositions; selecting a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal; and combining two or more unknown molecules or combinations of molecules to form a molecule or combination of molecules that elicits a predetermined olfactory perception in a mammal. The combining step yields a single molecule or a combination of molecules that elicits a predetermined olfactory perception in a mammal.

25 In another embodiment of the invention, there is provided a method for simulating a fragrance, comprising: for each of a plurality of cloned olfactory receptors, preferably human receptors, ascertaining the extent to which the receptor interacts with the fragrance; and combining a plurality of compounds, each having a previously-ascertained interaction with one or more of the receptors, in amounts that together provide a receptor-stimulation profile that mimics the profile for the fragrance. Interaction of a fragrance with an olfactory receptor can be determined using any of the binding or reporter assays described herein. The plurality of compounds may then be combined to form a mixture. If desired, one or more of the plurality of the compounds can be combined covalently. The combined compounds

substantially stimulate at least 75%, 80% or 90% of the receptors that are substantially stimulated by the fragrance.

In another preferred embodiment of the invention, a plurality of standard compounds are tested against a plurality of olfactory receptors to ascertain the extent to which the receptors each interact with each standard compound, thereby generating a receptor stimulation profile for each standard compound. These receptor stimulation profiles may then be stored in a relational database on a data storage medium. The method may further comprise providing a desired receptor-stimulation profile for a scent; comparing the desired receptor stimulation profile to the relational database; and ascertaining one or more combinations of standard compounds that most closely match the desired receptor-stimulation profile. The method may further comprise combining standard compounds in one or more of the ascertained combinations to simulate the scent.

H. Kits

OR genes and their homologs are useful tools for identifying olfactory receptor cells, for forensics and paternity determinations, and for examining olfactory transduction. OR family member-specific reagents that specifically hybridize to OR nucleic acids, such as AOLFR1 probes and primers, and OR family member-specific reagents that specifically bind to an OR protein, *e.g.*, OR antibodies are used to examine olfactory cell expression and olfactory transduction regulation.

Nucleic acid assays for the presence of DNA and RNA for an OR family member in a sample include numerous techniques are known to those skilled in the art, such as southern analysis, northern analysis, dot blots, RNase protection, S1 analysis, amplification techniques such as PCR, and *in situ* hybridization. In *in situ* hybridization, for example, the target nucleic acid is liberated from its cellular surroundings in such a form so as to be available for hybridization within the cell, while preserving the cellular morphology for subsequent interpretation and analysis. The following articles provide an overview of the art of *in situ* hybridization: Singer *et al.*, *Biotechniques*, 4:230-50 (1986); Haase *et al.*, *Methods in Virology*, vol. VII, pp. 189-226 (1984); and *Nucleic Acid Hybridization: A Practical Approach* (Names *et al.*, eds. 1987). In addition, an OR protein can be detected with the various immunoassay

techniques described above. The test sample is typically compared to both a positive control (e.g., a sample expressing a recombinant OR protein) and a negative control.

The present invention also provides for kits for screening for modulators of OR family members. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise any one or more of the following materials: OR nucleic acids or proteins, reaction tubes, and instructions for testing OR activity. Optionally, the kit contains a biologically active OR receptor. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user.

EXAMPLES

Genomic, predicted amino acid sequence, and predicted coding sequences (cds), of novel G protein-coupled human odorant receptors, and classes of such receptors, are described. Each example describes a discrete protein and nucleic acid pair. Accordingly, Example 1 describes SEQ. ID. NOS. 1 and 2, for the human olfactory receptor protein designated AOLFR1, and the human DNA encoding AOLFR1, respectively; Example 2 describes SEQ. ID. NOS. 3 and 4, for the human olfactory receptor protein designated AOLFR2, and the human DNA encoding AOLFR2, respectively; and so on in the manner described, through the final Example sequence.

In the protein sequences presented herein, the one-letter code X or Xaa refers to any of the twenty common amino acid residues. In the DNA sequences presented herein, the one letter codes N or n refers to any of the of the four common nucleotide bases, A, T, C, or G.

EXAMPLES

AOLFR1 sequences:

MKTFSSFLQIGRNMHQGNQTTITEFILLGFFKQDEHQNLLFVLFLGMYLVTVIGNGLIIV AISLD
TYLHTP MYLFLANLSFADISSISNSVPKMLVNIQTKSQSISYESCITQMYFSIVFVIDNLLGTM
AYDHFVAICHPLNYTILMRPRFGILLTVISWFLSNIIALHTLLLIQLLFCNHNTLPHFFCDLAPLL
KLSCSDTLINELVLFIVGLSVIIFPFTLSFFSYVCIIRAVLRVSSTQGWKAFSTCGSHLTVVLLFY
GTIVGVYFFPSSTHPEDTDKIGAVLFTVVTMPINPFIYSLRNKDMKGALRKLINRKISSL (SEQ ID
NO: 1)

ATGAAGACTTTTAGTTCCTTTCTTCAGATCGGCAGAAATATGCATCAAGGAAACCAAACCA
CCATCACTGAATTCATTCTCCTGGGATTTTCAAGCAGGATGAGCATCAAAACCTCCTCTTT
GTGCTTTTCTTGGGTATGTACCTGGTCACTGTGATTGGGAACGGGCTCATCATTGTGGCTA
TCAGCTTGGATACGTACCTTCATACCCCATGTATCTCTCCTTGCCAATCTATCCTTTGCT
GATATTCTCTCCATTTCCTCAACTCAGTCCCCAAAATGCTGGTGAATATTCAAACCAAGAGTC

AATCCATCTCTTATGAGAGCTGCATCACACAGATGTACTTTTCTATTGTGTTTGTGCGTCATT
 GACAAATTTGCTCTTGGGGACCATGGCCTATGACCACTTTGTGGCGATCTGCCACCCTCTGA
 ATTATACAATTCTCATGCGGCCAGGTTTCGGCATTGCTCACAGTCATCTCATGGTTCTCT
 AGTAATATTATTGCTCTGACACACACCCTTCTGCTCATTC AATTGCTCTTCTGTAACCACAA
 5 CACTCTCCACACTTCTTCTGTGACTTGGCCCCCTCTGCTCAAACCTGTCTGTTTCTGATACAT
 TGATCAATGAGCTTGTGTTGTTTATTGTGGGTTTATCAGTTATCATCTTCCCCTTTTACACTC
 AGCTTCTTTTCTATGTCTGCATCATCAGAGCTGTCTGAGAGTATCTTCCACACAGGGAA
 AGTGGAAGCCTTCTCCACTTGTGGCTCTCACCTGACAGTTGTATTACTGTTCTACGGAAC
 CATTGTAGGCGTGTACTTTTCCCCTCTCCACTCACCTGAGGACACTGATAAGATTGGT
 10 GCTGTCTATTCACTGTGGTGACCCCATGATAAACCCCTTCATCTACAGCTTGAGGAATA
 AGGATATGAAAGGTGCCCTGAGAAAGCTCATCAATAGAAAAATTTCTTCCCTTTGA (SEQ
 ID NO: 2)

AOLFR2 sequences:

15 MMMVLRNLSMEPTFALLGFTDYPKLQIPLFLVFLLMYVITVVGNLGMIIKINPKFHTPMYFFL
 SHLSFVDFCYSSIVTPKLENLVMADKSIFYFSCMMQYFLSCTAVVTESFLLAVMAYDRFVAIC
 NPLLYTVAMSQRLLCALLVAGSYLWGMFGLVLLCYALRLNFSGPNVINHFFCEYALISVSGS
 DILPHLLLSFATFNEMCTLLILTSYVFIVTVLKIRSVSGRHKAFSTWASHLTAITFHGTILFL
 YCVPSKNSRQTVKVASVFYTVVNPMLNPPIYSLRNKDVKDAFWKLIHTQVPFH (SEQ ID NO:
 20 3)

ATGATGATGGTTTTAAGGAATCTGAGCATGGAGCCCACCTTTGCCCTTTTAGGTTTCACAG
 ATTACCCAAAGCTTCAGATTCCTCTCTTCTTGTGTTTCTGCTCATGTATGTTATCACAGTG
 GTAGGAAACCTTGGGATGATCATAATAATCAAGATTAACCCCAAATTTCACTCCTATGT
 25 ACTTTTTCTTAGTCACCTCTCTTTTGTGATTTTGTGTTACTCTTCCATTGTCACTCCCAAGC
 TGCTTGAGAACTTGGTAATGGCAGATAAAAGCATCTTCTACTTTAGCTGCATGATGCAGTA
 CTTCTGTCTGCACTGCTGTGGTGACAGAGTCTTCTTGTGCTGGCAGTGATGGCCTATGAC
 CGCTTTGTGGCCATCTGCAATCCTCTGCTTTATACAGTGGCCATGTCACAGAGGCTCTGTG
 CCCTGCTGGTGGCTGGGTCATATCTCTGGGGCATGTTTGGCCCCCTGGTACTCCTTTGTTAT
 30 GCTCTCCGGTTAAACTTCTCTGGACCTAATGTAATCAACCACTTCTTTTGTGAGTATACTGC
 TCTCATCTCTGTGCTGGCTCTGATATACTCATCCCCACCTGCTGCTTTTCACTTTCGCCA
 CTTTCAATGAGATGTGTACACTACTGATCATCTCACTTCTCTATGTTTTTCACTTTTGTGACT
 GTACTAAAAATCCGTTCTGTAGTGGGCGCCACAAAGCCTTCTCCACCTGGGCTCCACCC
 TGACTGCTATCACCATCTTCCATGGGACCATCTTTCTTCTTACTGTGTACCCCACTCCAAA
 35 AACTCTCGGCAAAACAGTCAAAGTGGCTCTGTATTTTACACAGTTGTCAACCCCATGCTGA
 ACCCTCCGATCTACAGCCTAAGGAATAAAGACGTGAAGGATGCTTTCTGGAAGTTAATACA
 TACACAAGTTCCATTTCACTGA (SEQ ID NO: 4)

AOLFR3 sequences:

40 MLLTDRNTSGTTFLLGFS DYPELQVPLFLVFLAIYNVTVLGNIGLIVIIKINPKLHTPMYFFLSQ
 LSFVDFCYSSIIAPKMLVNLVVKDRITISFLGCVVQFFFFCTFVVTESFLLAVMAYDRFVAICNPL
 LYTVDMSQLCVLLVVGSYAWGVSCSLELTCSALKLCFHGFNTINHFFCEFSLLSLSCSDTYI
 NQWLLFFLATFNEISTLLIVLTSYAFIVVTILKMRSVSGRRKAFSTCASHLTAITFHGTILFLYCV
 PNSKNSRHTVKVASVFYTVVIPMLNPLIYSLRNKDVKDTVTEILDTKVFSY (SEQ ID NO: 5)

45 ATGCTGCTGACAGATAGAAATACAAGTGGGACCACGTTACCCCTCTTGGGCTTCTCAGATT
 ACCCAGAAGTGAAGTCCCACTCTTCTGGTTTTTCTGGCCATCTACAATGTCACTGTGCTA
 GGGAATATTGGGTTGATTGTGATCATCAAAATCAACCCCAAACCTGCATACCCCATGTACT
 TTTTCTCAGCCAACTCTCTTTGTGGATTCTGCTATTCTCCATCATTGCTCCCAAGATG
 50 TTGGTGAACCTTGTGTCAAAGACAGAACCATTTCATTTTTAGGATGCGTAGTACAATTCT
 TTTTCTTCTGTACCTTTGTGGTCACTGAATCCTTTTTATTAGCTGTGATGGCCTATGACCGC
 TTCGTGGCCATTTGCAACCTCTGCTCTACACAGTTGACATGTCCAGAACTCTGCGTGC
 TGCTGGTTGTGGGATCCTATGCCTGGGGAGTCTCATGTTTCTTGGAACTGACGTGCTCTGC
 TTTAAAGTTATGTTTTCATGGTTTCAACACAATCAATCACTTCTTCTGTGAGTTCTCCTCAC
 55 TACTCTCCCTTTCTTGTCTGATACTTACATCAACCAGTGGCTGCTATTCTTTCTTGCCACC
 TTTAATGAAATCAGCACACTACTCATCGTTCTCACATCTTATGCGTTTATTGTTGAACCAT

5 CCTCAAGATGCGTTCAGTCAGTGGGCGCCGCAAAGCCTTCTCCACCTGTGCCTCCCACCTG
ACTGCCATCACCATCTTCCATGGCACCATCCTCTTCTTTACTGTGTGCCAACTCCAAAAA
CTCCAGGCACACAGTCAAAGTGGCCTCTGTGTTTTACACCGTGGTGATCCCCATGTTGAAT
CCCCTGATCTACAGTCTGAGAAATAAAGATGTCAAGGATACAGTCACCGAGATACTGGAC
ACCAAAGTCTTCTCTTACTGA (SEQ ID NO: 6)

AOLFR4 sequences:

10 MENQNNVTEFILLGLTENLELWKIFSAVFLVMYVATVLENLLIVVTIITSQSLRSPMYFFLTFLS
LLDVMFSSVAPKVIVDTLSKSTTISLKGCLTQLFVEHFFGGVGIILLTVMAYDRYVAICKPLHY
TIIMSPRVCLMVGGAWVGGFMHAMIQLLFMYQIPFCGPNIIDHFICDLFQLLTLACTDTHILGL
LVTLNSGMMCVAFILILIASYTVILCSLKSYSKGRHKALSTCSSHLTVVVLFFVPCIFLYMRPV
VTHPIDKAMAVSDSIITPMLNPLIYTLRNAEVKSAMKKLWMKWEALAGK (SEQ ID NO: 7)

15 ATGGAAAATCAAAACAATGTGACTGAATTCATTCTTCTGGGTCTCACAGAGAACCTGGAGC
TGTGGAAAATATTTTCTGCTGTGTTTCTTGTCATGTATGTAGCCACAGTGCTGGAAAATCT
ACTTATTGTGGTAACTATTATCACAAGTCAGAGTCTGAGGTACCTATGTATTTTTTCTTA
CCTTCTTGTCCTTTTGGATGTCATGTTCTCATCTGTCGTTGCCCCAAGGTGATTGTAGAC
ACCCTCTCCAAGAGCACTACCATCTCTCTCAAAGGCTGCCTCACCCAGCTGTTTGTGGAGC
ATTTCTTTGGTGGTGTGGGGATCATCCTCCTCACTGTGATGGCCTATGACCGCTACGTGGC
20 CATCTGTAAGCCCCTGCACTACACGATCATCATGAGTCCACGGGTGTGCTGCCTAATGGTA
GGAGGGGCTTGGGTGGGGGGATTATGCACGCAATGATACAACTTCTCTTCATGTATCAAA
TACCCTTCTGTGGTCCTAATATCATAGATCACTTTATATGTGATTGTGTTTTCAGTTGTGACA
CTTGCCCTGCACGGACACCCACATCCTGGGCCTCTTAGTTACCCTCAACAGTGGGATGATGT
GTGTGGCCATCTTTCTTATCTTAATTGCGTCCTACACGGTCATCCTATGCTCCCTGAAGTCT
25 TACAGCTCTAAAGGGCGGCACAAAGCCCTCTCTACCTGCAGCTCCCACCTCACGGTGGTTG
TATTGTTCTTTGTCCCTGTATTTCTTGATCATGAGGCCTGTGGTCACTACCCCATAGAC
AAGGCAATGGCTGTGTCAGACTCAATCATCACCCCATGTTAAATCCCTTGATCTATACAC
TGAGGAATGCAGAGGTGAAAAGTGCCATGAAGAACTCTGGATGAAATGGGAGGCTTTGG
CTGGGAAATAA (SEQ ID NO: 8)

30

AOLFR5 sequences:

35 MGKENCTTVAEFILLGLSDVPELRVCLFLLFLLIYGVTLNLANLGMIALIQVSSRLHTPMYFFLSH
LSSVDFCYSSIIVPKMLANIFNKDKAISFLGCMVQFYLFCTCVVTEVFLLAVMAYDRFVAICNPL
LYTVTMSWKVVRVELASCCYFCGTVCSLIHLCLALRIPFYRSNVINHHFFCDLPPVLSLACSDITVN
ETLLFLVATL NESVTIMILTSYLLILTTILKMGS AEGRHKAFSTCASHLTAITVFHGTVLSIYCRP
SSGNSGDADKVATVFYTVVIPMLNSVIYSLRNKDVKEALRKVMGSKIHS (SEQ ID NO: 9)

40 ATGGGCAAGGAAAACCTGCACCACTGTGGCTGAGTTCATTCTCCTTGGAATATCAGATGTCC
CTGAGTTGAGAGTCTGCCTCTTCTGCTGTTCTTCTCATCTATGGAGTCACGTTGTTAGCC
AACCTGGGCATGATTGCACTGATTACAGGTACAGCTCTCGGCTCCACACCCCATGTACTTTT
TCCTCAGCCACTTGTCTCTGTAGATTTCTGCTACTCCTCAATAATTGTGCCAAAAATGTTG
GCTAATATCTTTAAACAAGGACAAAGCCATCTCCTTCCTAGGGTGCATGGTGAATTCTACT
TGTTTTGCACTTGTGTGGTCACTGAGGTCTTCTGCTGGCCGTGATGGCCTATGACCGCTTT
GTGGCCATCTGTAACCCTTTGCTATACACAGTCACCATGTCTTGGAAGGTGCGTGTGGAGC
45 TGGCTTCTTGCTGCTACTTCTGTGGGACGGTGTGTTCTCTGATTCAATTTGTGCTTAGCTCTT
AGGATCCCCTTCTATAGATCTAATGTGATTAAACCACTTTTCTGTGATCTACCTCCTGTCTT
AAGTCTTGCTTGCTCTGATATCACTGTGAATGAGACACTGCTGTTCTGGTGGCCACTTTG
AATGAGAGTGTTACCATCATGATCATCCTCACCTCCTACCTGCTAATTCTCACCACCATCCT
GAAGATGGGCTCTGCAGAGGGCAGGCACAAAGCCTTCTCCACCTGTGCTTCCCACCTCACA
50 GCTATCACTGTCTTCCATGGAACAGTCTTTCATTTATTGCAGGCCAGTTCAGGCAATA
GTGGAGATGCTGACAAAGTGGCCACCGTGTCTACACAGTCGTGATTCTATGCTGAACTC
TGTGATCTACAGCCTGAGAAAATAAAGATGTGAAAGAAGCTCTCAGAAAAGTGATGGGCTC
CAAAATTCACCTCTAG (SEQ ID NO: 10)

AOLFR6 sequences:

MMASERNQSSTPTFILLGFSEYPEIQVPLFLVFLFVYTVTVVGNLGMIIIRLNSKLHTIMYFFLS
HLSLTDFCFSTVVTPKLLENLVVEYRTISFSGCIMQFCFACIFGVTETFMFLAAMAYDRFVAVCK
5 PLLYTTIMSQKLCALLVAGSYTWGIVCSLILTYFLLDLSFCESTFINNFICDHSVIVSASYSDPYIS
QRLCFIIAIFNEVSSLIILTSYMLIFTTIMKMRSASGRQKTFSTCASHLTAITIFHGTLFLYCVPNP
KTSSLIVTVASVYFYTVAIPMLNPLIYSLRNKDINNMFEKLVVTKLIYH (SEQ ID NO: 11)

ATGATGGCATCTGAAAGAAATCAAAGCAGCACACCCACTTTTATTCTCTTGGGTTTTTCAG
AATACCCAGAAATCCAGGTTCCACTCTTTCTGGTTTTCTTGTTTCGTCTACACAGTCACTGTA
10 GTGGGGAACCTTGGGCATGATAATAATCATCAGACTCAATTCAAACTCCATACAATCATGT
ACTTTTTCTTAGTCACTTGTCCCTGACAGACTTCTGTTTTTCCACTGTAGTTACACCTAAA
CTGTTGGAGAACTTGGTTGTGGAATACAGAACCATCTCTTCTCTGGTTGCATCATGCAAT
TTTGTGTTTGTCTGCATTTTTGGAGTGACAGAACTTTCATGTTAGCAGCGATGGCTTATGAC
CGTTTTGTGGCAGTTTGTAACCCCTTGCTGTATACCACTATTATGTCTCAGAAGCTCTGTGC
15 TCTTCTGGTGGCTGGGTCCTATACATGGGGGATAGTGTCTCCCTGATACTACATATTTT
CTTCTTGACTTATCGTTTTGTGAATCTACCTTCATAAATAATTTTATCTGTGACCACTCTGT
AATTGTTTCTGCCTCCTACTCAGACCCCTATATCAGCCAGAGGCTATGCTTTATTATTGCCA
TATTCAATGAGGTGAGCAGCCTAATTATCATTCTGACATCATATATGCTTATTTTCACTACC
ATTATGAAGATGCGATCTGCAAGTGGGCGCCAGAAAACCTTCTCCACCTGTGCCTCCCACC
20 TGACAGCCATCACTATCTCCATGGAATATCCTTTTCTTTACTGTGTTCTTAATCCTAAA
ACTTCTAGCCTCATAGTTACAGTGGCTTCTGTGTTTTACACAGTGGCGATTCCAATGCTGA
ACCCATTGATCTACAGCCTTAGGAACAAAGATATCAATAACATGTTTGAAAAATTAGTTGT
CACCAAATTGATTACCACTGA (SEQ ID NO: 12)

AOLFR7 sequences:

MSYFYRLKLMKEAVLVKLPFTSLPLLQTLRSKSRDMEIKNYSSSTSGFILLGLSSNPQLQKPLF
AIFLIMYLLAAVGNVLIPAIYSDPRLHTPMYFFLSNLSFMDICFTTVIVPKMLVNFLSETKVISY
VGCLAQMYFFMAFGNTDSYLLASMAIDRLVAICNPLHYDVVMKPRHCLLMLLGSCSISHLHSL
FRVLLMSRLSFCASHIHKHFFCDTQPVKLKSCSDTSSSQMVVMTETLAVIVTPFLCHFSYLRIMV
25 TVLRIPSAAGKWKAFTSCGSHLTAVALFYGSIIYVYFRPLSMYSVVRDRVATVMYTVVTPMLN
PFIYSLRNKDMKRGLKKLQDRIYR (SEQ ID NO: 13)

ATGAGCTATTTTTACAGGCTTAAGCTTATGAAAGAAGCTGTCTTGGTCAAACCTGCCCTTTA
CATCTCTCCCACTGCTTCTCCAAACCCTATCCAGGAAGTCCAGAGACATGGAGATAAAGAA
35 CTACAGCAGCAGCACCTCAGGCTTCATCCTCCTGGGCCTCTCTTCCAACCCTCAGCTGCAG
AAACCTCTCTTTGCCATCTTCTCATCATGTACCTGCTCGCTGCGGTGGGGAATGTGCTCAT
CATCCCGGCCATCTACTCTGACCCAGGCTCCACACCCCTATGTACTTTTTTCTCAGCAACT
TGTCTTTCATGGATATCTGCTTCACAACAGTCATAGTGCCTAAGATGCTGGTGAATTTTCTA
TCAGAGACAAAGGTTATCTCCTATGTGGGCTGCCTGGCCAGATGACTTCTTTATGGCAT
40 TTGGGAACACTGACAGCTACCTGCTGGCCTCTATGGCCATCGACCGGCTGGTGGCCATCTG
CAACCCCTTACACTATGATGTGGTTATGAAACCACGGCATTGCCTGCTCATGCTATTGGGT
TCTTGCAGCATCTCCACCTACATTCCCTGTTCCGCGTGCTACTTATGTCTCGCTTGTCTTT
CTGTGCCTCTCACATCATTAAAGCACTTTTTCTGTGACACCCAGCCTGTGCTAAAGCTCTCCT
GCTCTGACACATCCTCCAGCCAGATGGTGGTGATGACTGAGACCTTAGCTGTGCTATTGTGAC
45 CCCCTTCCCTGTGTATCATCTTCTCCTACCTGCGAATCATGGTCACTGTGCTCAGAATCCCCT
CTGCAGCCGGGAAGTGGAAGGCCCTTCTCTACCTGTGGCTCCACCTCACTGCAGTAGCCCT
TTTCTATGGGAGTATTATTTATGTCTATTTTAGGCCCTGTCCATGTACTCAGTGGTTAGGG
ACCGGGTAGCCACAGTTATGTACACAGTAGTGACACCCATGCTGAACCCCTTTCATCTACAG
CCTGAGGAACAAAGATATGAAGAGGGGTTTGAAGAAATTACAGGACAGAATTTACCGGTA
50 A (SEQ ID NO: 14)

AOLFR8 sequences:

MATSNHSSGAEFILAGLTQRPELQLPLFLFLGIYVTVVGNLGMIFLIALSSQLYPPVYFFLSH
LSFIDL CYSSVITPKMLVNFVPEENIISFLECITQLYFFLIFVIAEGYLLTAMEYDRYVAICRPILY
55 NIVMSHRVCSIMMAVVYSLGFLWATVHTTRMSVLSFCRSHTVSHYFCDILPLLTLSCSSTHINEI

LLFIIGGVNTLATTLAVLISYAFIFSSILGIHSTEGQSKAFGTCSSHLLAVGIFFGSITFMFKPPSS
TTMEKEKVSSVFYITIIPMLNPLIYSLRNKDVKNALKKMTRGRQSS (SEQ ID NO: 15)

5 ATGGCTACTTCAAACCATTCCTTCAGGGGCTGAGTTTATCCTGGCAGGCTTGACACAACGCC
CAGAACTTCAACTGCCACTCTTCCTCCTGTTCTGGAATATATGTGGTCACAGTGGTGGG
GAACCTGGGCATGATCTTCTTAATTGCTCTCAGTTCTCAACTTTACCCTCCAGTGTATTATT
TTCTCAGTCATTTGTCTTTCATTGATCTCTGCTACTCCTCTGTCAATACCCCTAAGATGCTG
GTGAACTTTGTTCAGAGGAGAACATTATCTCCTTTCTGGAATGCATTACTCAACTTTATT
10 CTTCTTATTTTTGTAAATTGCAGAAGGCTACCTTCTGACAGCCATGGAATATGACCGTTAT
GTTGCTATCTGTCGCCCACTGCTTTACAATATTGTCATGTCCCACAGGGTCTGTTCCATAAT
GATGGCTGTGGTATACTCACTGGGTTTTCTGTGGGCCACAGTCCATACTACCCGCATGTCA
GTGTTGTCATTCTGTAGGTCTCATAACGGTCAGTCATTATTTTTGTGATATTCTCCCCTTATT
GACTCTGTCTTGCTCCAGCACCCACATCAATGAGATTCTGCTGTTCAATTATTGGAGGAGTT
AATACCTTAGCAACTACACTGGCGGTCCTTATCTCTTATGCTTTCAATTTCTCTAGTATCCT
15 TGGTATTCATTCCACTGAGGGGCAATCCAAAGCCTTTGGCACTTGTAGCTCCCATCTCTTG
GCTGTGGGCATCTTTTTTGGGTCTATAACATTGATGATTTCAAGCCCCCTTCCAGCACTAC
TATGGAAAAAGAGAAGGTGTCTTCTGTGTTCTACATCACAATAATCCCCATGCTGAATCCT
CTAATCTATAGCCTGAGGAACAAGGATGTGAAAAATGCACTGAAGAAGATGACTAGGGGA
AGGCAGTCATCCTGA (SEQ ID NO: 16)

20

AOLFR9 sequences:

MLARNNSLVTEFILAGLTDRPEFWQPFLLFLVIYIVTMVGNLGLITLFLGNSHLHTPMYYFLFN
LSFIDLCYSSVFTPKMLMNFVSKKNIISNVGCMTRLFFLFFVISECYMLTSMAYDRYVAICNPL
LYKVTMSHQVCSMLTFAAYIMGLAGATAHTGCMFRLTFCSANIINHYLCDILPLLQLSCTSTYV
25 NEVVVLIVVGTNITVPSCILISYVFIVTSILHIKSTQGRSKAFSTCSSHVIALSLFFGSAAFMYIKY
SSGSMEQGVSVFYTNVPMPLNPLIYSLRNKDVKVALRKALIKIQRRNIF (SEQ ID NO: 17)

ATGCTGGCTAGAAACAACCTCCTTAGTGACTGAATTTATTCTTGCTGGATTAACAGATCGTC
CAGAGTTCTGGCAACCCTTCTTTTTCTGTTCTTAGTGATCTACATTGTCACCATGGTAGGC
30 AACCTTGCTTGATCACTCTTTTCGGTCTAAATTCTCACCTCCACACACCAATGTACTATTT
CCTCTTCAATCTCTCCTTCATTGATCTCTGTTACTCCTCTGTTTTCACTCCCAAAATGCTAAT
GAACTTTGTGTCAAAAAAGAATATTATCTCCAATGTTGGGTGCATGACTCGGCTGTTTTTC
TTTCTCTTTTTCGTCATCTCTGAATGTTACATGTTGACCTCAATGGCATATGATCGCTATGT
GGCCATCTGTAATCCATTGCTGTATAAGGTACCATGTCCCATCAGGTCTGTTCTATGCTCA
35 CTTTTGCTGCTTACATAATGGGATTGGCTGGAGCCACGGCCACACCGGGTGCATGTTTAG
ACTCACCTTCTGCAGTGCTAATATCATTAACCATTACTTGTGTGACATACTCCCCCTCCTCC
AGCTTTCCTGCACCAGCACCTATGTCAACGAGGTGGTGTGTTCTCATTGTTGTGGGTACTAA
TATCACGGTACCCAGTTGTACCATCCTCATTTCTTATGTTTTCAATTGTCACCTAGCATTCTTC
ATATCAAATCCACTCAAGGAAGATCAAAAGCCTTCAGTACTTGTAGCTCTCATGTCAATTGC
40 TCTGTCTCTGTTTTTTGGGTGAGCGGCATTCAATGTATATTAATATTCTTCTGGATCTATGG
AGCAGGGAAAAAGTTTTTCTGTTTTCTACACTAATGTGGTGCCCATGCTCAATCCCTCATC
TACAGTTTGAGGAACAAGGATGTCAAAGTTGCACTGAGGAAAGCTCTGATTAAAATTCTAG
AGGAGAAATATATTCTAA (SEQ ID NO: 18)

45 **AOLFR10 sequences:**

MLARNNSLVTEFILAGLTDRPEFRQPLFFLFLVIYIVTMVGNLGLIILFLGNSHLHTPMYYFLFN
SFIDLCYSSVFTPKMLMNFVSKKNIISYVGCMTQLFFLFFVISECYILTSMAYDRYVAICNPLLY
KVTMSHQVCSMLTFAAYIMGLAGATAHTGCMRLTLFCSANIINHYLCDILPLLQLSCTSTYVN
EVVVVLIVVGINIMVPSCILISYVFIVTSILHIKSTQGRSKAFSTCSSHVIALSLFFGSAAFMYIKYS
50 SGSMEQGVSVFYTNVPMPLNPLIYSLRNKDVKVALRKALIKIQRRNIF (SEQ ID NO: 19)

ATGCTGGCTAGAAACAACCTCCTTAGTGACTGAATTTATTCTTGCTGGATTAACAGATCGTC
CAGAGTTCCGGCAACCCCTCTTTTTCTGTTTCTAGTGATCTACATTGTCACCATGGTAGGC
AACCTTGCTTGATCATTCTTTTCGGTCTAAATTCTCACCTCCACACACCAATGTACTATTT
55 CCTCTTCAATCTCTCCTTCATTGATCTCTGTTACTCCTCTGTTTTCACTCCCAAAATGCTAAT
GAACTTTGTATCAAAAAAGAATATTATCTCCTATGTTGGGTGCATGACTCAGCTGTTTTTCT

TTCTCTTTTTTGTCATCTCTGAATGCTACATATTGACCTCAATGGCATATGATCGCTATGTG
 GCCATCTGTAATCCATTGCTGTATAAGGTCACCATGTCCCATCAGGTCTGTTCTATGCTCAC
 TTTTGCTGCTTACATAATGGGATTGGCTGGAGCCACGGCCACACCGGGTGCATGCTTAGA
 CTCACCTTCTGCAGTGCTAATATCATCAACCATTACTTGTGTGACATACTCCCCCTCCTCCA
 5 GCTTTCCTGCACCAGCACCTATGTCAACGAGGTGGTGTGTTCTCATTGTTGTGGGTATTAAT
 ATCATGGTACCCAGTTGTACCATCCTCATTCTTATGTTTTTCATTGTCACTAGCATTCTTCA
 TATCAAATCCACTCAAGGAAGATCAAAAGCCTTCAGTACTTGTAGCTCTCATGTCATTGCT
 CTGCTCTGTTTTTGGGTCAGCGGCATTATGTATATTAATAATTCTTCTGGATCTATGGA
 GCAGGAAAAGTTTCTTCTGTTTTCTACACTAATGTGGTGCCCATGCTCAATCCTCTCATCT
 10 ACAGTTTGAGGAACAAGGATGTCAAAGTTCAGTCTGAGGAAAGCTCTGATTAATAATTGAGA
 GAAGAAATATATTCTAA (SEQ ID NO: 20)

AOLFR11 sequences:

MTLRNSSSVTEFILVGLSEQPELQLPLFLLFLGIYVFTVVGNLGLITLIGINPSLHTPMYFFLFNL
 15 FIDLCYSCVFTPKMLNDFVSESIISYVGCMTQLFFCFFVNSECYVLVSMAYDRYVAICNPLLY
 MVTMSPRVCFLLMFGSYVVGAFAGAMAHTGSMLRLTFCDNSVIDHYLCDVLPQLSCTSTHV
 SELVFFIVGVITMLSSISIVISYALILSNILCIPSAEGRSKAFSTWGSIIAVALFFGSGTFTYLTTS
 FPGSMNHGRFASVFYTNVVPMLNPSIYSLRNKDDKLALGKTLKRVLF (SEQ ID NO: 21)

20 ATGACTCTGAGAAACAGCTCCTCAGTGACTGAGTTTATCCTTGTGGGATTATCAGAACAGC
 CAGAGCTCCAGCTCCCTCTTTTCTTCTATTCTTAGGGATCTATGTGTTCACTGTGGTGGGC
 AACTTGGGCTTGATCACCTTAATTGGGATAAATCCTAGCCTTCACACCCCCATGTACTTTTT
 CCTCTTCAACTTGTCTTTATAGATCTCTGTTATTCCTGTGTGTTACCCCCAAAATGCTGA
 25 ATGACTTTGTTTTCAGAAAGTATCATCTCTTATGTGGGATGTATGACTCAGCTATTTTTCTTC
 TGTTCCTTGTCAATTCTGAGTGCTATGTGTTGGTATCAATGGCCTATGATCGCTATGTGGC
 CATCTGCAACCCCTGCTCTACATGGTCACCATGTCCCAAGGGTCTGCTTCTGCTGATGT
 TTGGTTCCTATGTGGTAGGGTTTGTGTTGGGCCATGGCCACACTGGAAGCATGCTGCGACT
 GACCTTCTGTGATTCCAACGTCATTGACCATTATCTGTGTGACGTTCTCCCCCTCTGTCAGC
 TCTCCTGCACCAGCACCCATGTGAGTGAGCTGGTATTTTTCATTGTTGTTGGAGTAATCACC
 30 ATGCTATCCAGCATAAGCATCGTCATCTCTTACGCTTTGATACTCTCCAACATCCTCTGTAT
 TCCTTCTGACAGGGGAGATCCAAAGCCTTTAGCACATGGGGCTCCACATAATTGCTGTT
 GCTCTGTTTTTTGGGTCAGGGACATTACCTACTTAACAACATCTTTTCTGGCTCTATGAA
 CCATGGCAGATTTGCCTCAGTCTTTTACACCAATGTGGTTCCTCATGCTTAACCCCTCGATCT
 ACAGTTTGAGGAATAAGGATGATAAACTTGCCCTGGGCAAAACCCTGAAGAGAGTGCTCT
 35 TCTAA (SEQ ID NO: 22)

AOLFR12 sequences:

MERNHNPDNCNVLNFFFADKKNKRRNFGQIVSDVGRICYSVLSLGEPTTMGRNNLTRPSEFIL
 LGLSSRPEDQKPLFAVFLPIYLITVIGNLLILAIRSDTRLQTPMYFFLSILSFVDICYVTVIIPKMLV
 40 NFLSETKTISYGECLTQMYFFLAFGNTDSYLLAAMIDRYVAICNPFHYITIMSHRCCVLLLVLS
 FCIPHFSLLHILLTNQLIFCASNVIHHFFCDDQPVLKLSCSSHFVKEITVMTEGLAVIMTPFSCIII
 SYLRILITVLKIPSAAGKRKAFSTCGSHLTVVTLFYGSISYVYFQPLSNYTVKDQIATIIYTVLTP
 MLNPFYISLRNKDMKQGLAKLMHRMKCQ (SEQ ID NO: 23)

45 ATGGAAAGAAACCACAATCCAGATAATTGTAATGTTTTAAATTTTTTCTTTGCTGATAAGA
 AGAATAAAAGGAGAAATTTTGACAGATTGTATCAGATGTTGGAAGAATCTGTTACAGTG
 TTAGTTTATCTTTAGGTGAACCCACAACCTATGGGAAGAAATAACCTAACAAGACCCCTGTA
 ATTCATCCTCCTTGGACTCTCCTCTCGACCTGAGGATCAGAAGCCGCTCTTTGCTGTGTTCC
 TCCCCATCTACCTTATCACAGTGATAGGAACAGCTGCTTATCATCCTGGCCATCCGCTCAGA
 50 CACTCGTCTCCAGACGCCATGTACTTCTTCTAAGCATCCTGTCTTTTGTGACATTTGCT
 ATGTGACAGTCATTATCCCTAAGATGCTGGTGAACCTTCTTATCAGAGACAAAGACCATCTC
 TTACGGTGAGTGTCTGACCCAGATGTACTTTTTCTTAGCCTTTGGAAACACAGACAGTTAC
 CTGCTAGCAGCCATGGCCATTGACCGCTATGTGGCCATATGTAATCCCTTCCACTACATCA
 CCATTATGAGTCACAGATGCTGTGCTCTGCTTCTGGTCTCTCCTTCTGCATTCCACATTTT
 55 CACTCCCTCCTGCACATTCTTCTGACTAATCAGCTCATCTTCTGTGCCTCCAATGTCATCCA
 TCACTTTTTCTGCGATGATCAACCAGTGCTAAAATTGCTCTGTTCTCCCATTTTGTCAAAG

AAATCACAGTAATGACAGAAGGCTTGGCTGTCATAATGACCCCGTTTTTCATGCATCATCAT
CTCTTATTTAAGAATCCTCATCACTGTTCTGAAGATTCCCTTCAGCTGCTGGAAAGCGTAAA
GCATTTTCTACCTGTGGCTCTCATCTCACAGTGGTGACCCCTGTTTTATGGAAGCATTAGCTA
TGTCTATTTTCAGCCCCGTGTTCAACTATACTGTCAAGGATCAAATAGCAACAATTATCTAC
5 ACCGTACTGACTCCTATGCTAAATCCATTATCTATAGTCTGAGGAACAAAGACATGAAGC
AGGGTTTGGCAAAGTTGATGCACAGGATGAAATGTCAGTAA (SEQ ID NO: 24)

AOLFR13 sequences:

MDQKNGSSFTGFILLGFSRDPQLELVLFVLLIFYIFTLLGNKTIIVLSHLDPHLHNP MYFFFSNL
10 SFLDLCYTTGIVPQLLVNLRGADKSISYGGCVVQLYISLGLGSTECVLLGVMADFRAAVCRPL
HYTVVMHPCLYVLMASWSVIGFANSLLQTVLILLTLTCGRNKLHFLCEVPPLLKLACVDTT
MNESELFVSVIILLVPVALIIFSYSQIVRAVVRISATGQRKVFGTCSHLTVVSLFYGTAIYAY
LQPGNNYSQDQGXISLFYTIITPMINPLIYTLRNKDKGALKKVLWKNYDSR (SEQ ID NO:
25)

15 ATGGATCAGAAAAATGGAAGTTCTTTCACTGGATTATCCTACTGGGTTTCTCTGACAGGC
CTCAGCTGGAGCTAGTCCTCTTTGTGGTTTCTTTGATCTTCTATATCTTCACTTTGCTGGGG
AACAAAACCATCATTGTATTATCTCACTGGACCCACATCTTCACAATCCTATGTATTTTTT
CTTCTCCAACCTAAGCTTTTTGGATCTGTGTACACAACCGGCATTGTTCCACAGCTCCTGG
20 TTAATCTCAGGGGAGCAGACAAATCAATCTCCTATGGTGGTTGTGTAGTTCAGCTGTACAT
CTCTCTAGGCTTGGGATCTACAGAATGCGTTCTCTTAGGAGTGATGGCATTGACCGCTAT
GCAGCTGTTTGCAGGCCCCCTCCACTACACAGTAGTCATGCACCCCTGTCTGTATGTGCTGA
TGGCTTCTACTTCATGGGTCATTGGTTTTGCCAACTCCCTATTGCAGACGGTGCTCATCTTG
CTTTTAACACTTTGTGGAAGAAATAAATTAGAACAACCTTTCTTTGTGAGGTTCTCCATTGCT
25 CAAGCTTGCCTGTGTTGACACTACTATGAATGAATCTGAACTCTTCTTTGTGAGTGTCTTA
TTCTTCTTGTACCTGTTGCATTAATCATATTCTCCTATAGTCAGATTGTGAGGGCAGTCGTG
AGGATAAAGTCAGCAACAGGGCAGAGAAAAGTGTTTGGGACATGTGGCTCCACCTCACA
GTGGTTTCCCTGTTCTACGGCACAGCTATCTATGCTTACCTCCAGCCCGGCAACAACACTCTC
TCAGGATCAGGGCAAGKTCATCTCTCTCTTCTACACCATCATTACACCCATGATCAACCCC
30 CTCATATATACTGAGGAACAAGGATGTGAAAGGAGCACTTAAGAAGGTGCTCTGGAAG
AACTACGACTCCAGATGA (SEQ ID NO: 26)

AOLFR14 sequences:

MALPLLLSPSCFASSQSLSSRMNSENLTAAVAPAEFVLLGITNRWDLRVALFLTCLPVYLVSL
35 LGNMGMALLIRMDARLHTPMYFFLANLSLLDACYSIAIGPKMLVDLLLPRATIPYTACALQMF
VFAGLADTECCLLAAMAYDRYVAIRNPLLYTTAMSQRCLALLGASGLGGAVSAFVHTTLTF
RLSFCRSRKINSFFCDIPLLAISCSDTSLNELLFAICGFIQTATVLAITVSYGFIAGAVIHMRSE
GSRRAASTGGSHLTAVAMMYGTILFMYLRPSSSYALDTDKMASVFYTLVIPSLNPLIYSLRNKE
VKEALRQTWSRFHCPGQGSQ (SEQ ID NO: 27)

40 ATGGCCTTGCCATTGCTCTTATCTCCCTCCTGCTTTGCCTCTTCTCAGTCTCTGTCCAGTAG
GATGAACTCAGAGAACCTCACCCGGGCGCGGTTGCCCTGCTGAATTCGTCCTCCTGGGG
ATCAGAAATCGCTGGGACCTGCGTGTGGCCCTCTTCTGACCTGCCTGCCTGTCTACCTGG
TGAGCCTGCTGGGAAACATGGGCATGGCGCTGCTGATCCGCATGGATGCCCGGCTCCACA
45 CACCTATGTACTTCTTCTGGCCAACCTCTCCCTGCTGGATGCCTGCTATTCTCCGCCATC
GGCCCCAAGATGCTAGTGACCTGCTGCTGCCCGAGCCACCATCCCTTACACAGCCTGTG
CCCTCCAGATGTTTGTCTTTGCAGGTCTGGCTGATACTGAGTGTTGCTTGCTGGCAGCCAT
GGCCTATGACCGCTACGTGGCCATCAGAAACCCACTTCTCTATACAACAGCTATGTGCGAG
CGTCTATGCCTGGCCTTGCTGGGAGCATCAGGCCTGGGTGGGGCAGTGAGTGCCCTTTGTT
50 ACACAACCCTCACCTTCCGCTGAGCTTCTGCCGCTCCCGGAAGATCAATAGCTTCTTCTG
CGATATCCCTCCACTGCTGGCCATCTCGTGACGTGACACCAGTCTCAATGAACTCCTTCTCT
TCGCCATCTGTGGCTTCATCCAGACAGCCACGGTGTTAGCTATCACGGTGTCTTATGGCTT
CATCGCTGGGGCTGTGATCCACATGCGCTCGGTGAGGGCAGTCGGCGAGCAGCCTCCAC
CGGTGGTTCCACCTCACAGCCGTGGCCATGATGTACGGGACACTCATTTTCATGTACCTG
55 CGCCCCAGCTCCAGCTATGCCCTGGACACTGACAAGATGGCCTCTGTGTTCTATACCCTGG

TCATCCCGTCTCTCAACCCACTCATCTACAGCCTCCGCAATAAGGAGGTCAAGGAGGCCCT
CAGGCAGACCTGGAGCCGATTCCACTGTCCAGGGCAGGGGTCCCAGTGA (SEQ ID NO: 28)

AOLFR15 sequences:

5 MRENNQSSSTLEFILLGVTGQQEQEDFFYILFLFIYPITLIGNLLIVLAICSDVRLHNP MYFLLANLS
LVDIFFSSVTIPKMLANHLLGSKSISFGGCLTQMYFMIALGNTDSYILAAMAYDRAVAISHPLH
YTTIMSPRSCIWLIAGSWVIGNANALPHTLLTASLFCGNQEVANFYCDITPLLKLSGSDIHFHV
KMMYLGVGIFSVPLLCHVSYIRVFSTVFQVPSTKGVLKAFSTCGSHLTVVSLYYGTVMGTYFR
PLTNYSLKDAVITVMTAVTPMLNPFYSLRNRDMKAALRKLFNKRISS (SEQ ID NO: 29)

10

ATGAGGGGAAAATAACCAGTCCTCTACACTGGAATTCATCCTCCTGGGAGTTACTGGTCAGC
AGGAACAGGAAGATTTCTTCTACATCCTCTTCCTGTTCATTTACCCCATCACATTGATTGGA
AACCTGCTCATTGTCCTAGCCATTTGCTCTGATGTTTCGCCTTCACAACCCCATGTATTTCT
CCTTGCCAACCTCTCCTTGGTTGACATCTTCTTCTCATCGGTAACCATCCCTAAGATGCTGG
15 CCAACCATCTCTTGGGCAGCAAATCCATCTCTTTTGGGGGATGCCTAACGCAGATGTATTT
CATGATAGCCTTGGGTAACACAGACAGCTATATTTGGCTGCAATGGCATATGATCGAGCT
GTGGCCATCAGCCACCCACTTCACTACACAACAATTATGAGTCCACGGTCTTGTATCTGGC
TTATTGCTGGGTCTTGGGTGATTGGAAATGCCAATGCCCTCCCCCACACTCTGCTCACAGC
TAGTCTGTCTTCTGTGGCAACCAGGAAGTGGCCAACCTTCTACTGTGACATTACCCCTTG
20 CTGAAGTTATCCTGTTCTGACATCCACTTTCATGTGAAGATGATGTACCTAGGGGTTGGCA
TTTTCTCTGTGCCATTACTATGCATCATTGTCTCCTATATTCGAGTCTTCTCCACAGTCTTCC
AGGTTCTCTCCACCAAGGGCGTGCTCAAGGCCTTCTCCACCTGTGGTTCCACCTCACGGT
TGTCTCTTTGTATTATGGTACAGTCAATGGGCACGTATTTCGCGCCTTTGACCAATTATAGCC
TAAAAGACGCAGTGATCACTGTAATGTACACGGCAGTGACCCCAATGTAAATCCTTTTCAT
25 CTACAGTCTGAGAAATCGGGACATGAAGGCTGCCCTGCGGAAACTCTTCAACAAGAGAAT
CTCCTCGTAA (SEQ ID NO: 30)

AOLFR16 sequences:

30 MRRNCTLVTEFILLGLTSRRELQILLFTLFLAIYMTVAGNLMIVLIQANAWLHMP MYFFLSH
LSFVDLCFSSNVTPKMLEIFLSEKKSISYPACLVCYLFIALVHVEIYILAVMAFD RYMAICNPLL
YGS RMSKSVCSFLITVPYVYGALTGLMETMWTYNLAF CGPNEINH FYCADPPLIKLACSDTYN
KELSMFIVAGWNLSFSLFIICISYLYIFPAILKIRSTEGRQKAFSTCGSHLTAVTIFYATLFFMYLR
PPSKESVEQGKMVAVFYTTVIPMLNLIYSLRNKNVKEALIKELSMKIYFS (SEQ ID NO: 31)

35 ATGAGAAGAAACTGCACGTTGGTGACTGAGTTCATTCTCCTGGGACTGACCAGTCGCCGG
GAATTACAAATTCTCCTCTTCACGCTGTTTCTGGCCATTACATGGTCACGGTGGCAGGGA
ACCTTGGCATGATTGTCCTCATCCAGGCCAAGCCTGGCTCCACATGCCCATGTACTTTTTC
CTGAGCCACTTATCCTTCGTGGATCTGTGCTTCTCTTCCAATGTGACTCCAAAGATGCTGG
AGATTTTCTCTTTTACAGAGAAGAAAAGCATTTCCTATCCTGCCTGTCTTGTGCAGTGTTACCTT
40 TTTATCGCCTTGGTCCATGTTGAGATCTACATCCTGGCTGTGATGGCCTTTGACCGGTACAT
GGCCATCTGCAACCCTCTGCTTTATGGCAGCAGAATGTCCAAGAGTGTGTGCTCCTTCTC
ATCACGGTGCCTTATGTGTATGGAGCGCTCACTGGCCTGATGGAGACCATGTGGACCTACA
ACCTAGCCTTCTGTGGCCCCAATGAAATTAATCACTTCTACTGTGCGGACCCACCACTGAT
TAAGCTGGCTTGTCTGACACCTACAACAAGGAGTTGTCAATGTTTATTGTGGCTGGCTGG
45 AACCTTTCTTTTCTCTCTTCATCATATGTATTTCTACCTTTACATTTTCCCTGCTATTTTA
AAGATTCTGCTCTACAGAGGGCAGGCAAAAAGCTTTTCTACCTGTGGCTCCCCTCTGACAG
CTGTCACTATATTCTATGCAACCCTTTTCTTCATGTATCTCAGACCCCCCTCAAAGGAATCT
GTTGAACAGGGTAAAATGGTAGCTGTATTTTATACCACAGTAATCCCTATGCTGAACCTTA
TAATTTATAGCCTTAGAAATAAAAATGTAAAAGAAGCATTAAATCAAAGAGCTGTCAATGA
50 AGATATACTTTTCTTAA (SEQ ID NO: 32)

AOLFR17 sequences:

MLNFTDVTEFILLGLTSRREWQVLFFIIFLVVYIITMVG NIGMMVLIKVSPQLNNP MYFFLSHLS
FVDVWFSSNVTPKMLENLFSDKKITITYAGCLVQCFFFIALVHVEIFILAAMAFDRYMAIGNPLL
55 YGSKMSRVVCIRLITFPYIYGFLTSLAATLWTYGLYFCGKIEINH FYCADPPLIKMACAGTFVKE

YTMILAGINFTYSLTVIIISYLFILAILRMRSAEGRQKAFSTCGSHLTAVIIFYGTLIFMYLRRPTE
ESVEQGMVAVFYTTVIPMLNPMIYSLRNKDVKKAMMKVISRSC (SEQ ID NO: 33)

5 ATGCTCAATTTACCGATGTGACAGAGTTCATTCTTTTGGGGCTAACGAGCCGTCGAGAAT
GGCAAGTTCTCTTCTTCATCATCTTTCTGTGGTCTACATCATCACCATGGTGGGCAATATC
GGCATGATGGTGTTAATCAAGGTCAGTCCTCAGCTTAACAACCCCATGTACTTTTCTCTCA
GTCACCTGTCAATTTGTTGATGTGTGGTTTTCTTCCAATGTCACCCCTAAAATGTTGAAAAAC
CTGTTTTAGATAAAAAACAATTACTTATGCTGGTTGTTAGTACAGTGTTTCTTCTTCAT
10 TGCTCTTGCCATGTGGAATTTTTATTCTTGCTGCGATGGCCTTTGATAGATACATGGCAA
TTGGGAATCCTCTGCTTTATGGCAGTAAAATGTCAAGGGTTGTCTGTATTGACTGATTAC
TTCCCTTACATTTATGGTTTTCTGACGAGTCTGGCAGCAACATTATGGACTTACGGCTGT
ACTTCTGTGAAAAATTGAGATCAACCATTTCTACTGTGCAGATCCACCTCTCATCAAAAT
GGCCTGTGCCGGGACCTTTGTAAAAGAATATACAATGATCATACTTGCCGGCATTAACCTC
ACATATTCCCTGACTGTAATTATCATCTTACTTATTCATCCTCATTGCCATTCTGCGAAT
15 GCGCTCAGCAGAGAAGGAAGGCAGAAGGCCTTTTCCACATGTGGGTCCCCTCTGACAGCTGT
CATTATATTCTATGGTACTCTGATCTTCATGTATCTCAGACGTCCACAGAGGAGTCTGTG
GAGCAGGGGAAGATGGTGGCTGTGTTCTATACCACAGTGATCCCCATGTTGAATCCCATGA
TCTACAGTCTGAGGAACAAGGATGTGAAAAAGGCCATGATGAAAGTGATCAGCAGATCAT
GTAA (SEQ ID NO: 34)

20

AOLFR18 sequences:

MSNTNGSAITEFILLGLTDCPELQSLFLVFLVVLVTLNLGMLMLRLDSRLHTPMYFFLT
NLAFLVLCYTSNATPQMSTNIVSEKTISFAGCTQCYIFIALLLTEFYMLAAMAYDRYVAIYDP
LRYSVKTSRRVCICLATFPYVYGFSDFLQAILTFRLTFCRSNVINHFYCADPPLIKLSCSDTYVK
25 EHAMFISAGFNLSSSLTIVLVSYAFILAILRIKSAEGRHKAFSTCGSHMMAVTLFYGTLFCMYI
RPPTDKTVEESKIIAVFYTFVSPVLNPLIYSLRNKDVQALKNVLR (SEQ ID NO: 35)

30 ATGTCCAACACAAATGGCAGTGCAATCACAGAATTCATTTTACTTGGGCTCACAGATTGCC
CGAACTCCAGTCTCTGCTTTTTGTGCTGTTTCTGGTTGTTTACCTCGTCACCCGCTAGGC
AACCTGGGCATGATAATGTTAATGAGACTGGACTCTCGCCTTCACACGCCCATGTACTTCT
TCCTCACTAACTTAGCCTTTGTGGATTTGTGCTATACATCAAATGCAACCCCGCAGATGTC
GACTAATATCGTATCTGAGAAGACCATTTCTTTGCTGGTTGCTTTACACAGTGCTACATTT
TCATTGCCCTTCTACTCACTGAGTTTTACATGCTGGCAGCAATGGCCTATGACCGCTATGT
GGCCATATATGACCCTCTGCGCTACAGTGTGAAAACGTCCAGGAGAGTTTGCATCTGCTTG
35 GCCACATTTCCCTATGTCTATGGCTTCTCAGATGGACTCTTCCAGGCCATCCTGACCTCCG
CCTGACCTTCTGTAGATCCAATGTCATCAACCACTTCTACTGTGCTGACCCGCCGCTCATT
AGCTTTCTTGTTCTGATACTTATGTCAAAGAGCATGCCATGTTTCATATCTGCTGGCTCAAC
CTCTCCAGCTCCCTCACCATCGTCTTGGTGTCTTATGCCCTTCACTTCTGCTGCCATCCTCCG
GATCAAATCAGCAGAGGGAAGGCACAAGGCATTCTCCACCTGTGGTTCCCATATGATGGC
40 TGTCACCTGTGTTTATGGGACTCTCTTTGATGTATATAAGACCACCAACAGATAAGACT
GTTGAGGAATCTAAAATAAGCTGTCTTTTACACCTTTGTGAGTCCGGTACTTAATCCAT
TGATCTACAGTCTGAGGAATAAAGATGTGAAGCAGGCCTTGAAGAATGTCCTGAGATGA
(SEQ ID NO: 36)

45 **AOLFR19 sequences:**

METKNYSSTSGFILLGLSSNPQLQKPLFAIFLIMYLLTAVGNVLILAIYSDPRLHTPMYFFLSNL
SFMDICFTTVIVPKMLVNFLSETKIISYVGCLIQMYFFMAFGNTDSYLLASMAIDRLVAICNPLH
YDVVMKPWHCLLMLLGSCSISHLHSLFRVLLMSRSLFCASHIHKHFFCDTQPVCLKSCSDTSSSQ
MVVMTETLAVIVTPFLCTIFSYLQIIVTVLRIPSAAGKWKAFTSCGSHLTVVVLFYGSVIYVYFR
50 PLSMYSVMKGRVATVMYTVVTPMLNPFYIYSLRNKDMKRGLKLRHRIYS (SEQ ID NO: 37)

ATGGAGACAAAGAATTATAGCAGCAGCACCTCAGGCTTCATCCTCCTGGGCCTCTCTTCCA
ACCTAAGCTGCAGAAACCTCTCTTTGCCATCTTCTCATCATGTACCTACTCACTGCGGTG
GGGAATGTGCTCATCATCCTGGCCATCTACTCTGACCCAGGCTCCACACCCCTATGTACT
55 TTTTCTCAGCAACTGTCTTTTATGGATATCTGCTTCACAACAGTCATAGTGCCTAAGATG
CTGGTGAATTTCTATCAGAGACAAAGATTATCTCTTATGTGGGCTGCCTGATCCAGATGT

ACTTCTTCATGGCATTGTTGGGAACACTGACAGCTACCTGCTGGCCTCTATGGCCATCGACCG
 GCTGGTGGCCATCTGCAACCCCTTACACTATGATGTGGTTATGAAACCATGGCATTGCCTA
 CTCATGCTATTGGGTTCTTGCAGCATCTCCACCTACATTCCCTGTTCCGCGTGCTACTTAT
 GTCTCGCTTGTCTTTCTGTGCCTCTCACATCATTAAAGCACTTTTTCTGTGACACCCAGCCTG
 5 TGCTAAAGCTCTCCTGCTCTGACACATCCTCCAGCCAGATGGTGGTGATGACTGAGACCTT
 AGCTGTCATTGTGACCCCTTCTGTGTACCATCTTCTCCTACCTGCAAATCATCGTCACTG
 TGCTCAGAATCCCTCTGCAGCCGGGAAGTGGAAGGCCTTCTCTACCTGTGGCTCCACCT
 CACTGTAGTGGTCTGTTCTATGGGAGTGTCTATGTCTATTTTAGGCCTCTGTCCATGT
 10 ACTCAGTGATGAAGGGCCGGGTAGCCACAGTTATGTACACAGTAGTGACACCCATGCTGA
 ACCCTTTCATCTACAGCCTGAGGAACAAAGATATGAAAAGGGGTTTGAAGAAATTAAGAC
 ACAGAATTTACTCATAG (SEQ ID NO: 38)

AOLFR20 sequences:

MVEENHTMKNEFILTGFTDHPKLTLLFVVFVFAIYLITVVGNISLVALIFTHCRLHTPMYIFLGN
 15 LALVDSCCACAITPKMLENFFSEGKRISLYEAVQFYFLCTVETADCFLLAAVAYDRYVAICNP
 LQYHIMMSKKLCIQMTTGAFIAGNLHSMIHVGLVFRLLVFCGLNHINHFYCDTLPYRLSCVDPF
 INELVLFIFSGSVQVFTIGSVLISLYILLTIFRMKSKEGRAKAFSTCASHFSSVSLFYGSIFFLYIRP
 NLLEEGGNDIPAILFTIVVPLLNPFIYSLRNKEVISVLRKILLKIKSQGSVNK (SEQ ID NO: 39)

20 ATGGTTGAAGAAAATCATACCATGAAAAATGAGTTTATCCTCACAGGATTTACAGATCACC
 CTGAGCTGAAGACTCTGCTGTTTGTGGTGTCTTTGCCATCTATCTGATCACCCTGGTGGG
 GAATATTAGTTTGGTGGCACTGATATTTACACACTGTCGGCTTCACACACCAATGTACATC
 TTTCTGGGAAATCTGGCTCTTGTGGATTCTTGTGTGCCTGTGCTATTACCCCCAAAATGTT
 AGAGAACTCTTTTCTGAGGGCAAAAAGGATTTCCCTCTATGAATGTGCAGTACAGTTTTAT
 25 TTTCTTTGCACTGTGGAACTGCAGACTGCTTTCTTCTGGCAGCAGTGGCCTATGACCGCT
 ATGTGGCCATCTGCAACCCACTGCAGTACCACATCATGATGTCCAAGAACTCTGCATTCA
 GATGACCACAGGCGCCTTCATAGCTGGAATCTGCATTCCATGATTTCATGTAGGGCTTGTA
 TTTAGGTTAGTTTTCTGTGGATTGAATCACATCAACCACTTTTACTGTGATACTCTTCCCTT
 GTATAGACTCTCCTGTGTTGACCCTTTCATCAATGAACTGGTTCTATTTCATCTTCTCAGGT
 30 CAGTTCAAGTCTTTACCATAGGTAGTGTCTTAATATCTTATCTCTATATTCTTCTTACTATT
 TTCAGAATGAAATCCAAGGAGGGAAGGGCCAAAGCCTTTTCTACTTGTGCATCCCACTTTT
 CATCAGTTTCATTATTCTATGGATCTATTTTTTCTTATACATTAGACCAAATTTGCTTGAA
 GAAGGAGGTAATGATATACCAGCTGCTATTTTATTACAATAGTAGTTCCTTACTAAATC
 CTTTCATTTATAGTCTGAGAAACAAGGAAGTAATAAGTGTCTTAAGAAAAATTCTGCTGAA
 35 AATAAAATCTCAAGGAAGTGTGAACAAATGA (SEQ ID NO: 40)

AOLFR21 sequences:

MEPRKNVTDVLLGFTQNPKEQKVLVFMFLFYILTMVGNLLIVVTVTVSETLGSPMSFFLAGL
 40 TFDIIYSSSISPRLLISDLFFGNNSISFQSFMAQLFIEHLFGGSEVFLLLVMAYDRYVAICKPLHYLV
 IMRQWVCVLLLVSWSVGGFLQSVFQLSHYGLPFCGPNVIDHFFCDMYPLLKLACTDTHVIGLL
 VVANGGLSCTIAFLLLISYGVILHSLKKLSQKGRQKAHSTCSSHITVVVFFVPCIFMCARPAR
 TFSIDKSVSVFYTVITPMLNPLIYTLRNSEMTSAMKKL (SEQ ID NO: 41)

45 ATGGAGCCAAGGAAAAATGTGACTGACTTTGTCTCTTGGGCTTCACACAGAATCCAAAG
 GAGCAGAAAGTACTTTTTGTTATGTTCTTGCTCTTCTACATTTTGACCATGGTGGGCAACCT
 GCTCATTGTAGTGACCGTAACTGTCAGTGAGACCCTGGGCTCACCAATGTCCTTCTTTCTT
 GCTGGCTTAACATTTATAGATATCATTTATTCTTCATCCATTTCCCCCAGATTGATTTTACA
 CTTGTTCTTTGGGAATAATTCATATCTTCCAATCTTTCATGGCCCAGCTCTTTATCGAGC
 50 ACCTTTTGGTGGGTGAGAGTCTTCTCTGTTGGTGATGGCCTATGACCGCTATGTGGC
 CATCTGTAAGCCCTTGCAATTATTGTTATCATGAGACAATGGGTGTGTGTTTTGCTGCTG
 GTAGTGTCTGGGTTGGAGGATTTCTGCAATCAGTATTTCAACTTAGCATTATTTATGGGC
 TCCCATTCTGTGGCCCCAATGTCATTGATCATTTTTTCTGTGACATGTATCCCTTATTGAAA
 CTGGCCTGCACTGACACCCATGTTATTGGCCTCTTAGTGGTGGCCAATGGAGGACTGTCTT
 GCACTATTGCGTTTCTGCTCTTACTCATCTCTTATGGTGTCTATCCTGCACTCTCTAAAGAAA
 55 CTTAGTCAGAAAGGGAGGCAAAAAGCCCACTCAACCTGCAGTTCACACATCACTGTGGTTG
 TCTTCTTCTTTGTTCTTGTATTTTATGTGTGCTAGACCTGCTAGGACCTTCTCCATTGAC

AAATCAGTGAGTGTGTTTTATACAGTCATAACCCCAATGCTGAACCCCTTAATCTACACTC
TGAGAAATTCTGAGATGACAAAGTGCTATGAAGAAGCTTTAG (SEQ ID NO: 42)

AOLFR22 sequences:

5 MRXXNNXTEFVLLGFSQDPGVXKALFVMFLLTYXXTVVGNLLIVVDIIASPLGSPMYFFLAC
LSFIDAAYSTTISPKLIVGLFCDKKTISFQGCMGQLFIDHFFGGAEVLLVVMACDRYVAICKPL
HYLTIMNRQVCFLLLVXXMIGGFVHSAFQIVVYSLPFCGPXVIVHFSCDMHPLLELACTDITYFI
GLTVVNSGAICMVIFNLLISYGVLSSLKTYSQEKRKALSTCSSGSTVVVLFVPCIFYVRP
VSNFPTDKFMTVFYTIITHMLSPLIYTLRNSEMRNAIEKLLGKKLTIFIIGGVSVLM (SEQ ID NO:
10 43)

ATGAGACANNNAACAATATNACAGAATTTGTCCTCCTGGGCTTTTCTCAGGATCCTGGTG
TGNNAAGCATTATTTGTCATGTTTTACTCACATACNNNNNNACAGTGGTGGGGAACCT
GCTCATTGTNGTGGATATTATTGCCAGCCCTTNNTTGGGTTCCCCAATGTATTTCTTCCTTG
15 CCTGCCTGTCATTTATAGATGCTGCATATTCCACTACCATTTCTCCCAAGTTAATTGTAGGC
TTATTCTGTGATAAAAAGACTATTTCCCTCCAAGGTTGCATGGGCCAGCTATTTATAGACC
ATTTCTTTGGTGGGGCTGAGGTCTTCCTTCTGGTGGTGATGGCCTGTGATCGCTATGTGGC
CATCTGTAAGCCACTGCACTATTTGACCATCATGAATCGACAGGTTTGCTTCCTTCTGTTGG
TNNNNCCATGATTGGAGGTTTTGTACATTCTGCGTTTCAAATTGTTGTGTACAGTCTCCCT
20 TTCTGTGGTCCCNATGTCATTGTTTCATTTCAGTTGTGACATGCACCCATTACTGGAAGTGGC
ATGCACTGACACCTACTTTATAGGCCTCACTGTTGTTGTCAATAGTGGAGCAATCTGTATG
GTCATTTTCAACCTTCTGTTAATCTCCTATGGAGTCATCCTAAGCTCCCTTAAACCTTACAG
TCAGGAAAAGAGGGGTAAAGCCTTGCTACCTGCAGCTCCGGCAGTACCGTTGTTGTCTCTC
TTTTTGTACCCTGTATTTTCATATATGTTAGACCTGTTTCAAACCTTCTACTGATAAGTT
25 CATGACTGTGTTTTATACCATTATCACACACATGCTGAGTCCTTTAATATATACGTTGAGA
AATTCAGAGATGAGAAATGCTATAGAAAACTCTTGGGTAAAAAGTAACTATATTTATTA
TAGGAGGAGTGTCCTCATGTAG (SEQ ID NO: 44)

AOLFR23 sequences:

30 MAKNNLTRVTEFILMGFMDHPKLEIPLFLVFLSFYLVTLGNVGMIMLIQVDVKLYTPMYFFLS
HLSLLDACYTSVITPQILATLATGKTVISYGHCAAQFFLTICAGTECFLLAVMAYDRYAAIRNP
LLYTVAMNPRLCWSLVVGAYVCGVSGAILRTTCTFTLSFKDNQINFFCDLPPLKLACSDTA
NIEIUIFFGNFVILANASVILISYLLIKTILKVKSSGGRAKTFSTCASHITAVALFFGALIFMYLQS
GSGKSLEEDKVVSFYTIVIPMLNPLIYSLRNKDVKDAFRKVARRLQVSLSM (SEQ ID NO: 45)

35 ATGGCCAAGAATAATCTCACCAGAGTAACCGAATTCATTCTCATGGGCTTTATGGACCACC
CCAAATTGGAGATTCCCCTCTTTCTGGTGTCTTCTGAGTTTCTACCTAGTCACCCTTCTTGGG
AATGTGGGGATGATTATGTTAATCCAAGTAGATGTCAAACCTACACCCCAATGTACTTCT
TCCTGAGCCACCTCTCCCTGCTGGATGCCTGTTACACCTCAGTCATCACCCCTCAGATCCTA
40 GCCACATTGGCCACAGGCAAAACGGTCATCTCTACGGCCACTGTGCTGCCAGTTCTTTT
TATTCACCATCTGTGCAGGCACAGAGTGCTTTCTGCTGGCAGTGATGGCCTATGATCGCTA
TGCTGCCATTGCAACCCACTGCTCTATACCGTGGCCATGAATCCCAGGCTCTGCTGGAGC
CTGGTGGTAGGAGCCTATGTCTGTGGGGTGTCAGGAGCCATCCTGCGTACCACTTGACCT
TCACCCTCTCCTTCTGTAAGGACAATCAAATAAACTTCTTCTTCTGTGACCTCCCACCCCTG
45 CTGAAGCTTGCCCTGCAGTGACACAGCAAACATCGAGATTGTCATCATCTTCTTTGGCAATT
TTGTGATTTTGGCCAATGCCTCCGTCATCCTGATTTCTATCTGCTCATCATCAAGACCATT
TTGAAAGTGAAGTCTTCAGGTGGCAGGGCCAAGACTTTCTCCACATGTGCCTCTCACATCA
CTGCTGTGGCCCTTTCTTTGGAGCCCTTATCTTCATGTATCTGCAAAGTGGCTCAGGCAA
TCTCTGGAGGAAGACAAAGTCGTGTCTGTCTTCTATACAGTGGTCATCCCCATGCTGAACC
50 CTCTGATCTACAGCTTAAGAAACAAAGATGTAAAGACGCCTTCAGAAAGGTCGCTAGGA
GACTCCAGGTGTCCCTGAGCATGTAG (SEQ ID NO: 46)

AOLFR25 sequences:

55 METGNLTWVSDFVFLGLSQTRELQRFLFVYITTVMGNILIITVTSDSLHTPMYFLLRN
LAVLDLCFSSVTAPKMLVDLLSEKKTISYQGCMIFFHFLGGAMVFFLSVMAFDRLIAISRPL
RYVTVMNTQLWVGLVWATWVGGFVHSIVQLALMLPLPFCGPNILDNFYCDVPQVRLACTDT

SLLEFLKISNSGLLDVWVFFLLMSYLFILVMLRSHPGEARRKAASCTTHIIVVSMIFVPSIYLY
ARPFPTFPMDKLVSIGHTVMTPLNPMIYTLRNQDMQAAVRRLGRHRLV (SEQ ID NO: 47)

5 ATGGAACAGGGAACCTCACGTGGGTATCAGACTTTGTCTTCCTGGGGCTCTCGCAGACTC
GGGAGCTCCAGCGTTTCCTGTTTCTAATGTTCCCTGTTTGTCTACATCACCAGTGTATGGGA
AACATCCTTATCATCATCAGTGACCTCTGATTCCCAGCTCCACACACCCATGTACTTTCT
GCTCCGAAACCTGGCTGTCCTAGACCTCTGTTTCTCTTCAGTCACTGCTCCCAAATGCTAG
TGGACCTCCTCTCTGAGAAGAAAACCATCTCTTACCAGGGCTGCATGGGTGAGATCTTCTT
CTTCCACTTTTTGGGAGGTGCCATGGTCTTCTTCCTCTCAGTGATGGCCTTTGACCGCCTCA
10 TTGCCATCTCCCGGCCCTCCGCTATGTCACCGTCATGAACACTCAGCTCTGGGTGGGGCT
GGTGGTAGCCACCTGGGTGGGAGGCTTTGTCCACTCTATTGTCCAGCTGGCTCTGATGCTC
CCACTGCCCTTCTGTGGCCCCAACATTTGGATAACTTCTACTGTGATGTTCCCAAGTACT
GAGACTTGCTGCACTGACACCTCACTGCTGGAGTTCCTCAAGATCTCCAACAGTGGGCTG
CTGGATGTCGTCTGGTTCTTCTCCTCCTGATGTCCTACTTATTCATCCTGGTGATGCTGAG
15 GTCACATCCAGGGGAGGCAAGAAGGAAGGCAGCTTCCACCTGCACCACCCACATCATCGT
GGTTTCCATGATCTTCGTTCCAAGCATTTACCTCTATGCCCGGCCCTTCACTCCATTCCCTA
TGGACAAGCTTGTGTCCATCGGCCACACAGTCATGACCCCCATGCTCAACCCCATGATCTA
TACCCTGAGGAACCAGGACATGCAGGCAGCAGTGAGAAGATTAGGGAGACACCGGCTGGT
TTGA (SEQ ID NO: 48)

20

AOLFR26 sequences:

MAAKNSSVTEFILEGLTHQPGLRIPLFFLFLGFYTVTVVGNLGLITLIGLNSHLHTPMYFFLFNLS
LIDFCFSTTTITPKMLMSFVSRKNIISFTGCMTQLFFFCFFVSESFILSAMAYDRYVAICNPLLYT
VTMSQVCLLLLGA YGMGFAGAMAHTGSIMNLTFCADNLVNHFMCDILPILLESCNSSYMN
25 ELVVFIVAVDVGMPIVTVFISYALILSSILHNSSTEGRSKAFSTCSSHIIVVSLFFGSGAFMYLKP
LSILPLEQGVSSLFYTHIVPVLNPLIYSLRNKDVKVALRRTLGRKIFS (SEQ ID NO: 49)

ATGGCAGCCAAAACTCTTCTGTGACAGAGTTTATCCTCGAAGGCTTAACCCACCAGCCGG
GACTGCGGATCCCCCTCTTCTTCCTGTTTCTGGGTTTCTACACGGTCACCGTGGTGGGGAA
30 CCTGGGCTTGATAACCTGATTGGGCTGAACTCTCACCTGCACACTCCCATGTACTTCTTCC
TTTTTAACCTCTCTTTAATAGATTTCTGTTTCTCCACTACCATCACTCCCAAAATGCTGATG
AGTTTTGTCTCAAGGAAGAACATCATTTTCCTTACAGGGTGTATGACTCAGCTCTTCTTCTT
CTGCTTCTTTGTCTCTCTGAGTCCTTATCCTGTGTCAGCGATGGCGTATGACCGCTACGTGG
CCATCTGTAACCCACTGTTGTACACAGTCACCATGTCTTGCCAGGTGTGTTTGCTCCTTTTG
35 TTGGGTGCCTATGGGATGGGGTTTGCTGGGGCCATGGCCACACAGGAAGCATAATGAAC
CTGACCTTCTGTGCTGACAACCTTGTCAATCATTTATGTGTGACATCCTTCTCCTTGA
GCTCTCCTGCAACAGCTCTTACATGAATGAGCTGGTGGTCTTTATTGTGGTGGCTGTTGAC
GTTGGAATGCCCATTTGTCAGTGTCTTTATTTCTTATGCCCTCATCCTCTCCAGCATTCTACA
CAACAGTTCTACAGAAGGCAGGTCCAAAGCCTTTAGTACTTGCAAGTCCCACATAATTGTA
40 GTTTCTCTTTTCTTTGGTTCTGGTGCTTTTATGTATCTCAAACCCCTTTCCATCCTGCCCCCTC
GAGCAAGGGAAAGTGTCTCCTGTTCTATACCATAATAGTCCCCGTGTTAAACCCATTAA
TCTATAGCTTGAGGAACAAGGATGTCAAAGTTGCCCTGAGGAGAACTTTGGGCAGAAAAA
TCTTTTCTTAA (SEQ ID NO: 50)

45 **AOLFR27 sequences:**

MPSQNYSIIEFNLFGFSAFPQHLLPILFLLYLLMFLFTLLGNLLIMATIWIHRLHTPMYFLCTL
SVSEILFTVAITPRMLADLLSTHHSITFVACANQMFFSFMFGFTHSFLLLVMGYDRYVAICHPLR
YNVLMSPRCAHLVACTWAGGSVMGMMVTTIVFHLTFCSNVIIHFFCHVLSLLKLACENKT
SSVIMGVMLVCVTALIGCLFLILSYVFIVAAILRIPSAEGRHKTFSTCVSHLTVVVTHYSFASFIY
50 LKPKGLHSMYSDALMATTYTVFTPLSPIIFSLRNKELKNAINKNFYRKFCPPSS (SEQ ID NO:
51)

ATGCCTAGTCAGAACTATAGCATCATATCTGAATTTAACCTCTTTGGCTTCTCAGCCTTCCC
CCAGCACCTCCTGCCATCTTGTTCCTGCTGTACCTCCTGATGTTCTGTTACATTGCTGG
55 GCAACCTTCTCATCATGGCCACAATCTGGATTGAACACAGACTCCACACACCCATGTACCT
CTTCTGTGCACCTCTCCGTCTCTGAGATTCTGTTCACTGTTGCCATCACCCCTCGCATGC

TGGCTGATCTGCTTTCCACCCATCATTCCATCACCTTTGTGGCTTGTGCCAACCAGATGTTCT
 TTCTCCTTCATGTTTGGCTTCACTCACTCCTTCCTTCTCCTGGTCATGGGCTATGATCGCTA
 TGTGGCCATCTGCCACCCACTGCGTTACAATGTGCTCATGAGCCCCCGTGA CTGTGCCCAT
 CTTGTGGCCTGTACCTGGGCTGGTGGCTCAGTCATGGGGATGATGGTGACAACGATAGTTT
 5 TCCACCTCACTTTCTGTGGGTCTAATGTGATCCACCATT TTTTCTGTTCATGTGCTTTCCCTCT
 TGAAGTTGGCCTGTGAAAACAAGACATCATCTGTCATCATGGGTGTGATGCTGGTGTGTGT
 CACAGCCCTGATAGGCTGTTTATTCCTCATCATCCTCTCCTATGTCTTCATTGTGGCTGCCA
 TCTTGAGGATTCCCTCTGCCGAAGGCCGGCACAAGACATTTTCTACGTGTGTATCCACCT
 CACTGTGGTGGTCACGCACTATAGTTTTGCCTCCTTTATCTACCTCAAGCCCAAGGGCCTCC
 10 ATTCTATGTACAGTGACGCCTTGATGGCCACCACCTATACTGTCTTCACCCCTTCCTTAGC
 CCAATCATTTTCAGCCTAAGGAACAAGGAGCTGAAGAATGCCATAAATAAAAAC TTTTACA
 GAAAATTCTGTCTCCAAGTTCCTGA (SEQ ID NO: 52)

AOLFR28 sequences:

15 MPNFTDVTEFTLLGLTCRQELQVLFFVFLAVYMITLLGNIGMILISISPQLQSPMYFFLSHLSF
 ADVCFSSNVTPKMLENLLSEKTI SYVGCLVQCYFFIAVHVHVEVYLAVMAFD RYMAGCXPLL
 YGSKMSRTVCVRLISVXYXYGFSVSLICTLW TYGLYFCGNFEINH FYCADPPLIQIACGRVHIKE
 ITMIVIAGINFTYSLSVLISYTLIVAVLRMR SADGRRKAFSTCGSHLTAVSMFYGTPIFM YLR
 RPTEESVEQGMVAVFYTTVIPMLNPMIYSLRNKDVKEAVNKAITKTYVRQ (SEQ ID NO: 53)
 20
 ATGCCTAATTTACGGATGTGACAGAATTTACTCTCCTGGGGCTGACCTGTCGTCAGGAGC
 TACAGGTTCTCTTTTTTGTGGTGTTCTAGCGGTTTACATGATCACTCTGTTGGGAAATATT
 GGTATGATCATTTTGATTAGCATCAGTCCTCAGCTTCAGAGTCCCATGTACTTTTCTCCTGAG
 TCATCTGTCTTTTGC GGACGTGTGCTTCTCCTCCAACGTTACCCCCAAAATGCTGGA AAACT
 25 TATTATCAGAGACAAAACCATTTCCTATGTGGGATGCTTGGTGCAGTGCTACTTTTTCAT
 TGCCGTTGTCCACGTGGAGGTCTATATCCTGGCTGTGATGGCCTTTGACAGGTACATGGCC
 GGCTGCAANCTCTGCTTTATGGCAGTAAATGTCTAGGACTGTGTGTGTTTCGGCTCATCT
 CTGTGNNNTATGNNNTATGGATTCTCTGTGAGCCTAATATGCACACTATGGACTTATGGCTT
 ATACTTCTGTGGAACTTTGAAATCAATCACTTCTATTGTGCAGATCCCCCTCTCATCCAGA
 30 TTGCCTGTGGGAGAGTGCACATCAAAGAAATCACAATGATTGTTATTGCTGGAATTA ACTT
 CACATATTCCTCTCGGTGGTCTCATCTCCTACACTCTCATTGTAGTAGCTGTGCTACGCA
 TGCCTCTGCCGATGGCAGGAGGAAGGCGTTCTCCACCTGTGGGTCCC ACTTGACGGCTGT
 TTCTATGTTTTATGGGACCCCCATCTTCATGTATCTCAGGAGACCCACTGAGGAATCCGTA
 GAGCAGGGCAAAATGGTGGCTGTGTTTTACACCACAGTAATTCCTATGTTGAATCCCATGA
 35 TCTACAGTCTGAGAAATAAGGATGTAAAAGAAGCAGTCAACAAAGCAATCACCAAGACAT
 ATGTGAGGCAGTAA (SEQ ID NO: 54)

AOLFR29 sequences:

40 MMSFAPNASHSPVFLLLGFSRANISYTLFFFLAIYLTTLGNVTLVLLISWDSRLHSPMY YLLR
 GLSVIDMGLSTVTLPLQLLAHLVSHYPTIPAARCLAQFFFFYAFGVTDTLVIAVMALDRYVAICD
 PLHYALVMNHQRCACLLALS WVVSILHTMLRVGLVPLCWTGDAGGNVNLPHFFCDHRPLL R
 ASCSDIHSNELAIFFE GFLMLGPCALIVLSYVRIGAAILRLPSAAGR RRAVSTCGSHLTMVGFL
 YGTIICVYFQPPFQNSQYQDMVASV MYTAITPLANPFVYSLHNKDVKGALCRLLEWVKVDP
 (SEQ ID NO: 55)
 45
 ATGATGAGCTTTGCCCTAATGCTTCACACTCTCCGGTTTTTTTTGCTCCTTGGGTTCTCGAG
 AGCTAACATCTCCTACACTCTCCTCTTCTCCTGTTCTCCTGGCTATTTACCTGACCACCATAC
 TGGGGAATGTGACACTGGTGCTGCTCATCTCCTGGGACTCCAGACTGCACTCACCCATGTA
 TTATCTGCTTCGTGGCCTCTCTGTGATAGACATGGGGCTATCCACAGTTACACTGCCCCAG
 50 TTGCTGGCCCATTTGGTCTCTCATTACCCAACCATTCTGCTGCCCCGCTGCTTGGCTCAGTT
 CTTTTTCTTCTATGCATTTGGGGTTACAGATACACTTGTCATTGCTGTGCTGCTGCTGATC
 GCTATGTGGCCATCTGTGACCCCTGCACTATGCTTTGGTAATGAATACCAACGGTGTGC
 CTGCTTACTAGCCTTGAGCTGGGTGGTGTCCATACTGCACACCATGTTGCGTGTGGGACTC
 GTCCTGCCTCTTTGCTGGACTGGGGATGCTGGGGGCAACGTTAACCTTCCTCACTTCTTTTG
 55 TGACCACCGGCCACTTCTGCGAGCCTCTTGTCTGACATACATTCTAATGAGCTGGCCATA
 TTCTTTGAGGGTGGCTTCCTTATGCTGGGCCCCCTGTGCCCTCATTGTACTCTCTTATGTCCG

AATTGGGGCCGCTATTCTACGTTTGCCTTCAGCTGCTGGTCGCCGCCGAGCAGTCTCCACC
 TGTGGATCCCACCTACCATGGTTGGTTTCCTCTACGGCACCATCATTGTGTCTACTTCCA
 GCCTCCCTTCCAGAACTCTCAGTATCAGGACATGGTGGCTTCAGTAATGTATACTGCCATT
 ACACCTTTGGCCAACCCATTTGTGTATAGCCTCCACAATAAGGATGTCAAGGGTGCCTCT
 5 GCAGGCTGCTTGAATGGGTGAAGGTAGACCCCTGA (SEQ ID NO: 56)

AOLFR30 sequences:

MGFLSPMHPCRPPTQRRMAAGNHSTVTEFILKGLTKRADLQLPLFLLFLGIYLVTVGNLGMIT
 LICLNSQLHTPMYYFLSNLSLMDLCYSSVITPKMLVNFVSEKNII SYAGCMSQLYFFLVFVIAEC
 10 YMLTVMAYDRYVXXCHPLLYNIIMSHHTCLLLVAVVYAIGLIGSTIETGLMLKLPYCEHLISHY
 FCDILPLMKLSCSSYDVEMTVFFSAGFNII VTSLVVSYTFILSSILGISTTEGRSKAFSTCSSHL
 AAVGMFYGSTAFMYLKPSTISSLTQENVASVFYTTVIPMLNPLIYSLRNKEVKA AVQKTLRGK
 LF (SEQ ID NO: 57)
 15 ATGGGGTTCTTGTCTCCCATGCATCCCTGCAGGCCTCCCACCCAGAGGAGAATGGCTGCAG
 GAAATCACTCTACAGTGACAGAGTTTATTCTCAAGGGTTTAACGAAGAGAGCAGACCTCC
 AGCTCCCCCTCTTCTCCTCTTCCTCGGGATCTACTTGGTCACCATCGTGGGGAACCTGGGC
 ATGATCACTCTAATTTGTCTGAACTCTCAGCTGCACACCCCCATGTACTACTTTCTCAGCAA
 TCTGTCACTCATGGATCTCTGCTACTCCTCCGTCATTACCCCTAAGATGCTGGTGAACCTTG
 20 TGTCAGAGAAAAACATCATCTCCTACGCAGGGTGCATGTCACAGCTCTACTTCTTCCTTGT
 TTTTGTCAATTGCTGAGTGTTACATGCTGACAGTGATGGCCTACGACCGCTATGTTGNCNTC
 TGCCACCCTTTGCTTTACAACATCATTATGTCTCATCACACCTGCCTGCTGCTGGTGGCTGT
 GGTCTACGCCATCGGACTCATTGGCTCCACAATAGAAAACCTGGCCTCATGTTAAAACCTGCC
 TATTGTGAGCACCTCATCAGTCACTACTTCTGTGACATCCTCCCTCTCATGAAGCTGTCTCTG
 25 CTCTAGCACCTATGATGTTGAGATGACAGTCTTCTTTTCGGCTGGATTCAACATCATAGTC
 ACGAGCTTAACAGTTCTTGTCTTACACCTTCATTCTCTCCAGCATCCTCGGCATCAGCAC
 CACAGAGGGGAGATCCAAAGCCTTCAGCACCTGCAGCTCCCACCTTGACGCCGTGGGAAT
 GTTCTATGGATCAACTGCATTTCATGTACTTAAAACCTCCACAATCAGTTCCTTGACCCAG
 GAGAATGTGGCCTCTGTGTTCTACACCACGGTAATCCCCATGTTGAATCCCCTAATCTACA
 30 GCCTGAGGAACAAGGAAGTAAAGGCTGCCGTGCAGAAAACGCTGAGGGGTAAACTGTTTT
 GA (SEQ ID NO: 58)

AOLFR31 sequences:

MGTGNDTTVVEFTLLGLSEDTTVCAILFLVFLGIYVVTLMGNISIIVLIRRSHHLHTPMYIFLCHL
 35 AFVDIGYSSSVTPVMLMSFLRKETSLPVAGCVAQLCSVVTFGTAECFLLAAMAYDRYVAICSP
 LLYSTCMSPGVCHLVGMSYLGGCVNAWTFIGCLLRLSFCGPNKVNHHFFCDYSPLKLACSHDF
 TFEIIPAISGSIIVATVCVIAISYIYILITILKMHS TKGRHKAFSTCTSHLTAVTLFYGTITFIYVMP
 KSSYSTDQNKVVS VFYTVVIPMLNPLIYSLRNKEIKGALKRELRIKIFS (SEQ ID NO: 59)
 40 ATGGGGACTGGAAATGACACCACTGTGGTAGAGTTTACTCTTTTGGGGTTATCTGAGGATA
 CTACAGTTTGTGCTATTTTATTTCTTGTGTTTCTAGGAATTTATGTTGTACCTTAATGGGT
 AATATCAGCATAATTGTATTGATCAGAAGAAGTCATCATCTTCATACACCCATGTACATTT
 TCCTCTGCCATTTGGCCTTTGTAGACATTGGGTACTCCTCATCAGTCACACCTGTCATGCTC
 ATGAGCTTCCTAAGGAAAGAAACCTCTCTCCCTGTTGCTGGTTGTGTGGCCAGCTCTGTT
 45 CTGTAGTGACGTTTGGTACGGCCGAGTGCTTCTGCTGGCTGCCATGGCCTATGATCGCTA
 TGTGGCCATCTGCTCACCCCTGCTCTACTCTACCTGCATGTCCCCTGGAGTCTGCATCATCT
 TAGTGGGCATGTCCTACCTGGGTGGATGTGTGAATGCTTGGACATTTCATTGGCTGCTTATT
 AAGACTGTCCTTCTGTGGGCCAAATAAAGTCAATCACTTTTCTGTGACTATTCAACCACTTT
 TGAAGCTTGCTTGTTCCTCATGATTTTACTTTTGAAATAATTCCAGCTATCTCTTCTGGATCT
 50 ATCATTGTGGCCACTGTGTGTGTCATAGCCATATCCTACATCTATATCCTCATCACCATCCT
 GAAGATGCACTCCACCAAGGGCCGCCACAAGGCCTTCTCCACCTGCACCTCCCACCTCACT
 GCAGTCACTCTGTTCTATGGGACCATTACCTTCATTTATGTGATGCCCAAGTCCAGCTACTC
 AACTGACCAGAACAAAGGTGGTGTCTGTGTTCTACACCGTGGTGATTCCCATGTTGAACCC
 CTGATCTACAGCCTCAGGAACAAGGAGATTAAGGGGGCTCTGAAGAGAGAGCTTAGAATA
 55 AAAATATTTTCTTGA (SEQ ID NO: 60)

AOLFR32 sequences:

MNSLKDGNTALTGFILLGLTDDPILRVILFMILSGNLSIIILIRISSQLHHPMYFFLSHLAFADM
AYSSSVTPNMLVNFLVERNTVSYLGCAIQLGSAFFATVECVLLAAMAYDRFVAICSPLLYSTK
MSTQVSVQLLLVVYIAGFLIAVSYTTSFYLLFCGPNQVNHFFCDFAPLLELSCSDISVSTVVLSTF
5 SSGSIHVTVCVIAVCYIYILITILKMRSTEGHHKAFSTCTSHLTVVTLFYGTITFIYVMPNFSYST
DQNKVVSVLTYTVIPMLNPLIYSLRNKEIKGALKRELVRKILSHDACYFSRTSNNDIT (SEQ ID
NO: 61)

ATGAATTCCTGAAGGACGGGAATCACACCGCTCTGACGGGGTTCATCCTATTGGGCTTAA
10 CAGATGATCCAATCCTTCGAGTCATCCTCTTCATGATCATCCTATCTGGTAATCTCAGCATA
ATTATTCTTATCAGAATTTCTTCTCAGCTCCATCATCCTATGTATTTCTTTCTGAGCCACTT
GGCTTTTGCTGACATGGCCTATTCTCTCTGTCACACCCAACATGCTTGTAACCTTCTGCTG
TGGAGAGAAATACAGTCTCCTACCTTGGATGTGCCATCCAGCTTGGTTCAGCGGCTTTCTT
TGCAACAGTCGAATGCGTCCTTCTGGCTGCCATGGCCTATGACCGCTTTGTGGCAATTTGC
15 AGTCCACTGCTTTATTCAACCAAAATGTCCACACAAGTCAGTGTCCAGCTACTCTTAGTAG
TTTACATAGCTGGTTTTCTCATTTGCTGTCTCCTATACTACTTCTTCTATTTTTTACTCTTCT
GTGGACCAATCAAGTCAATCATTTTTCTGTGATTTTCGCTCCCTTACTTGAACCTCTCCTGT
TCTGATATCAGTGTCTCCACAGTTGTTCTCTCATTTTCTTCTGGATCCATCATTTGTGGTCAC
TGTGTGTGTCTATAGCCGTCTGCTACATCTATATCCTCATCACCATCCTGAAGATGCGCTCCA
20 CTGAGGGGACCACAAAGGCTTCTCCACCTGCACTTCCACCTCACTGTGGTTACCCTGTT
CTATGGGACCATTACCTTCATTTATGTGATGCCCAATTTTAGCTACTCAACTGACCAGAAC
AAGGTGGTGTCTGTGTTGTACACAGTGGTGATTCCCATGTTGAACCCCTGATCTACAGCC
TCAGGAACAAGGAGATTAAGGGGGCTCTGAAGAGAGAGCTTGTTAGAAAAATACTTTCTC
ATGATGCTTGTTATTTTAGTAGAACTTCAAATAATGATATTACATAG (SEQ ID NO: 62)

25

AOLFR34 sequences:

MLEGVEHLLLLLLLDVNSKELQSGNQTSVSHFILVGLHPPQLGAPLFLAFLVIYLLTVSGNG
LIILTVLVDIRLHRPMCLFLCHLSFLDMTISCAIVPKMLAGFLLGSRIISFGGCVIQLFSFHLGCT
ECFLYTLMAVDRFLAICKPLHYATIMTHRVCNLSALGTWLGGTIHSLSFQTSFVRLPFCGPNRV
30 DYIFCDIPAMRLACADTAINELVTFADIGFLALTCFMLILTSYGYVAAILRIPSADGRRNAFST
CA AHLTVVIVVYVPCTFIYLRPCSQEPLDGVVAVFYTVITPLLNSIYTLCKEMKAALQRLGG
HKEVQPH (SEQ ID NO: 63)

ATGTTAGAGGGTGTTGAGCATCTCCTTCTGCTACTTCTTTTGACAGATGTGAACAGCAAGG
35 AACTGCAAAGTGGAACCAGACTTCTGTGTCTCACTTCATTTTGGTGGGCCTGCACCACCC
ACCACAGCTGGGAGCGCCACTCTTCTTAGCTTTCTTGTCTATCTCCTCACTGTTTCTG
GAAATGGGCTCATCATCCTCACTGTCTTAGTGGACATCCGGCTCCATCGTCCCATGTGCTT
GTTCTGTGTACCTCTCCTTCTTGGACATGACCATTTCTTGTGCTATTGTCCCCAAGATGC
TGGCTGGCTTTCTCTTGGGTAGTAGGATTATCTCCTTTGGGGGCTGTGTAATCCAATATTT
40 TCTTTCCATTTCTTGGGCTGTACTGAGTGCTTCTTTACACACTCATGGCTTATGACCGTTT
CCTTGCCATTTGTAAGCCCTTACACTATGCTACCATCATGACCCACAGAGTCTGTAACCTCCC
TGGCTTAGGCACCTGGCTGGGAGGGACTATCCATTCATTTTCCAAACAAGTTTTGTATT
CCGGCTGCCCTTCTGTGGCCCCAATCGGGTTCGACTACATCTTCTGTGACATTCTGCCATGC
TGCGTCTAGCCTGCGCCGATACGGCCATCAACGAGCTGGTCACCTTTGCAGACATTGGCTT
45 CCTGGCCCTCACCTGCTTCATGCTCATCCTCACTTCTTATGGCTATATTGTAGCTGCCATCC
TGCGAATTCGTCAGCAGATGGGCGCCGAATGCCTTCTCCACTTGTGCTGCCACCTCAC
TGTTGTCAATTGTTTACTATGTGCCCTGCACCTTCATTTACCTGCGGCCTTGTTACAGGAGC
CCCTGGATGGGGTGGTAGCTGTCTTTTACACTGTCATCACTCCCTTGCTTAACCTCCATCATC
TACACACTGTGCAACAAAGAAATGAAGGCAGCATTACAGAGGCTAGGGGGGCCACAAGGAA
50 GTGCAGCCTCACTGA (SEQ ID NO: 64)

AOLFR35 sequences:

MEPLNRTEVSEFFLKGFSGYPALHLLFPLCSAMYLVTLGNTAIMAVSVLDIHLHTPVYFFLG
NLSTLDICYTPTFVPLMLVHLLSSRKTFSAVCAIQMCLSLSTGSTECLLLAITAYDRYLAICQPL
55 RYHVLMSHRLCVLLMGAAWVLCLLKSVTEMVISMRLPFCGHHVVSHTCKILAVLKLACGNT
SVSEDFLLAGSILLPVPLAFICLSYLLILATILRVPSAARCKAFSTCLAHLAVVLLFYGTIIFMY

LKPKSKEAHISDEVFTVLYAMVTTMLNPTIYSLRNKEVKEAARKVWGRSRASR (SEQ ID NO: 65)

5 ATGGAGCCGCTCAACAGAACAGAGGTGTCCGAGTTCTTTCTGAAAGGATTTTCTGGCTACC
CAGCCCTGGAGCATCTGCTCTTCCCTCTGTGCTCAGCCATGTACCTGGTGACCCCTCCTGGG
GAACACAGCCATCATGGCGGTGAGCGTGCTAGATATCCACCTGCACACGCCCGTGTACTTC
TTCTGGGCAACCTCTCTACCCTGGACATCTGCTACACGCCACCTTTGTGCCTCTGATGCT
GGTCCACCTCCTGTCTATCCCGGAAGACCATCTCCTTTGCTGTCTGTGCCATCCAGATGTGTC
10 TGAGCCTGTCCACGGGCTCCACGGAGTGCCTGCTACTGGCCATCACGGCCTATGACCGCTA
CCTGGCCATCTGCCAGCCACTCAGGTACCACGTGCTCATGAGCCACCGGCTCTGCGTGCTG
CTGATGGGAGCTGCCTGGGTCCTCTGCCTCCTCAAGTCGGTGACTGAGATGGTCATCTCCA
TGAGGCTGCCCTTCTGTGGCCACCACGTGGTCAGTCACTTACCTGCAAGATCCTGGCAGT
GCTGAAGCTGGCATGCGGCAACACGTGGTCAGCGAAGACTTCTGCTGGCGGGCTCCAT
CCTGCTGCTGCTGTACCCCTGGCATTATCTGCCTGTCTACTTGTCTCCTGGCCACCA
15 TCCTGAGGGTGCCCTCGGCCGCCAGGTGCTGCAAAGCCTTCTCCACCTGCTTGGCACACCT
GGCTGTAGTGCTGCTTTTCTACGGCACCATCATCTTCATGTACTTGAAGCCCAAGAGTAAG
GAAGCCACATCTCTGATGAGGTCTTCACAGTCTCTATGCCATGGTCACGACCATGCTGA
ACCCACCATCTACAGCCTGAGGAACAAGGAGGTGAAGGAGGCCGCCAGGAAGGTGTGGG
GCAGGAGTCGGGCCTCCAGGTGA (SEQ ID NO: 66)

20

AOLFR36 sequences:

MYLVTVLRLNLSILAVSSDSHPHTPMYFFLSNLCWADIGFTLATVPKMIVDMGSHSKVISYGG
CLTQMSFLVLFACIVDMFLTMAYDCFVAICRPLHYPVIVNPHLCVFFVLVSFFLSLLDSQLHS
WIVLQFTFFKNVEISNFVCEPSQLLKLASYDSVINSIFIYFDNTMFGLPISGILLSYYKIVPSILRIS
25 SSDGKYKAFSACGCHLAVVCLFYGTGIGVYLTSAVAPPLRNGMVASVMYAVVTPMLNPFYIS
LRNRDIQSALWRVCNKTVESHDLFHPFSCVVEKGQPHSIPTSANPAP (SEQ ID NO: 67)

30 ATGTATCTGGTCACGGTGCTGAGGAACCTGCTCAGCATCCTGGCTGTCAGCTCTGACTCCC
ACCCCCACACACCCATGTACTTCTTCTCTCCAACCTGTGCTGGGCTGACATCGGTTTCACC
TTGGCCACGGTTCCCAAAATGATTGTGGACATGGGGTCGCATAGCAAAGTCATCTCTTATG
GGGGCTGCCTGACACAGATGTCTTTCTTGGTACTTTTTGCATGTATAGTAGACATGTTCT
GACTGTGATGGCTTATGACTGCTTTGTAGCCATCTGTCGCCCTCTGCACTACCCAGTCATC
GTGAATCCTCACCTCTGTGTCTTCTTCGTTTTGGTGTCCTTTTTCTTAGCCTGTTGGATTCC
CAGCTGCACAGTTGGATTGTGTTACAATTCACCTTCTTCAAGAATGTGGAAATCTCTAATT
35 TTGTCTGTGAGCCATCTCAACTTCTCAAGCTTGCCTCTTATGACAGCGTCATCAATAGCATA
TTCATATATTTTGATAATACTATGTTTGGTTTTCTTCCCATTTTCAGGGATCCTTTTGTCTTAC
TATAAAATTGTCCCTCCATTCTAAGGATTTTCATCATCAGATGGGAAGTACAAAGCCTTCT
CAGCCTGTGGCTGTCACCTGGCAGTTGTTTGCTTATTTTATGGAACAGGCATTGGCGTGTA
CCTGACTTCAGCTGTGGCACCACCCCTCAGGAATGGTATGGTGGCGTCAGTGATGTACGCT
40 GTGGTCACCCCATGCTGAACCCCTTTCATCTACAGCCTGAGAAACAGGGACATTCAAAGTG
CCCTGTGGAGGGTGTGCAACAAACAGTCGAATCTCATGATCTGTTCCATCCTTTTTCTTG
TGTGGTTGAGAAAGGGCAACCACATTCAATCCCTACATCTGCAAATCCTGCCCCTTAG
(SEQ ID NO: 68)

45 **AOLFR37 sequences:**

MEKANETSPVMGFVLLRLSAHPELEKTFVLLMYLVILLGNGVLILVTILDSRLHTPMYFFLG
NLSFLDICFTTSSVPLVLDSFLTPQETISFSACAVQMAISFAMAGTECLLSMMAFDRYVAICNP
LRYSVIMSKAAYMPMAASSWAIGGAASVVHTSLAIQLPFCGDNVINHFTCEILAVLKLACADIS
INVISMEVTNVIFLGVPVLFISFSYVFIITILRIPSAEGRKKVFSTCSAHLTVVIVFYGTLFFMYG
50 KPKSKDSMGADKEDLSKLIPLFYGVVTPMLNPIIYSLRNKDVKA AVRLLRPKGFTQ (SEQ ID
NO: 69)

55 ATGGAAAAAGCCAATGAGACCTCCCCTGTGATGGGGTTCGTTCTCCTGAGGCTCTCTGCCC
ACCCAGAGCTGGAAAAGACATTCTTCGTGCTCATCCTGCTGATGTACCTCGTGATCCTGCT
GGGCAATGGGGTCTCATCCTGGTGACCATCCTTGACTCCCGCTGCACACGCCCATGTAC
TTCTTCTAGGGAACCTCTCCTTCTGGACATCTGCTTCACTACCTCCTCAGTCCCACTGGT

CCTGGACAGCTTTTTGACTCCCCAGGAAACCATCTCCTTCTCAGCCTGTGCTGTGCAGATG
 GCACTCTCCTTTGCCATGGCAGGAACAGAGTGCTTGCTCCTGAGCATGATGGCATTGATC
 GCTATGTGGCCATCTGCAACCCCTTAGGTACTCCGTGATCATGAGCAAGGCTGCCTACAT
 5 GCCCATGGCTGCCAGCTCCTGGGCTATTGGTGGTGTGCTGCTTCCGTGGTACACACATCCTTG
 GCAATTGAGCTGCCCTTCTGTGGAGACAATGTCATCAACCACTTCACCTGTGAGATTCTGG
 CTGTTCTAAAGTTGGCCTGTGCTGACATTTCCATCAATGTGATCAGCATGGAGGTGACGAA
 TGTGATCTTCTAGGAGTCCCGGTTCTGTTTCTCTTTCTCCTATGTCTTCATCATCACCA
 CCATCCTGAGGATCCCCCTCAGCTGAGGGGAGGAAAAAGGTCTTCTCCACCTGCTCTGCCCCA
 10 CCTCACCGTGGTGATCGTCTTCTACGGGACCTTATTCTTCATGTATGGGAAGCCTAAGTCT
 AAGGACTCCATGGGAGCAGACAAAAGAGGATCTTTCAGACAAACTCATCCCCCTTTTCTATG
 GGGTGGTGACCCCGATGCTCAACCCCATCATCTATAGCCTGAGGAACAAGGATGTGAAGG
 CTGCTGTGAGGAGACTGCTGAGACCAAAAGGCTTCACTCAGTGA (SEQ ID NO: 70)

AOLFR38 sequences:

15 MYLVTVLRLNLLILAVSSDSLHHTPMCFFLSNLCWADIGFTSAMVPMIVDMQSHSRVISYAGC
 LTQMSFFVLFIACIEDMLLTVMAYDRFVAICHPLHYPVIMNPHLGVELVLVSFFLSLLDSQLHSW
 IVLQFTFFKNVEISNFCVCDPSQLNLACSDSVINSIFYLDSIMFGFLPISGILLSYANNVPSILRISS
 SDRKSKAFSTCGSHLAVVCLFYGTGIGVYLTSAVSPPRNGVVASVMAVVTPLNPFYSLR
 NRDIQSALWRLRSRTVESHDLLSQDLLHPFSCVGEKGQPH (SEQ ID NO: 71)

20 ATGTACCTGGTCACGGTGCTGAGGAACCTGCTCATCATCCTGGCTGTGAGCTCTGACTCCC
 ACCTCCACACCCCCATGTGCTTCTTCTCCTCTCCAACCTGTGCTGGGCTGACATCGGTTTCACC
 TCGGCCATGGTTCCCAAGATGATTGTGGACATGCAGTCGCATAGCAGAGTCATCTCTTATG
 CGGGCTGCCTGACACAGATGTCTTTCTTTGTCCTTTTTGTCATGTATAGAAGACATGCTCCTG
 25 ACAGTGATGGCCTATGACCGATTTGTGGCCATCTGTCACCCCTGCACTACCCAGTCATCA
 TGAATCCTCACCTTGGTGTCTTCTTAGTTTTGGTGTCTTTTTCTCAGCCTGTTGGATTCC
 CAGCTGCACAGTTGGATTGTGTTACAATTCACCTTCTTCAAGAATGTGGAATCTCCAATT
 TTGTCTGTGACCCATCTCAACTTCTCAACCTTGCCTGTTCTGACAGTGTCAATAGCATA
 30 TTCATATATTTAGATAGTATTATGTTTGGTTTTCTTCCCATTTCAGGGATCCTTTTGTCTTAC
 GCTAACAAATGTCCCTCCATTCTAAGAATTCATCATCAGATAGGAAGTCTAAAGCCTTCT
 CCACCTGTGGCTCTCACCTGGCAGTTGTTTGCTTATTTTATGGAACAGGCATTGGCGTGTA
 CCTGACTTCAGCTGTGTCACCAACCCCCCAGGAATGGTGTGGTGGCATCAGTGATGTACGCT
 GTGGTCACCCCATGCTGAACCCCTTTCATCTACAGCCTGAGAAATAGGGACATTCAAAGTG
 35 CCCTGTGGAGGCTGCGCAGCAGAACAGTCGAATCTCATGATCTGTTATCTCAAGATCTGCT
 CCATCCTTTTTCTTGTGTGGGTGAGAAAGGTCAACCACATTAA (SEQ ID NO: 72)

AOLFR39 sequences:

40 MGVDKNHSTVTEFLLSGLTEQAEQLPLFCLFLGIYTVTVVGNLSMISIIRLNRLHTPMYYFLSS
 LSFLDFCYSSVITPKMLSGFLCRDRSISYSGCMIQLFFFCVCVISECYMLAAMACDRYVAICSP
 LYRVIMSPRVCSLLVAAVFSVGFTDAVIHGGCILRLSFCGSNIKHIFYCDIVPLIKLSCSSSTYIDEL
 LIFVIGGFNMVATSLTIISYAFILTSILRIHKKGRCKAFSTCSSHLTAVLMFYGSLMSMYLKPAS
 SSSLTQEKVSSVFYTTVILMLNPLIYSLRNNEVRNALMKLLRRKISLSPG (SEQ ID NO: 73)

45 ATGGGTGTAAAAAACCATTCACAGTGACTGAGTTTCTTCTTTCAGGATTAACCTGAACAAG
 CAGAGCTTCAGCTGCCCCCTTCTGCCTCTTCTTAGGAATTTACACAGTTACTGTGGTGGG
 AAACCTCAGCATGATCTCAATTATTAGGCTGAATCGTCAACTTCATACCCCATGTACTAT
 TTCCTGAGTAGTTTGTCTTTTTTAGATTTCTGCTATTCTTCTGTCAATTACCCCTAAAATGCT
 ATCAGGGTTTTTATGCAGAGATAGATCCATCTCCTATTCTGGATGCATGATTCAGCTGTTTT
 50 TTTTCTGTGTTTGTGTTATTTCTGAATGTACATGCTGGCAGCCATGGCCTGCGATCGCTAC
 GTGGCCATCTGCAGCCCACTGCTCTACAGGTCATCATGTGCTGCTGATCCATGGAGGTTGTATACT
 TGGTGGCTGTGTTCTTCTCAGTAGGTTTCACTGATGCTGTGATCCATGGAGGTTGTATACT
 CAGTTTGTCTTTCTGTGGATCAAACATCATTAAACATTATTTCTGTGACATTGTCCCTCTTA
 TTAAACTCTCCTGCTCCAGCACTTATATTGATGAGCTTTTGATTTTTGTCAATTGGTGGATTT
 AACATGGTGGCCACAAGCCTAACAAATCATTATTTTCATATGCTTTTATCCTCACCAGCATCCT
 55 GCGCATCCACTCTAAAAAGGGCAGGTGCAAAGCGTTTAGCACCTGTAGCTCCACCTGACA
 GCTGTTCTTATGTTTTATGGGTCTCTGATGTCCATGTATCTCAAACCTGCTTCTAGCAGTTC

ACTCACCCAGGAGAAAGTATCCTCAGTATTTTATACCACTGTGATTCTCATGTTGAATCCC
TTGATATATAGTCTGAGGAACAATGAAGTAAGAAATGCTCTGATGAAACTTTTAAGAAGA
AAAATATCTTTATCTCCAGGATAA (SEQ ID NO: 74)

5 **AOLFR40 sequences:**

MSNATLLTAFILTGLPHAPGLDAPLFGIFLVVYVLTVLGNLLILLVIRVDSHLHTPMYYFLTNLS
FIDMWFSTVTVPKMLMTLVSPSGRTISFHSCVAQLYFFHFLGSTECFLYTVMSYDRYLAISYPL
RYTNMMTGRSCALLATGTWLSGSLHSAVQTLTFHLPYCGPNQIQHYFCDAPPILKLACADTS
ANEMVIFVNIGLVASGCFVLIVLSYVSIVCSILRIRTSEGRHRAFQTCASHCIVVLCFFGPGGLFIYL
10 RPSGRDALHGVAVFYTTLTPLFNPVVYTLRNKEVKKALLKLKNGSVFAQGE (SEQ ID NO:
75)

ATGTCCAACGCCACCCTACTGACAGCGTTCATCCTCACGGGCGCTTCCCCATGCCCCAGGGC
TGGACGCCCCCTCTTTGGAATCTTCCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
15 CCTCATCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCCATGTACTACTTCTCTCA
CCAACCTGTCCTTCATTGACATGTGGTTCTCCACTGTCACGGTGCCAAAATGCTGATGAC
CTTGGTGTCCCCAAGCGGCAGGACTATCTCCTTCCACAGCTGCGTGGCTCAGCTCTATTTTT
TCCACTTCTGCGGGAGCACCGAGTGTTTCTCTACACAGTCATGTCCTATGATCGCTACCT
GGCCATCAGTTACCCGCTCAGGTACACCAACATGATGACTGGGCGCTCGTGTGCCCTCCTG
20 GCCACCGGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTTCC
ATTTGCCCTACTGTGGACCCAACCAGATCCAGCACTACTTCTGTGACGCACCGCCCATCCT
GAAACTGGCCTGTGCAGACACCTCAGCCAACGAGATGGTCATCTTTGTGAATATTGGGCTA
GTGGCTCGGGCTGCTTTGTCTGATAGTGCTGTCTATGTGTCCATCGTCTGTTCCATCCT
GCGGATCCGCACCTCAGAGGGGAGGCACAGAGCCTTTCAGACCTGTGCCTCCCACTGTATC
25 GTGGTCTTTGCTTCTTTGGCCCTGGTCTTTTCACTTACCTGAGGCCAGGCTCCAGGGACGC
CTTGATGGGGTTGTGGCCGTTTCTACACCACGCTGACTCCTCTTTTCAACCCTGTTGTGT
ACACCCTGAGAAACAAGGAGGTAAAGAAAGCTCTGTTGAAGCTGAAAAATGGGTCAGTAT
TTGCTCAGGGTGAATAG (SEQ ID NO: 76)

30 **AOLFR41 sequences:**

MNPENWTQVTSFVLLGFPPSSHLIQFLVFLGLMVTYIVTATGKLLIIVLSWIDQRLHIQMYFFLRN
FSFLELLLVTVVVPKMLVVILTG DHTISFVSCIIQSYLYFFLGTDFLLAVMSLDRLAICRPLR
YETLMNGHVCSQLVLASWLAGFLWVLCPTVLMASLPFCGPNIDHFFRDSWPLRLSCGDTH
LLKLVAFMLSTLVLLGSLALTSVSYACILATVLRAPTAERKAFSTCASHLTVVVIYGSSIFLY
35 IRMSEAQSKLLNKGASVLSCHITPLNPFIFTLRNDKVQQALREALGWPRLTAVMKLRVTSQRK
(SEQ ID NO: 77)

ATGAACCCTGAAAACCTGGACTCAGGTAACAAGCTTTGTCCTTCTGGGTTTCCCCAGTAGCC
ACCTCATACAGTTCCTGGTGTTCTGGGGTTAATGGTGACCTACATTGTAACAGCCACAGG
40 CAAGCTGCTAATTATTGTGCTCAGCTGGATAGACCAACGCCTGCACATACAGATGTACTTC
TTCCTGCGGAATTTCTCCTTCCTGGAGCTGTTGCTGGTAACTGTTGTGGTTCCCAAGATGCT
TGTCGTCATCCTCACGGGGGATCACACCATCTCATTTGTCAGCTGCATCATCCAGTCCTACC
TCTACTTCTTTCTAGGCACCACTGACTTCTTCTCTTGGCCGTCATGTCTCTGGATCGTTAC
CTGGCAATCTGCCGACCACTCCGCTATGAGACCCTGATGAATGGCCATGTCTGTTCCCAAC
45 TAGTGCTGGCCTCCTGGCTAGCTGGATTCTCTGGGTCTTTGCCCCACTGTCTCATGGCC
AGCCTGCCTTTCTGTGGCCCCAATGGTATTGACCACTTCTTTCTGTGACAGTTGGCCCTTGCT
CAGGCTTTCTTGTGGGGACACCCACCTGCTGAAACTGGTGGCTTTTATGCTCTCTACGTTG
GTGTTACTGGGCTCACTGGCTCTGACCTCAGTTTCTTATGCCTGCATTCTTGCCACTGTTCT
CAGGGCCCCCTACAGCTGCTGAGCGAAGGAAAGCGTTTTCCACTTGCGCCTCGCATCTTACA
50 GTGGTGGTCATCATCTATGGCAGTTCCTCTTCTTACATTCTGATGTGAGAGGCTCAGTC
CAAAGTGTCTCAACAAGGTGCCTCCGCTCCTGAGCTGCATCATCACACCCCTCTTGAACCCA
TTCATCTTCACTCTCCGCAATGACAAGGTGCAGCAAGCACTGAGAGAAGCCTTGGGGTGGC
CCAGGCTCACTGCTGTGATGAAACTGAGGGTCACAAGTCAAAGGAAATGA (SEQ ID NO:
78)

55

AOLFR42 sequences:

MNPANHSQVAGFVLLGLSQVWELRFVFFTVFSAVYFMTVVGNLLIVVIVTSDPHLHTTMYFLL
GNLSFLDFCYSSITAPRMLVDLLSGNPTISFGGCLTQLFFHFIGGIKIFLLTMAYDRYIAISQPL
HYTLIMNQTVCALLMAASWVGFIHSIVQIALTIQLPFCGPKLDNFYCDVPQLIKLACTDTFV
5 LELLMVSNNGLVTLMCFLVLLGSYTALLVMLRSHSREGRSKALSTCASHIAVVTLIFVPCIYVY
TRPFRTPMDKAVSVLYTIVTPMLNPAIYTLRNKEVIMAMKKLWRRKKDPIGPLEHRPLH
(SEQ ID NO: 79)

10 ATGAATCCAGCAAATCATTCCCAGGTGGCAGGATTTGTTCTACTGGGGCTCTCTCAGGTTT
GGGAGCTTCGGTTTGTCTTCTCACTGTTTTCTCTGCTGTGTATTTTATGACTGTAGTGGGA
AACCTTCTTATTGTGGTCATAGTGACCTCCGACCCACACCTGCACACAACCATGTATTTTCT
CTTGGGCAATCTTTCTTTCCTGGACTTTTGCTACTCTTCCATCACAGCACCTAGGATGCTGG
TTGACTTGCTCTCAGGCAACCCTACCATTTCCCTTGGTGGATGCCTGACTCAACTCTTCTTC
15 TTCCACTTCATTGGAGGCATCAAGATCTTCTGCTGACTGTCATGGCGTATGACCGCTACA
TTGCCATTTCCCAGCCCCTGCACTACACGCTCATTATGAATCAGACTGTCTGTGCACTCCTT
ATGGCAGCCTCCTGGGTGGGGGGCTTCATCCACTCCATAGTACAGATTGCATTGACTATCC
AGCTGCCATTCTGTGGGCGCTGACAAGCTGGACAACCTTTTATTGTGATGTGCCTCAGCTGAT
CAAATTGGCCTGCACAGATACCTTTGTCTTAGAGCTTTTAATGGTGTCTAACAATGGCCTG
GTGACCCTGATGTGTTTTCTGGTGCTTCTGGGATCGTACACAGCACTGCTAGTCATGCTCC
20 GAAGCCACTCACGGGAGGGCCGAGCAAGGCCCTGTCTACCTGTGCCTCTCACATTGCTGT
GGTGACCTTAATCTTTGTGCCTTGCATCTACGTCTATACAAGGCCTTTTCGGACATTCCCCA
TGGACAAGGCCGTCTCTGTGCTATACACAATTGTCAACCCCATGCTGAATCCTGCCATCTA
TACCCTGAGAAACAAGGAAGTGATCATGGCCATGAAGAAGCTGTGGAGGAGGAAAAAGG
ACCCTATTGGTCCCCTGGAGCACAGACCCTTACATTAG (SEQ ID NO: 80)

25

AOLFR43 sequences:

MQKPQLLVPIIATSNGNLVHAAFYLLVGIPGLGPTIHFWLAFPLCFMYALATLGNLTIVLIIRVE
RRLHEPMYLFLAMLSTIDLVLSSITMPKMASFLMGIQEIEFNICLAQMFLIHALSAVESAVLLA
MAFDRFVAICHPLRHASVLTGCTVAKIGLSALTRGFVFFPLPFILKWLSYQCTHTVTHSFCLHQ
30 DIMKLSCTDRVNVVYGLFIILSVMGVDSLFIGFSYILILWAVLELSSRRAALKAFNTCISHLCAV
LVFYVPLIGLSVVHRLGGPTSLHHVVMANTYLLPVPVNPLVYGAKTKEICSRVLCMFSSQGGK
(SEQ ID NO: 81)

35 ATGCAGAAGCCCCAGCTCTTGGTCCCTATCATAGCCACTTCAAATGGAAATCTGGTCCACG
CAGCATACTTCCTTTTGGTGGGTATCCCTGGCCTGGGGCCTACCATACACTTTTGGCTGGCT
TTCCCACTGTGTTTTATGTATGCCTTGCCACCCTGGGTAACCTGACCATTGTCTCATCAT
TCGTGTGGAGAGGCGACTGCATGAGCCCATGTACCTCTTCCCTGGCCATGCTTTCCACTATT
GACCTAGTCCTCTCCTCTATCACCATGCCAAGATGGCCAGTCTTTTCTGATGGGCATCCA
GGAGATCGAGTTCAACATTTGCCTGGCCCAGATGTTCCCTATCCATGCTCTGTGAGCCGTG
40 GAGTCAGCTGTCTGCTGGCCATGGCTTTTGACCGCTTTGTGGCCATTTGCCACCCATTGC
GCCATGCTTCTGTGCTGACAGGGTGTACTGTGGCCAAGATTGGACTATCTGCCCTGACCAG
GGGTTTGTATTCTTCTTCCCACTGCCCTTCATCCTCAAGTGGTTGTCTTACTGCCAAACAC
ATACTGTACACACTCCTTCTGTCTGCACCAAGATATTATGAAGCTGTCTGTACTGACAC
CAGGGTCAATGTGGTTTATGGACTCTTCATCATCCTCTCAGTCATGGGTGTGGACTCTCTCT
45 TCATTGGCTTCTCATATATCCTCATCCTGTGGGCTGTTTTGGAGCTGTCTCTCGGAGGGCA
GCACTCAAGGCTTTCAACACCTGCATCTCCACCTCTGTGCTGTTCTGGTCTTCTATGTACC
CCTCATTTGGCTCTCGGTGGTGCATAGGCTGGGTGGTCCCACCTCCCTCCTCCATGTGGTT
ATGGCTAATACCTACTTGCTGCTACCACCTGTAGTCAACCCCTTGTCTATGGAGCCAAGA
CCAAAGAGATCTGTTCAAGGGTCTCTGTATGTTCTCACAAGGTGGCAAGTGA (SEQ ID
50 NO: 82)

AOLFR44 sequences:

MSSCNFTHATFVLIGIPGLEKAHFWVGFPLLSMYVVMFNGNCIVVFIVRTERSLHAPMYLFLC
MLAAIDLALSTSTMPKILALFWFDSREISFEACLTQMFFIHALSAIESTILLAMAFDRYVAICHPL
55 RHAAVLNNTVTAQIGIVAVVRGSLFFPLPLLIKRLAFCHSNVLSHSYCVHQDVMKLAYADTLF
NVVYGLTAILLVMGVDVMFISLSYFLIIRTVLQLPSKSERAKAFGTCVSHIGVVLAIFYVPLIGLS

VVHFRGNSLHPVVRVVMGDIYLLPPVINPIHYGAKTKQIRTRVLAMFKISCDKDLQAVGGK
(SEQ ID NO: 83)

5 ATGAGTTCCTGCAACTTCACACATGCCACCTTTGTGCTTATTGGTATCCCAGGATTAGAGA
AAGCCCATTCTGGGTTGGCTTCCCCCTCCTTTCCATGTATGTAGTGGCAATGTTTGAAAC
TGCATCGTGGTCTTCATCGTAAGGACGGAACGCAGCCTGCACGCTCCGATGTACCTCTTTC
TCTGCATGCTTGACGCCATTGACCTGGCCTTATCCACATCCACCATGCCTAAGATCCTTGCC
CTTTTCTGGTTTGATTCCCGAGAGATTAGCTTTGAGGCCTGTCTTACCCAGATGTTCTTTAT
10 TCATGCCCTCTCAGCCATTGAATCCACCATCCTGCTGGCCATGGCCTTTGACCGTTATGTGG
CCATCTGCCACCCACTGCGCCATGCTGCAGTGTCTCAACAATACAGTAACAGCCCAGATTGG
CATCGTGGCTGTGGTCCGCGGATCCCTCTTTTTTTTCCCACTGCCTCTGCTGATCAAGCGGC
TGGCCTTCTGCCACTCCAATGTCCCTCTCGCACTCCTATTGTGTCCACCAGGATGTAATGAA
GTTGGCCTATGCAGACACTTTGCCCAATGTGGTATATGGTCTTACTGCCATTCTGCTGGTC
ATGGGCGTGGACGTAATGTTTCATCTCCTTGCTCTATTTTCTGATAATACGAACGGTTCTGC
15 AACTGCCTTCCAAGTCAGAGCGGGCCAAAGGCCTTTGGAACCTGTGTGCACACATTGGTGT
GGTACTCGCCTTCTATGTGCCACTTATTGGCCTCTCAGTGGTACACCGCTTTGGAAACAGC
CTTCATCCCATTGTGCGTGTGTGTCATGGGTGACATCTACCTGCTGCTGCCTCCTGTCATCAA
TCCCATCATCTATGGTGCCAAAACCAAACAGATCAGAACACGGGTGCTGGCTATGTTCAAG
ATCAGCTGTGACAAGGACTTGCAAGGCTGTGGGAGGCAAGTGA (SEQ ID NO: 84)

20

AOLFR45 sequences:

MLPSNITSTHPAVFLLVGIPGLEHLHAWISIPFCFAYTLALLGNCTLLFHQADAALHEPMYLFLA
MLATIDLVLSSSTTLPKMLAIFWFRDQENFACLVQMFFLHFSFIMESAVLLAMAFDRYVAICKP
LHYTTVLTGSLITKIGMAAVARAVTLMPLPFLRRFHYCRGPVIAHCYCEHMAVVRLACGDT
25 SFNNIYGIAVAMFSVVDLLFVLSYVFILQAVLQLASQEARYKAFGTCVSHIGAILSTYTPVVIS
SVMHRVARHAAPRVHILLAIFYLLFPPMVNPIYGVKTKQIREYVLSLFQRKNM (SEQ ID NO:
85)

30 TGGAAACAAGAGGTAATCTTTGCAGGTGGGATAGCACAGGTTGAACTCTAATCATATATA
CTGTAGAAGGTATATATAGAAGGTGAAGAAGCCCTGTAAAAATTGACAAGGAGATTTCCA
GGAGCCATGCTTCCCTCTAATATCACCTCAACACATCCAGCTGTCTTTTTGTGGTAGGAAT
TCCTGGTTTGGAAACACCTGCATGCCTGGATCTCCATCCCCTTCTGCTTTGCTTATACTCTGG
CCCTGCTAGGCAACTGTACCCTTCTCTTATTATCCAGGCTGATGCAGCCCTCCATGAACCC
ATGTACCTCTTTCTGGCCATGTTGGCAACCATTGACTTGGTTCTTTCTTCTACAACGCTGCC
35 CAAAATGCTTGCCATATTCTGGTTCAAGGATCAGGAGATCAACTTCTTTGCCTGTCTGGTC
CAGATGTTCTTCCCTTCACTCCTTCTCCATCATGGAGTCAGCAGTGTCTGCTGGCCATGGCCTT
TGACCGCTATGTGGCCATCTGCAAGCCATTGCACTACACGACGGTCCTGACTGGGTCCCTC
ATCACCAAGATTGGCATGGCTGCTGTGGCCCGGCTGTGACACTAATGACTCCACTCCCCT
TCCTGCTCAGACGCTTCCACTACTGCGGAGGCCAGTGATTGCCCATGTACTGTAACA
40 CATGGCTGTGGTAAGGCTGGCGTGTGGGGACACTAGCTTCAACAATATCTATGGCATGTGTG
GTGGCCATGTTTAGTGTGGTGTGGACCTGCTCTTTGTTATCCTGTCTTATGTCTTCATCCT
TCAGGCAGTTCTCCAGCTGCCTCTCAGGAGGCCCGCTACAAAGCATTGGGACATGTGTG
TCTCACATAGGTGCCATCCTGTCCACCTACACTCCAGTAGTCATCTCTTCAGTCATGCACCG
TGTAGCCCGCCATGCTGCCCCTCGTGTCCACATACTCCTTGCTATTTTCTATCTCCTTTTCC
45 CACCCATGGTCAATCCTATCATATATGGAGTCAAGACCAAGCAGATTCGTGAGTATGTGCT
CAGTCTATTCCAGAGAAAGAACATGTAGATGGATAGTTCTCTTTTTTATCCCACTTGCCA
AGTAATGAGAATGCTGGATTGGGGTTGAGGGGAAAAATCTAAATAGGAAAAATTGCAGAGT
ATCTTTGACAATTCTCTAGTATGATAAGGAAAAATGAGGTTTCATTCCTCACAGATCTACGA
GTCAAGTCAAACAGGAGTGCACCTATAGTCTGGTCTGATAGTAGAGGTTTGACCTTCCCA
50 TTGTGATAGACTCATCATGCTAAGGAAGACAAACCTCTCAAAGTGGTATTGTGAATCTG
GGTGAAGACAGTAGGACCTTTATTGGCTGAGATTGGCCCAAACAGCTGAGTC (SEQ ID
NO: 86)

AOLFR46 sequences:

55 MNIKHCGWHMIHTWLNIREDDDSDFKNFIGIQGLSGNPHSTTSRMYFLCFCTSLLGFKVHWV
SRLIXKLYMASPNNDSTAPVSEFLICFPNFQSWQHWLSLPLSLLFLAMGANTLLITIQLAS

LHQPLYLLSLLSLLDIVLCLTVIPKVLAIWFDLRSISFPACFLQMFIMNSFLTMESCTFMVMA
YDRYVAICHPLRPSIITDQFVARAVFVIARNAFVSLPVPMLSARLRYCAGNIKNKICSNLSVS
KLSCDDITFNQLYQFVAGWTLGSDLILVISYSFILKVVLRKAEGAVAKALSTCGSHFILLFFS
TVLLVLVITNLARKRIPDPVILLNLHLLIPPALNPVYGVRTKEIKQGIQNLLKRL (SEQ ID NO:

5 87)

ATGAATATAAAACATTGTGGCTGGCATATGATACATACTTGGTTAAATATAAGGGAGGAT
GATGACAGTGATTTTAAAACTTTATTGGACAGATACAGGGCCTCAGTGGAAACCCACACT
CTACTACGTCTAGAATGTACTTTTTATGTTTCTGTACTTCTCTACTAGGTTTAAAGGTACAC
10 TGGGTCTCCAGATTGATCANGAACTTTACATGGCATCTCCCAACAATGACTCCACTGCCC
CAGTCTCTGAATTCCTCCTCATCTGCTTCCCCAACTTCCAGAGCTGGCAGCACTGGTTGTCT
CTGCCCCCTCAGCCTTCTCTTCTCCTGGCCATGGGAGCTAACACCACCCTCCTGATCACCAT
CCAGCTGGAGGCCTCTCTGCACCAGCCCCGTGACTACCTGCTCAGCCTCCTCTCCCTGCTGG
ACATCGTGCTCTGCCTCACCCTCATCCCCAAGGTCCTGGCCATCTTCTGGTTTGACCTCAGG
15 TCGATCAGCTTCCCAGCCTGCTTCTCCAGATGTTTCATCATGAACAGTTTTTTGACCATGGA
GTCCTGCACGTTTCATGGTCATGGCCTATGACCGTTATGTGGCCATCTGCCATCCATTGAGA
TACCCGCTCTATCATCACTGACCAGTTTGTGGCTAGGGCCGTGGTCTTTGTTATAGCCCGGA
ATGCCTTTGTTTCTCTTCTCTGTTCCCATGCTTTCTGCCAGGCTCAGATACTGTGCAGGAAAC
ATAATCAAGAACTGCATCTGCAGTAACCTGTCTGTGTCCAACTCTCTTGTGATGACATCA
20 CTTTCAATCAGCTCTACCAGTTTGTGGCAGGCTGGACTCTGTTGGGCTCTGATCTTATCCTT
ATTGTTATCTCCTATTCTTTTATATTGAAAGTTGTGCTTAGGATCAAGGCCGAGGGTGCTGT
GGCCAAGGCCTTGAGCACGTGTGGTTCCCACTTCATCCTCATCCTCTTCTTTCAGCACAGTCC
TGCTGGTTCTGGTCATCACTAACCTGGCCAGGAAGAGAATTCTCCAGATGTCCCCATCCT
GCTCAACATCCTGCACCACCTCATTCCCCCAGCTCTGAACCCCATTTGTTTATGGTGTGAGA
25 ACCAAGGAGATCAAGCAGGGAATCCAAAACCTGCTGAAGAGGTTGTAA (SEQ ID NO: 88)

AOLFR47 sequences:

MSASNITLTHPTAFLLVGIPGLEHLHIWISIPCLAYTLALLGNCTLLLIQADAALHEPMYLFLA
MLAAIDLVLSSALPKMLAIFWFRDREINFFACLAQMFFLHSFSIMESAVLLAMAFDRYVAICK
30 PLHYTKVLTGSLITKIGMAAVARAVTLMTPLPFLRCHFHYCRGPVIAHCYCEHMAVVRLACGD
TSFNNIYGIAVAMFIVVLDLLVILSYIFILQAVLLASQEARYKAFGTCVSHIGAILAFYTTVVIS
SVMHRVARHAAPHVHILLANFYLLFPPMVNPPIYGVKTKQIRESILGVFPRKDM (SEQ ID NO:
89)

ATGTCAGCCTCCAATATCACCTTAACACATCCAAGTGCCTTCTTGTGTTGGTGGGGATTCCAG
GCCTGGAACACCTGCACATCTGGATCTCCATCCCTTTCTGCTTAGCATATACACTGGCCCTG
CTTGGAACCTGCACTCTCCTTCTCATCATCCAGGCTGATGCAGCCCTCCATGAACCCATGT
ACCTCTTTCTGGCCATGTGTGGCAGCCATCGACCTGGTCCTTTCTCCTCAGCACTGCCAAA
ATGCTTGCCATATTCTGGTTGAGGATCGGGAGATAAACTTCTTTGCCTGTCTGGCCAGA
40 TGTCTTCTCCTTCACTCCTTCTCCATCATGGAGTCAGCAGTGCTGCTGGCCATGGCCTTTGAC
CGCTATGTGGCTATCTGCAAGCCACTGCACTACACCAAGGTCCTGACTGGGTCCCTCATCA
CCAAGATTGGCATGGCTGCTGTGGCCCGGGCTGTGACACTAATGACTCCACTCCCCTTCT
GCTGAGATGTTTCCACTACTGCCGAGGCCAGTGATCGCTCACTGCTACTGTGAACACATG
GCTGTGGTGAGGCTGGCGTGTGGGGACACTAGCTTCAACAATATCTATGGCATCGCTGTGG
45 CCATGTTTATTGTGGTGTGGACCTGCTCCTTGTATCCTGTCTTATATCTTTATTCTTCAG
GCAGTTCTACTGCTTGCCTCTCAGGAGGCCCGCTACAAGGCATTTGGGACATGTGTCTCTC
ATATAGGTGCCATCTTAGCCTTCTACACAACTGTGGTCATCTCTTCAGTCATGCACCGTGTA
GCCCCGCATGCTGCCCTCATGTCCACATCCTCCTTGCCAATTTCTATCTGCTCTTCCCACC
CATGGTCAATCCCATAATCTATGGTGTCAAGACCAAGCAAAATCCGTGAGAGCATCTTGGA
50 GTATCCCCAAGAAAGGATATGTAG (SEQ ID NO: 90)

AOLFR48 sequences:

MMVDPNGNESSATYFILIGLPGLEEAQFWLAFPLCSLYLIAVLGNLTHIYIVRTEHSLHEPMYIFL
CMLSGIDILISTSSMPKMLAIFWFNSTTIQFDACLLQMFIAHSLSGMESTVLLAMAFDRYVAICH
55 PLRHATVLTLPVTKIGVAAVVRGAALMAPLPVFIKQLPFCRSNLSHSYCLHQDVMKLACDDI
RVNVVYGLIVIISAIGLDSLLISFSYLLILKTVLGLTREAAQAKAFGTCVSHVCAVFIFYVPFIGLSM

VHFRSKRRDSPLPVILANIYLLVPPVLNPIVYGVKTKAIRQRILRLFHVATHASEP (SEQ ID NO: 91)

5 ATGATGGTGGATCCCAATGGCAATGAATCCAGTGCTACATACTTCATCCTAATAGGCCTCC
CTGGTTTAGAAGAGGCTCAGTTCTGGTTGGCCTTCCCATTGTGCTCCCTCTACCTTATTGCT
GTGCTAGGTAACCTGACAATCATCTACATTGTGCGGACTGAGCACAGCCTGCATGAGCCCA
TGTATATATTTCTTTGCATGCTTTCAGGCATTGACATCCTCATCTCCACCTCATCCATGCCC
AAAATGCTGGCCATCTTCTGGTTCAATTCCACTACCATCCAGTTTGATGCTTGTCTGCTACA
GATGTTTGGCATCCACTCCTTATCTGGCATGGAATCCACAGTGCTGCTGGCCATGGCTTTT
10 GACCGCTATGTGGCCATCTGTACCCACTGCGCCATGCCACAGTACTTACGTTGCCTCGTG
TCACCAAAATGGTGTGGCTGCTGTGGTGGGGGGGCTGCACTGATGGCACCCCTTCCTGT
CTTCATCAAGCAGCTGCCCTTCTGCCGCTCCAATATCCTTTCCCATTCCTACTGCCTACACC
AAGATGTCATGAAGCTGGCCTGTGATGATATCCGGGTCAATGTCGTCTATGGCCTTATCGT
CATCATCTCCGCCATTGGCCTGGACTCACTTCTCATCTCCTTCTCATATCTGCTTATTCTTA
15 AGACTGTGTTGGGCTTGACACGTGAAGCCAGGCCAAGGCATTGGCCTTGCCTCTCTCA
TGTGTGTGCTGTGTTTCATATTCTATGTACCTTTCATTGGATTGTCCATGGTGCATCGCTTGA
GCAAGCGGCGTGACTCTCCGCTGCCCCGTCATCTTGCCCAATATCTATCTGCTGGTTCTCCTCT
GTGCTCAACCCCAATTGTCTATGGAGTGAAGACAAAGGAGATTCGACAGCGCATCCTTCGA
CTTTTCCATGTGGCCACACACGCTTCAGAGCCCTAG (SEQ ID NO: 92)

20

AOLFR49 sequences:

MLTFHNVCSVPSSFVLTGIPGLES�HVWLSIPFGSMYLVAVVGNVTILAVVKIERSLHQPMYFF
LCMLAAIDLVLSTSTIPKLLGIFWFGACDIGLDACLGQMFLIHCATVESGIFLAMAFDRYVAIC
NPLRHSMVLTYTVVGRGLVSLLRGVLYIGPLPLMIRLRLPLYKTHVISHSYCEHMAVVALTC
25 GDSRVNNVYGLSIGFLVLILDSVAIAASYVMIFRAVMGLATPEARLKTGTCASHLCAILIFYVP
IAVSSLIHRFGQCVPPPVTLLANFYLLIPILNPIVYAVRTKQIRESLLQIPRIEMKIR (SEQ ID
NO: 93)

30 ATGCTCACTTTTCATAATGTCTGCTCAGTACCCAGCTCCTTCTGGCTCACTGGCATCCCAGG
GCTGGAGTCCCTACACGTCTGGCTCTCCATCCCCTTTGGCTCCATGTACCTGGTGGCTGTG
GTGGGGAATGTGACCATCCTGGCTGTGGTAAAGATAGAACGCAGCCTGCACCAGCCCATG
TACTTTTTCTTGTGCATGTTGGCTGCCATTGACCTGGTTCTGTCTACTTCCACTATACCCAA
ACTTCTGGGAATCTTCTGGTTCCGGTGCTTGTGACATTGGCCTGGACGCCTGCTTGGGCCAA
ATGTTCTTATCCACTGCTTTGCCACTGTTGAGTCAGGCATCTTCCTTGCCATGGCTTTTGA
35 TCGCTACGTGGCCATCTGCAACCCACTACGTCATAGCATGGTGCTCACTTATACAGTGGTG
GGTCGTTTGGGGCTTGTCTCTCCTCCGGGGTGTCTCTACATTGGACCTCTGCCTCTGAT
GATCCGCCTGCGGCTGCCCCTTTATAAAACCCATGTTATCTCCCACTCCTACTGTGAGCAC
ATGGCTGTAGTTGCCTTGACATGTGGCGACAGCAGGGTCAATAATGTCTATGGGCTGAGC
ATCGGCTTTCTGGTGTGATCCTGGACTCAGTGGCTATTGCTGCATCCTATGTGATGATTTT
40 CAGGGCCGTGATGGGGTAGCCACTCCTGAGGCTAGGCTTAAACCCCTGGGGACATGCGC
TTCTCACCTCTGTGCCATCCTGATCTTTTATGTTCCCATTGCTGTTTCTTCCCTGATTCACCG
ATTTGGTCAGTGTGTGCCTCCTCCAGTCCACACTCTGCTGGCCAACTTCTATCTCCTCATTC
CTCCAATCCTCAATCCCATTTGTCTATGCTGTTCGCACCAAGCAGATCCGAGAGAGCCTTCT
CCAAATACCAAGGATAGAAATGAAGATTAGATGA (SEQ ID NO: 94)

45

AOLFR50 sequences:

MNLDSEFFSFLKSLIMALSNSSWRLPQPSFFLVGIPGLEESQHWIALPLGILYLLALVGNVTILFII
WMDPSLHQSMYLFSLMLAAIDLVASSTAPKALAVLLVRAQEIGYTVCLIQMFTHAFSSMES
GVLVAMALDRYVAICHPLHHSTILHPGVIGHIGMVVLVRGLLLIPFLILLRLKIFCQATIIGHAY
50 CEHMAVVKLACSETTVNRAYGLTVALLVGLDVLAIGVSYAHILQAVLKVPNEARLKAFST
CGSHVCVILVFYIPGMFSFLTHRFGHHVPHHVHLLAILYRLVPPALNPLVYRVKTQKIHQ
(SEQ ID NO: 95)

55 ATGAATTTGGATTCTTTTTTCTCTTCTCCTCAAGTCATTGATAATGGCACTTAGCAATTC
CAGCTGGAGGCTACCCAGCCTTCTTTTTCTGGTAGGAATCCGGGTTAGAGGAAAGC
CAGCACTGGATCGCACTGCCCCGGGCATCCTTTACCTCCTTGCTCTAGTGGCAATGTGA

CCATTCTCTTCATCATCTGGATGGACCCATCCTTGCACCAATCTATGTACCTCTTCCTGTCC
 ATGCTAGCTGCCATCGACCTGGTTGTGGCCTCCTCCACTGCACCCAAAGCCCTTGCAGTGC
 TCCTGGTTTCGTGCCCAAGAGATTGGTTACACTGTCTGCCTGATCCAGATGTTCTTCACCCAT
 GCATTCTCCTCCATGGAGTCAGGGGTACTTGTGGCCATGGCTCTGGATCGCTATGTAGCCA
 5 TTTGTACCCCTTGCACCATCCACAATCCTGCATCCAGGGGTCATAGGGCACATCGGAAT
 GGTGGTGTGGTGCGGGGATTACTACTCCTCATCCCTTCTCATTCTGTTGCGAAAACCTT
 ATCTTCTGCCAAGCCACCATCATAGGCCATGCCTATTGTGAACATATGGCTGTTGTGAAAC
 TTGCCTGCTCAGAAACCACAGTCAATCGAGCTTATGGGCTGACTGTGGCCTTGTGTGGT
 TGGGCTGGATGTCCTGGCCATTGGTGTTCCTATGCCACATTCTCCAGGCAGTGTGTAAG
 10 GTACCAGGAAATGAGGCCCGACTTAAGGCCCTTAGCACATGTGGCTCTCATGTTTGTGTCA
 TCCTGGTCTTCTATATCCCGGAATGTTCTCCTTCTCACTCACCCTTTGGTCATCATGTA
 CCCCATCACGTCCATGTTCTTCTGGCCATACTGTATCGCCTTGTGCCACCTGCACTCAATCC
 TCTTGTCTATAGGGTGAAGACCCAGAAGATCCACCAGTGA (SEQ ID NO: 96)

AOLFR51 sequences:

MCQQLRDCILLIHLHCINRKKVSLVMLGPAYNHTMETPASFLLVGIPGLQSSHLWLAISLSAM
 YIIALLGNTIIVTAIWMDSTRHEPMYCFLCVLAAVDIVMASSVVPKMVSIFCSGDSSISFSACFTQ
 MFFVHLATAVETGLLLTMAFDTRYVAICKPLHYKRILTPQVMLGMSMAITIRAIATPLSWMVS
 HLPFCGSNVVVHSYCEHIALARLACADVPSSLYSLIGSSLMVGS DVAFIAASYILILKAVFGLSS
 20 KTAQLKALSTCGSHVGVMAlyLPGMASIYAAWLGQDVVPLHTQVLLADLYVIIPATLNPIIY
 GMRTKQLRERIWSYLMHVLFDHNSNLGS (SEQ ID NO: 97)

ATGTGTCAACAAATCTTACGGGATTGCATTCTTCTCATACATCATTTGTGCATTAACAGGA
 AAAAAGTCTCACTTGTGATGCTGGGTCCAGCTTATAACCACACAATGGAAACCCCTGCCTC
 25 CTTCCTCCTTGTGGGTATCCCAGGACTGCAATCTTCACATCTTTGGCTGGCTATCTCACTGA
 GTGCCATGTACATCATAGCCCTGTTAGGAAACACCATCATCGTGAAGTCAATCTGGATGGA
 TTCCACTCGGCATGAGCCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTA
 TGGCCTCCTCGGTGGTACCCAAGATGGTGAGCATCTTCTGCTCAGGAGACAGCTCAATCAG
 CTTAGTGCTTGTTCCTCACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGG
 30 CTGCTGCTGACCATGGCTTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGA
 GAATTCTCACGCCTCAAGTGATGCTGGGAATGAGTATGGCCATCACCATCAGAGCTATCAT
 AGCCATAACTCCACTGAGTTGGATGGTGAGTCATCTACCTTTCTGTGGCTCCAATGTGGTT
 GTCCACTCCTACTGTGAGCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCCA
 GCAGTCTCTACAGTCTGATTGGTTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCT
 35 GCCTCCTATATCTTAATTCTCAAGGCAGTATTTGGTCTCTCCTCAAAGACTGCTCAGTTGAA
 AGCATTAAGCACATGTGGCTCCCATGTGGGGGTTATGGCTTTGTACTATCTACCTGGGATG
 GCATCCATCTATGCGGCCTGGTTGGGGCAGGATGTAGTGCCCTTGACACACCCAAGTCCTGC
 TAGCTGACCTGTACGTGATCATCCAGCCACCTTAAATCCCATCATCTATGGCATGAGGAC
 CAAACAACCTGCGGGAGAGAATATGGAGTTATCTGATGCATGTCCTCTTTGACCATTCCAAC
 40 CTGGGTTTCATGA (SEQ ID NO: 98)

AOLFR52 sequences:

MLGPAYNHTMETPASFLLVGIPGLQSSHLWLAISLSAMYITALLGNTLIVTAIWMDSTRHEPMY
 CFLCVLAAVDIVMASSVVPKMVSIFCSGDSSISFSACFTQMFFVHLATAVETGLLLTMAFDTRYV
 45 AICKPLHYKRILTPQVMLGMSMAVTIRAVTFMTPLSWMMNHLFPFCGSNVVVHSYCKHIALAR
 LACADVPSSLYSLIGSSLMVGS DVAFIAASYILILRAVFDLSSKTAQLKALSTCGSHVGVMAly
 YLPGMASIYAAWLGQDIVPLHTQVLLADLYVIIPATLNPIIYGMRTKQLLEGIWSYLMHVLFDH
 SNLGS (SEQ ID NO: 99)

ATGCTGGGTCCAGCTTACAACCACACAATGGAAACCCCTGCCTCCTTCTCCTTGTGGGTA
 TCCCAGGACTGCAATCTTCACATCTTTGGCTGGCTATCTCACTGAGTGCCATGTACATCAC
 AGCCCTGTTAGGAAACACCCTCATCGTGAAGTCAATCTGGATGGATTCCACTCGGCATGAG
 CCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTATGGCCTCCTCCGTGGT
 ACCCAAGATGGTGAGCATCTTCTGCTCGGGAGACAGCTCCATCAGCTTTAGTGCTTGTTC
 55 ACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGGCTGCTGCTGACCATGG
 CTTTGTACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGAGAATCTCACGCCTCA

AGTGATGCTGGGAATGAGTATGGCCGTCACCATCAGAGCTGTCACATTCATGACTCCACTG
 AGTTGGATGATGAATCATCTACCTTTCTGTGGCTCCAATGTGGTTGTCCACTCCTACTGTAA
 GCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCAGCAGTCTCTACAGTCTG
 ATTGGTTCTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCTGCCTCCTATATCTTAAT
 5 TCTCAGGGCAGTATTTGATCTCTCCTCAAAGACTGCTCAGTTGAAAGCATTAAGCACATGT
 GGCTCCCATGTGGGGGTTATGGCTTTGTAATCTACCTGGGATGGCATCCATCTATGCGG
 CCTGGTTGGGGCAGGATATAGTGCCTTGACACCCAAAGTGTGCTAGCTGACCTGTACGT
 GATCATCCCAGCCACTTTAAATCCCATCATCTATGGCATGAGGACCAACAATTGCTGGAG
 GGAATATGGAGTTATCTGATGCACTTCCTCTTTGACCACTCCAACCTGGGTTTCATGA (SEQ
 10 ID NO: 100)

AOLFR54 sequences:

MSDSNLSNHLPDTFFLTGPGLAAHFWIAIPFCAMYLVALVGNAALILVIAMDNALHAPMY
 LFLCLSLTDLALSSTTVPKMLAILWLHAGEISFGGCLAQMFCVHSIYALESSILLAMAFDRYVA
 15 ICNPLRYTTILNHAIVIGRIGFVGLFRSVAIVSPFIFLLRRLPYCGHRVMTHTYCEHMGIA RLACA
 NITVNIVYGLTVALLAMGLDSILIAISYGFILHAVFHLP SHDAQHKALSTCGSHIGIILVFYIPAFF
 SFLTHRFGHHEVPKHVHIFLANLYVLVPPVLPILYGARTKEIRSRLKLLHLGKTSI (SEQ ID
 NO: 101)

20 ATGTCAGATTCCAACCTCAGTGATAACCATCTTCCAGACACCTTCTTCTTAACAGGGATCC
 CAGGGCTGGAGGCTGCCCACCTTCTGGATTGCCATCCCTTTCTGTGCCATGTATCTTGTAGC
 ACTGGTTGGAAATGCTGCCCTCATCCTGGTCATTGCCATGGACAATGCTCTTCATGCACCT
 ATGTACCTCTTCTCTGCCTTCTCTCACTCACAGACCTGGCTCTCAGTTCTACCACCTGTGCC
 CAAGATGCTGGCCATTTTGTGGCTCCATGCTGGTGAGATTTCCTTTGGTGGATGCCTGGCC
 25 CAGATGTTTTGTGTCCATTCTATCTATGCTCTGGAGTCCCTCGATTCTACTTGCCATGGCCTT
 TGATAGGTATGTGGCTATCTGTAACCCATTAAGGTATACAACCAATTCTCAACCATGCTGTC
 ATAGGCAGAATTGGCTTTGTTGGGCTATTCCGTAGTGTGGCTATTGTCTCCCCCTTCATCTT
 CTTGCTGAGGCGACTCCCCTACTGTGGTCACCGTGTGATGACACACACATACTGTGAGCAT
 ATGGGCATCGCCGACTGGCCTGTGCCAACATCACTGTCAATATTGTCTATGGGCTAACTG
 30 TGGCTCTGCTGGCCATGGGACTGGATTCCATTCTCATTGCCATTTCCTATGGCTTTATCCTC
 CATGCAGTCTTTCACCTTCCATCTCATGATGCCCAGCACAAAGCTCTGAGTACCTGTGGCT
 CCCACATTGGCATCATCCTGGTTTTCTACATCCCTGCCTTCTTCTCCTTCCTACCCACCGC
 TTTGGTCACCACGAAGTCCCAAGCATGTGCACATCTTTCTGGCTAATCTCTATGTGCTGG
 TGCCTCCTGTACTCAATCCTATTCTCTATGGAGCTAGAACCAAGGAGATTCCGAGTCGACT
 35 TCTAAACTGCTTCACCTGGGGAAGACTTCAATATGA (SEQ ID NO: 102)

AOLFR57 sequences:

MSFQVTYMFYLHWTMEKSNNSTLFILLGFSQNKNIENVLCFVLFVLCYIAIWMGNLLIMISITCTQ
 LIHQPMYFFLNYLSLSDLCYTSTVTPKLMVDLLAERKTISYNNCMIQLFTTHFFGGIEIFILTM
 40 AYDRYVAICKPLHYTHMSRQKCNTHIVCCTGGFIHSASQFLLTIFVPFCGPNEIDHYFCDVYPLL
 KLACSNHIMIGLLVIANSGLIALVTFVLLLSYVFILYTI RAYS AERRSKALATCSSHVIVVVLFF
 APALFIYIRPVTTFSEDKVFALFYTHAPMFNPLIYTLRNTEMKNAMRKVWCCQILLKRNQLF
 (SEQ ID NO: 103)

45 ATGTCATTTCAAGTGACTTATATGTTCTATCTACACTGGACCATGGAAAAAGCAATAATA
 GCACCTTTGTTTATTCTCTTGGGGTTTTCCCAAATAAGAACATTGAAGTCCTCTGCTTTGTA
 TTATTTTTGTTTTGCTACATTGCTATTTGGATGGGAACTTACTCATAATGATTTCTATCAC
 GTGCACCCAGCTCATTACCAACCCATGTATTTCTTCCTCAATTACCTCTCACTCTCCGACC
 TTTGCTACACATCCACAGTGACCCCCAAATTAATGGTTGACTTACTGGCAGAAAGAAAGAC
 50 CATTTCTATAATAACTGTATGATACAACTCTTTACCACCCATTTTTTTGGAGGCATAGAGA
 TCTTCATTCTCACAGGGATGGCCTATGACCGCTATGTGGCCATTGCAAGCCCCTGCACTA
 CACCATTATTATGAGCAGGCAAAAGTGTAACACAATCATCATAGTTTGTGTACTGGGGGA
 TTTATACATTCTGCCAGTCAGTTTCTTCTCACCATCTTTGTACCATTTTGTGGCCCAAATGA
 GATAGATCACTACTTCTGTGATGTGTATCCTTTGCTGAAATTGGCCTGTTCTAATATACACA
 55 TGATAGGTCTCTTAGTCATTGCTAATTCAGGCTTAATTGCTTTGGTGACATTTGTTGTCTTG
 TTGTTGTCTTATGTTTTTATATTGTATACCATCAGAGCATACTCTGCAGAGAGACGCAGCA

AAGCTCTTGCCACTTGTAGTTCTCATGTAATTGTTGTGGTCCTGTTTTTGTCTCCTGCATTG
TTCATTTACATTAGACCGGTACAACATTCTCAGAAGATAAAGTGTTCGCCCTTTTTTATAC
CATCATTGCTCCCATGTTCAACCCTCTCATATACACGCTGAGAAACACAGAGATGAAGAAC
GCCATGAGGAAAGTGTGGTGTGTCAAATACTCCTGAAAAGAAATCAACTTTTCTGA (SEQ
ID NO: 104)

AOLFR58 sequences:

MFSMTTEALNNFALGCTNLLMTMIPQIDLKQIFLCPNCRLYMIPVGAFIFSLGNMQNQSFVTEF
VLLGLSQPNVQEIVFVFLFVYIATVGGNMLIVVTILSSPALLVSPMYFFLGFLSFLDACFSSVI
TPKMIVDSLYVTKTISFEGCMMQLFAEHFFAGVEVIVLTAMAYDRYVAICKPLHYSSIMNRRL
CGILMGVAWTGGLLHSMIQLFTFQLPCGPNVINHFMC DLYPLLELACTDTHIFGLMVVINSF
FICIINFSLLLVSYAVILLSLRTHSSEGRWKALSTCGSHIAVVILFFVPCIFVYTRPPSAFSLDKMA
AIFYIILNPLNPLIYTFRNKEVKQAMRRIWNRLMVVSDEKENIKL (SEQ ID NO: 105)

ATGTTCTCAATGACAACAGAAGCACTCAATAATTTTGCACCTGGATGTACCAACTTGTTAA
TGACTATGATACCACAAATTGATCTGAAGCAAATTTTCCTTTGTCCTAATTGCAGACTATA
CATGATCCCTGTTGGAGCTTTCATCTTTTCCTTGGGAAACATGCAAAACCAAAGCTTTGTA
ACTGAGTTTGTCTCCTCGGGACTTTCACAGAATCCAAATGTTTCAGGAAATAGTATTTGTG
TATTTTGTGTTGTCTACATTGCAACTGTTGGGGGCAACATGCTAATTGTAGTAACCATTTCTC
AGCAGCCCTGCTCTTCTGGTGTCTCCTATGTACTTCTTCTTGGGCTTCCCTGTCCTTCTGGA
TGCGTGCTTCTCATCTGTCATACCCCAAAGATGATTGTAGACTCCCTCTATGTGACAAAA
ACCATCTCTTTTGAAGGCTGCATGATGCAGCTCTTTGCTGAACACTTCTTTGCTGGGGTGG
AGGTGATTGTCTCACAGCCATGGCCTATGATCGTTATGTGGCCATTGCAAGCCCTTGCA
TTACTCTTCTATCATGAACAGGAGGCTCTGTGGCATTCTGATGGGGGTAGCCTGGACAGGG
GGCCTCTTGCAATCCATGATACAAATTCCTTTTACTTTCCAGCTTCCCTTTTGTGGCCCCAA
TGTCATCAATCACTTTATGTGTGACTGTACCCGTTACTGGAGCTTGCTGCACTGATACTC
ACATCTTTGGCCTCATGGTGGTCATCAACAGTGGGTTTATCTGCATCATAAACTTCTCCTTG
TTGCTTGTCTCCTATGCTGTCTCTCTGAGAACACACAGTTCTGAAGGGCGCTG
GAAAGCTCTCTCCACCTGTGGATCTCATTGCTGTTGTGATTTTGTCTTTGTCCCATGCA
TATTTGTATATACACGACCTCCATCTGCTTTTCCCTTGACAAAATGGCGGCAATATTTTAT
ATCATCTTAAATCCCTTGCTCAATCCTTTGATTTACACTTTCAGGAATAAGGAAGTAAAC
AGGCCATGAGGAGAATATGGAACAGACTGATGGTGGTTTCTGATGAGAAAGAAAATATTA
AACTTTAA (SEQ ID NO: 106)

AOLFR59 sequences:

MGDWNNSDAVEPIFILRGFPGLEYVHSWLSILFCLAYLVAFMGNVTILSVIWISSLHQPMYYFI
SILAVNDLGMSLSTLPTMLAVLWDAPEIQASACYAQLFFIHTFTFLESSVLLAMAFDRFVAICH
PLHYPTILNSVIGKJGLACLLRSLGVVLP TPLLLRHYHYCHGNALSHAFCLHQDVLRLSCTDA
RTNSIYGLCVVIATLGVDSIFILLSYVLILNTVLDIASREEQLKALNTCVSHICVVLIFVPVIGVS
MVHRFGKHLSPIVHILMADIYLLLPVNLPIVYSVRTKQIRLGILHKFVLRRRF (SEQ ID NO:
107)

ATGGGAGACTGGAATAACAGTGATGCTGTGGAGCCCATATTTATCCTGAGGGGTTTTCTG
GACTGGAGTATGTTCACTTCTGGCTCTCCATCCTCTTCTGTCTGCATATTTGGTAGCATTT
ATGGGTAATGTTACCATCCTGTCTGTCATTTGGATAGAATCCTCTCTCCATCAGCCCATGTA
TTACTTTATTTCCATCTTAGCAGTGAATGACCTGGGGATGTCCCTGTCTACACTCCCACCA
TGCTTGCTGTGTTATGGTTGGATGCTCCAGAGATCCAGGCAAGTGCTTGCTATGCTCAGCT
GTTCTTCATCCACACATTCACATTCCTGGAGTCTCAGTGTTGCTGGCCATGGCCTTTGACC
GTTTTGTTGCTATCTGCCATCCACTGCACTACCCCAACCATCCTCACCACAGTGTAATTGGC
AAAATTGGTTTGGCCTGTTTGCTACGAAGCTTGGGAGTTGTACTTCCCACACCTTTGCTACT
GAGACACTATCACTACTGCCATGGCAATGCCCTCTCTCACGCCTTCTGTTTGCACCAGGAT
GTTCTAAGATTATCCTGTACAGATGCCAGGACCAACAGTATTTATGGGCTTTGTGTAGTCA
TTGCCACACTAGGTGTGGATTCAATCTTCATACTTCTTTCTTATGTTCTGATTCTTAATACT
GTGCTGGATATTGCATCTCGTGAAGAGCAGCTAAAGGCACTCAACACATGTGTATCCCAT
TCTGTGTGGTGCTTATCTTCTTTGTGCCAGTTATTGGGGTGTCAATGGTCCATCGCTTTGGG
AAGCATCTGTCTCCCATAGTCCACATCCTCATGGCAGACATCTACCTTCTTCTTCCCCCAGT

CCTTAACCCTATTGTCTATAGTGTGTCAGAACAAAGCAGATTTCGTCTAGGAATTCTCCACAAG
TTTGTCTTAAGGAGGAGGTTTAA (SEQ ID NO: 108)

AOLFR60 sequences:

5 MFLPNDTQFHPSSFLLLGIPGLETLHIWIGFPFCVYMIALIGNFTILLVIKTDSSLHQPMFYFLA
MLATTDVGLSTATIPKMLGIFWINLRGIIFEACLTQMFFIHNFTLMESAVLVAMAYDSYVAICN
PLQYSAILTNKVSVIGLGVFVRALIFVIPSILLILRLPFCGNHVIPHTYCEHMGHLASCAIKINI
IYGLCAICNLVFDITVIALSYVHILCAVFRLPTHEPRLKSLSTCGSHVCVILAFYTPALFSFMTHC
FGRNVPRYIHILLANLYVVVPPMLNPVIYGVRTKQIYKCVKKILLQEQQMEKEEYLHTRF
10 (SEQ ID NO: 109)

ATGTTTCCTTCCCAATGACACCCAGTTTCACCCCTCCTTCTCTGTTGCTGGGGATCCCAGG
ACTAGAAACACTTCACATCTGGATCGGCTTTCCCTTCTGTGCTGTGTACATGATCGCACTC
15 ATAGGGAACCTTCACTATTCTACTTGTGATCAAGACTGACAGCAGCCTACACCAGCCCATGT
TCTACTTCTGGCCATGTTGGCCACCACTGATGTGGGTCTCTCAACAGCTACCATCCCTAA
GATGCTTGGAATCTTCTGGATCAACCTCAGAGGGATCATCTTTGAAGCCTGCCTCACCCAG
ATGTTTTTTATCCACAACCTTCACTTATGGAGTCAGCAGTCCTTGTGGCAATGGCTTATG
ACAGCTATGTGGCCATCTGCAATCCACTCCAATATAGCGCCATCCTCACCAACAAGGTTGT
TTCTGTGATTGGTCTTGGTGTGTTGTGAGGGCTTTAATTTTCGTCATTCCCTCTATACTTC
20 TTATATTGCGGTTGCCCTTCTGTGGGAATCATGTAATTCCCCACACCTACTGTGAGCACAT
GGGTCTTGCTCATCTATCTTGTGCCAGCATCAAAATCAATATTATTATGTTTATGTGCCA
TTTGTAACTGTGGTGTGTTGACATCAGATCATTGCCCTCTCTTATGTGCATATTCTTTGTGCT
GTTTTCCGTCTTCTACTCATGAGCCCCGACTCAAGTCCCTCAGCACATGTGGTTCACATGT
25 GAAATGTGCCCCGCTATATCCATATACTCCTAGCCAATCTCTATGTTGTGGTGCCACCAAT
GCTCAATCCTGTCATATATGGAGTCAGAACCAAGCAGATCTATAAATGTGTAAAGAAAAT
ATTATTGCAGGAACAAGGAATGGAAAAGGAAGAGTACCTAATACATACGAGGTTCTGA
(SEQ ID NO: 110)

AOLFR61 sequences:

30 MSIINTSYVEITTFVLVGMPLGLEYAHIWISIPICSMYLIAILGNGTILFIKTEPSLHGPMYYFLSML
AMSDLGLSSLPTVLSIFLNPETSSSACFAQEFFIHGFSVLESSVLLIMSFDRLAIHNPLRYT
SILTTVRVAQIGIVFSFKSMLLVLPFPFTLRLSLRYCKKNQLSHSYCLHQDVMKLACSDNRIDVIY
GFFGALCLMVDFILIAVSYTLILKTVPGIASKKEELKALNTCVSHICAVIIFYLPINLAVVHRFAG
35 HVSPLINVLMANVLLLVPPLMKPIVYCVKTKQIRVRVAKLCQWKI (SEQ ID NO: 111)

ATGTCCATTATCAACACATCATATGTTGAAATCACCACCTTCTTCTTGGTTGGGATGCCAG
GGCTAGAATATGCACACATCTGGATCTCTATCCCCATCTGCAGCATGTATCTTATTGCTATT
40 CTAGGAAATGGCACCATTCTTTTATCATCAAGACAGAGCCCTCCTTGCATGGGCCCATTGT
ACTATTTTCTTTCCATGTTGGCTATGTCAGACTTGGGTTTGTCTTTATCATCTCTGCCCCACT
GTGTTAAGCATCTTCTGTTCAATGCCCTGAAACTTCTTCTAGTGCCTGCTTTGCCCAGGA
ATTCTTCATTGATGATTCTCAGTACTGGAGTCCTCAGTCCTCCTGATCATGTCAATTGATA
GATTCCTAGCCATCCACAATCCTCTGAGATACACCTCAATCCTGACAACTGTCAGAGTTGC
45 CCAAATAGGGATAGTATTCTCCTTTAAGAGCATGCTCCTGGTTCTTCCCTTCCCTTTCACTT
TAAGAAGCTTGAGATATTGCAAGAAAAACCAATTATCCCATTCTACTGTCTCCACCAGGA
TGTCATGAAGTTGGCCTGTTCTGACAACAGAATTGATGTTATCTATGGCTTTTTTGGAGCA
CTCTGCCTTATGGTAGACTTTATTCTCATTGCTGTGTCTTACACCCTGATCCTCAAGACTGT
ACCGGGAATTGCATCCAAAAGGAGGAGCTTAAGGCTCTCAATACTTGTGTTTCACACATC
50 TGTGCACTGATCATCTTCTACCTGCCCATCAACCTGGCCGTTGTCCACCGCTTTGCCCG
GCATGTCTCTCCCCTCATTAAATGTTCTCATGGCAAATGTTCTCCTACTTGTACCTCCGCTGA
TGAAACCAATTGTTTATTGTGTAAAACTAAACAGATTAGAGTGAGAGTTGTAGCAAAATT
GTGTCAATGGAAGATTAA (SEQ ID NO: 112)

AOLFR62 sequences:

55 MFYHNKSIFHPVTFFLIGIPGLEDFHWMISGPFCSVYLVALIGNATILLVIKVEQTLREPMFYFL
AILSTIDLALSATSVPRMLGIFWFDAHEINYGACVAQMFLIHAFTGMEAEVLLAMAFDRYVAIC

APLHYATILTSVLVGISMCIIVIRPVLLTLP MVYLIYRLPFCQAHIIAHSYCEHMGIAKLSCGNIRI
NGIYGLFVVSFFVLNLVLIGISYVYILRAVFRLP SHDAQLKALSTCGAHVGVICVFYIPSVFSFLT
HRFGHQIPGYIHILVANLYLIIPPSLNP IYGVRTKQIRERVLYVFTKK (SEQ ID NO: 113)

5 ATGTTTTATCACAACAAGAGCATATTTACCCAGTCACATTTTCTCATTGGAATCCCAGG
TCTGGAAGACTTCCACATGTGGATCTCCGGGCCCTTCTGCTCTGTTACCTTGTGGCTTTGC
TGGGCAATGCCACCATTCTGCTAGTCATCAAGGTAGAACAGACTCTCCGGGAGCCCATGTT
CTACTTCTGGCCATTCTTTCCACTATTGATTTGGCCCTTTCTGCAACCTCTGTGCCTCGCA
TGCTGGGTATCTTCTGGTTTGTATGCTCACGAGATTA ACTATGGAGCTTGTGTGGCCCAGAT
10 GTTCTGATCCATGCCTTCACTGGCATGGAGGCTGAGGTCTTACTGGCTATGGCTTTTGAC
CGTTATGTGGCCATCTGTGCTCCACTACATTACGCAACCATCTTGACATCCCTAGTGTGGT
GGGCATTAGCATGTGCATTGTAATTCGTCCCGTTTTACTTACACTTCCCATGGTCTATCTTA
TCTACCGCTACCCCTTTTGTGAGGCTCACATAATAGCCCATTCCTACTGTGAGCACATGGG
CATTGCAAAATTGTCCTGTGGAAACATTGCTATCAATGGTATCTATGGGCTTTTGTAGTTT
15 CTTTCTTTGTTCTGAACCTGGTGCTCATTGGCATCTCGTATGTTTACATTCTCCGTGCTGTC
TTCCGCCTCCCATCACATGATGCTCAGCTAAAAGCCCTAAGCACGTGTGGCGCTCATGTTG
GAGTCATCTGTGTTTCTATATCCCTTCAGTCTTCTCTTTCCTTACTCATCGATTGGACAC
CAAATACCAGGTTACATTCACATTCTTGTGCAATCTCTATTTGATTATCCACCCTCTCT
CAACCCCATCATTTATGGGGTGAGGACCAACAGATTGAGAGCGAGTGCTCTATGTTTTT
20 ACTAAAAAATAA (SEQ ID NO: 114)

AOLFR63 sequences:

MSINTSYVEITTFVLVGMPLGLEYAHIWISIPICSMYLIAILGNGTILFIKTEPSLHEPMYYFLSML
AMSDLGLSLSSLPTVLSIFLNAPEISSNACFAQEFFIHGFSVLESSVLLIMSFDRLAIHNPLRYTS
25 ILTTVRVAQIGIVFSFKSMLLVLPFPFLRLNRLRYCKKNQLSHSYCLHQDVMKLACSDNRIDVIY
GFFGALCLMVDFILIAVSYTLILKTVLGIASKKEQLKALNTCVSHICAVIIFYLPIINLAVVHRFAR
HVSPLINVL MANVLLVPPLTNPIVYCVKTKQIRVRVAKLCQRKI (SEQ ID NO: 115)

ATGTCCATTATCAACACATCATATGTTGAAATCACCACCTTCTTCTTGGTTGGGATGCCAG
30 GGCTAGAATATGCACACATCTGGATCTCTATCCCCATCTGCAGCATGTATCTTATTGCTATT
CTAGGAAATGGCACCATTCTTTTATCATCAAGACAGAGCCCTCCTTGCATGAGCCCATGT
ACTATTTTCTTTCCATGTTGGCTATGTCAGACTTGGGTTTGTCTTTATCATCTCTGCCCACT
GTGTAAAGCATCTTCTGTTCAATGCTCCTGAAATTCATCCAATGCCTGCTTTGCCCAGGA
ATTCTTCATTCATGGATTCTCAGTACTGGAGTCTCAGTCTCCTGATCATGTCATTGATA
35 GATTCTAGCCATCCACAACCTCTGAGATACACCTCAATCCTGACAACCTGTCAGAGTTGC
CCAAATAGGGATAGTATTCTCCTTTAAGAGCATGCTCCTGGTTCTTCCCTTCCCTTTCACTT
TAAGAACTTGAGATATTGCAAGAAAAACCAATTATCCCATTCCTACTGTCTCCACCAGGA
TGTCATGAAGTTGGCCTGTTCTGACAACAGAATTGATGTTATCTATGGCTTTTGGAGCA
CTCTGCCTTATGGTAGACTTTATTCTCATTGCTGTGCTTACACCCTGATCCTCAAGACTGT
40 ACTGGGAATTGCATCCAAAAAGGAGCAGCTTAAGGCTCTCAATACTTGTGTTTCACACATC
TGTGCAGTGATCATCTTCTACCTGCCCATCATCAACCTGGCCGTTGTCCACCGCTTTGCCCG
GCATGTCTCTCCCTCATTAATGTTCTCATGGCAAATGTTCTCCTACTTGTACCTCCACTGA
CGAACCCAATTGTTTATTGTGTA AAAACTAAACAGATTAGAGTGAGAGTTGTAGCAA AATT
GTGTCAACGGAAGATTAA (SEQ ID NO: 116)

45

AOLFR64 sequences:

MTILLNSSLQRATFFLTGFQGLEGLHGWISIPFCFIYLT VILGNLTILHVICTDATLHGPMYYFLG
MLAVTDLGLCLSTLPTVLGIFWFDTREIGIPACFTQLFFIHTLSSMESSVLLSMSIDRSVAVCNPL
HDSTVLTPACIVKMGLSSVLR SALLILPLPFLKRFQYCHSHVLAHAYCLHLEIMKLACSSIIVN
50 HIYGLFVVACTVGVDLLIFLSYALILRTVLSIASHQERLRALNTCVSHICAVLLFYIPMIGLSLV
HRFGEHLPRVVHLFMSYVYLLVPPLMNP IYSIKTKQIRQRHKKFQFIKSLRCFWKD (SEQ ID
NO: 117)

ATGACAATTCTTCTTAATAGCAGCCTCCAAAGAGCCACTTTCTTCTGACGGGCTTCCAAG
55 GTCTAGAAGGTCTCCATGGCTGGATCTCTATTCCCTTCTGCTTCATCTACCTGACAGTTATC
TTGGGGAACCTACCATTCCTCCACGTCATTTGTACTGATGCCACTCTCCATGGACCCATGT

ACTATTTCTTGGGCATGCTAGCTGTCACAGACTTAGGCCTTTGCCTTTCCACACTGCCCCT
 GTGCTGGGCATTTTCTGGTTTGATACCAGAGAGATTGGCATCCCTGCCTGTTTCACTCAGC
 TCTTCTTCATCCACACCTTGTCTTCAATGGAGTCATCAGTTCTGTTATCCATGTCCATTGAC
 CGCTCCGTGGCCGTCTGCAACCCACTGCATGACTCCACCGTCTGACACCTGCATGTATTG
 5 TCAAGATGGGGCTAAGCTCAGTGCTTAGAAGTGCTCTCCTCATCCTCCCCTTGCCATTCCCT
 CTGAAGCGCTTCCAATACTGCCACTCCCATGTGCTGGCTCATGCTTATTGTCTTCACCTGGA
 GATCATGAAGCTGGCCTGCTCTAGCATCATTGTCAATCACATCTATGGGCTCTTTGTTGTG
 GCCTGCACCGTGGGTGTGGACTCCCTGCTCATCTTTCTCTCATACGCCCTCATCTTCGCAC
 CGTGCTCAGCATTGCCTCCCACCAGGAGCGACTCCGAGCCCTCAACACCTGTGTCTCTCAT
 10 ATCTGTGCTGTACTGCTCTTCTACATCCCCATGATTGGCTTGTCTCTTGTGCATCGCTTTGG
 TGAACATCTGCCCCGCGTTGTACACCTCTTCATGTCTATGTGTATCTGCTGGTACCACCCC
 TTATGAACCCCATCATCTACAGCATCAAGACCAAGCAAATTCGCCAGCGCATCATTAAAGAA
 GTTTCAGTTTATAAAGTCACTTAGGTGTTTTTGAAGGATTAA (SEQ ID NO: 118)

15 AOLFR65 sequences:

MAGRMSTSNHTQFHPSSFLLLGIPGLEDVHIWIGVPFFVYLVALLGNTALLFVIQTEQSLHEPM
 YYFLAMLDLGLSTATIPKMLGIFWNTKEISFGGCLSHMFFIHFFTAMESIVLVAMAFDRYI
 AICKPLRYTMILTSKIHSLIAGIIVLRSLYMVVPLVFLLLRLPFCGHRIIPHTYCEHMGARLACAS
 IKVNIRFGLGNISLLLDVILILSYVRILYAVFCLPSWEARLKALNTCGSHIGVILAFFTPAFFSFL
 20 THRFGHNIPQYIHILANLYVVVPPALNPVIYGVRTKQIRERVLRIFLKTNH (SEQ ID NO: 119)

ATGGCAGGAAGAATGTCTACGTCTAATCACACCCAGTTCCATCCTTCTTCATTCTACTGCT
 GGGTATCCCAGGGCTAGAAGATGTGCACATTTGGATTGGAGTCCCTTTTTCTTTGTGTAT
 CTTGTTGCACTCCTGGGAAACACTGCTCTCTTGTGTTGTGATCCAGACTGAGCAGAGTCTCC
 25 ATGAGCCTATGTACTACTTCTGCGCATGTTGGATTCCATTGACCTGGGCTTGTCTACAGC
 CACCATCCCCAAAATGTTGGGCATCTTCTGGTTCAATACCAAAGAAATATCTTTTGGAGGC
 TGCCTTTCTCACATGTTCTTCATCCATTTCTTCACTGCTATGGAGAGCATTGTGTTGGTGGC
 CATGGCCTTTGACCGCTACATTGCCATTTGCAAACCTCTTCGGTACACCATGATCCTCACCA
 GAAAATCATCAGCCTCATTGCAGGCATTGCTGTCCTGAGGAGCCTGTACATGGTTGTTCC
 30 ACTGGTGTTTCTCCTTCTGAGGCTGCCCTTCTGTGGGCATCGTATCATCCCTCATACTTATT
 GTGAGCACATGGGCATTGCCCGTCTGGCCTGTGCCAGCATCAAAGTCAACATTAGGTTTGG
 CTTGGCAACATATCTCTCTTGTACTGGATGTTATCCTTATTCTCTCCTATGTCAGGA
 TCCTGTATGCTGTCTTCTGCCTGCCCTCCTGGGAAGCTCGACTCAAAGCTCTCAACACCTGT
 GGTCTCATATTGGTGTTATCTTAGCCTTTTTTACACCAGCATTTTTTTCACTTCTTGACACA
 35 TCGTTTTGGCCATAATATCCACAGTATATACATATTATATTAGCCAAACCTGTATGTGGTTG
 TCCACCAGCCCTCAATCCTGTAATCTATGGAGTCAGGACAAAGCAGATTTCGAGAGAGAG
 TGCTGAGGATTTTTCTCAAGACCAATCACTAA (SEQ ID NO: 120)

AOLFR66 sequences:

40 MSFLNGTSLTPASFILNGIPGLEDVHLWISFPLCTMYSIAITGNFGLMYLIYCDEALHRPMYVFL
 ALLSFTDVLMTSTLPNTLFILWFNLKEIDFKACLAQMFFVHTFTGMESGVLMLMALDHCVAI
 CFPLRYATILTNSVIAKAGFLTFLRGVMLVIPSTFLTKRLPYCKGNVIPHTYCDHMSVAKISCGN
 VRVNAIYGLIVALLIGGFDILCITISYTMILQAVVSLSSADARQKAFSTCTAHFCAIVLTYVPAFF
 TFFTHHFGGHTIPLHIHILMANLYLLMPPTMNPVYGVKTRQVRESVIRFFLKGDNSHNF (SEQ
 45 ID NO: 121)

ATGTCATTTCTAAATGGCACCAGCCTAACTCCAGCTTCATTATCCTAAATGGCATCCCTG
 GTTTGGAAGATGTGCATTTGTGGATCTCCTTCCCACTGTGTACCATGTACAGCATTGCTATT
 ACAGGGAACCTTCGGCCTTATGTACCTCATCTACTGTGATGAGGCCTTACACAGACCTATGT
 50 ATGTCTTCTTGCCTTCTTTCTTTCACAGATGTGCTCATGTGCACCAGCACCCTTCCCAAC
 ACTCTCTTCATATTGTGGTTTAATCTCAAGGAGATTGATTTTAAAGCCTGCCTCGCCAGAT
 GTTCTTTGTGCACACCTTACAGGGATGGAGTCTGGGGTGCTCATGCTCATGGCCCTGGAC
 CACTGTGTGGCCATCTGCTTCCCTCTGCGTTATGCCACCATCCTCACTAATTCAGTCATTGC
 TAAAGCTGGGTTCCTCACTTTTCTTAGGGGTGTGATGCTTGTTATCCCTTCCACTTTCCTCA
 55 CCAAGCGCCTTCCATACTGCAAGGGCAACGTCATACCCACACCTACTGTGACCACATGTC
 TGTGGCCAAGATATCTTGTGGTAATGTGAGGGTTAACGCCATCTATGGTTTGATAGTTGCC

CTGCTGATTGGGGGCTTTGATATCCTGTGCATTACAATCTCCTACACTATGATTCTTCAAGC
AGTTGTGAGTCTATCATCAGCAGATGCTCGACAGAAGGCCCTTCAGCACCTGCACTGCCCCAC
TTCTGTGCCATAGTCCTCACCTATGTTCCAGCCTTCTTTACCTTCTTTACACACCATTTTGG
GGGACACACCATTCCTCTACACATACATATTATTATGGCTAATCTCTACCTACTAATGCCTC
5 CCACAATGAACCCTATTGTGTATGGGGTGAAAACCAGGCAGGTACGAGAAAAGTGTCTATTA
GGTTCTTTCTTAAGGGAAAGGACAATTCTCATAACTTTTAA (SEQ ID NO: 122)

AOLFR67 sequences:

10 MSGDNSSSLTPGFFILNGVPGLEATHIWISLPFCFMYIIAVVGNCGLICLISHEEALHRPMYYFLA
LLSFTDVTLCCTTMVPMNMLCIFWFNLKEIDFNACLAQMFFVHMLTGMESGVLMLMALDRYVAI
CYPLRYATILNPNVIAKAGLATFLRNVMLIIPFTLLTKRLPYCRGNFIPHTYCDHMSVAKVSCGN
FKVNAIYGLMVALLIGVFDICISVSYTMILQAVMSLSSADARHKAFSTCTSHMCSIVITYVAAP
FTFFTHRFVGHNPNIHIIIVANLYLLLPTMNPVYGVKTKQIQEGVIKFLGDKVSFTYDK
(SEQ ID NO: 123)

15 ATGTCTGGGGACAACAGCTCCAGCCTGACCCCAGGATTCTTTATCTTGAATGGCGTTCCTG
GGCTGGAAGCCACACACATCTGGATCTCCCTGCCATTCTGCTTTATGTACATCATTGCTGTC
GTGGGGAACTGTGGGCTCATCTGCCTCATCAGCCATGAGGAGGCCCTGCACCGGCCCATGT
ACTACTTCTGGCCCTGCTCTCCTTCACTGATGTCACCTTGTGCACCACCATGGTACCTAAT
20 ATGCTGTGCATATTCTGGTTCAACCTCAAGGAGATTGACTTTAACGCCTGCCTGGCCCA
TGTTTTTTGTCCATATGCTGACAGGGATGGAGTCTGGGGTGTCTATGCTCATGGCCCTGGA
CCGCTATGTGGCCATCTGCTACCCCTTACGCTATGCCACCATCCTTACCAACCCTGTCATCG
CCAAGGCTGGTCTTGCCACCTTCTTGAGGAATGTGATGCTCATCATCCCATTCACTCTCCTC
ACCAAGCGCCTGCCCTATTGCCGGGGGAACTTCATCCCCCACACCTACTGTGACCATATGT
25 CTGTGGCCAAGGTATCCTGTGGCAATTTCAAGGTCAATGCTATTTATGGTCTGATGGTTGC
TCTCCTGATTGGTGTGTTTGATATCTGCTGTATCTCTGTATCTTACACTATGATTTTGCAGG
CTGTTATGAGCCTGTCATCAGCAGATGCTCGTCACAAAGCCTTCAGCACCTGCACATCTCA
CATGTGTTCCATTGTGATCACCTATGTTGCTGCTTTTTTCACTTTTTTCACTCATCGTTTTGT
AGGACACAATATCCCAAACCACATACACATCATCGTGGCCAACCTTTATCTGCTACTGCCT
30 CCTACCATGAACCAATTGTTTATGGAGTCAAGACCAAGCAGATTGAGGAAGGTGTAATTA
AATTTTTACTTGGAGACAAGGTTAGTTTTACCTATGACAAATGA (SEQ ID NO: 124)

AOLFR68 sequences:

35 MTTHRNDTLSTEASDFLLNCFVRSPSWQHWLSLPLSLLFLLAVGANTTLLMTIWLEASLHQPL
YYLLSLLSLLDIVLCLTVIPKVLTFWFDLRPISFPACFLQMYIMNCF LAMESCTFMVMAYDRY
VAICHPLRYPSTHDHFVKAAMFILTRNVMLTLPILSAQLRYCGRNVIENCICANMSVSRLSC
DDVTINHL YQFAGGWTLGSDLILIFLSYTFILRAVRLKAEGAVAKALSTCGSHFMLILFFSTIL
LVFVLTHVAKKKVSPDVPVLLNVLHHVIPAALNPIYGVRTQEIKQGMQRLLKKGC (SEQ ID
NO: 125)

40 ATGACAACACACCGAAATGACACCCTCTCCACTGAAGCTTCAGACTTCTCTTGAATTGTT
TTGTGAGATCCCCCAGCTGGCAGCACTGGCTGTCCCTGCCCCTCAGCCTCCTTTTCTCTTG
GCCGTAGGGGCCAACACCACCCTCCTGATGACCATCTGGCTGGAGGCCTCTCTGCACCAGC
CCCTGTACTACCTGCTCAGCCTCCTCTCCCTGCTGGACATCGTGCTCTGCCTCACTGTCATC
45 CCAAGGTCTGACCATCTTCTGGTTTGACCTCAGGCCCATCAGCTTCCCTGCCTGCTTCTCT
CCAGATGTACATCATGAATTGTTTCTAGCCATGGAGTCTTGCACATTCATGGTCATGGCC
TATGATCGTTATGTAGCCATCTGCCACCCACTGAGATATCCATCAATCATCACTGATCACTT
TGTAGTCAAGGCTGCCATGTTTATTTTGACCAGAAATGTGCTTATGACTCTGCCCATCCCC
ATCCTTTTCAGCACAACTCCGTTATTGTGGAAGAAATGTCATTGAGAACTGCATCTGTGCCA
50 ATATGTCTGTTTCCAGACTCTCCTGCGATGATGTCACCATCAATCACCTTTACCAATTTGCT
GGAGGCTGGACTCTGCTAGGATCTGACCTCATCCTTATCTTCTCTCTACACCTTCATTCT
GCGAGCTGTGCTGAGACTCAAGGCAGAGGGTGCCGTGGCAAAGGCCCTAAGCACATGTGG
CTCCCACTTCATGCTCATCCTCTTCTTACGACCATCCTTCTGGTTTTTGTCTCTACACATGT
GGCTAAGAAGAAAGTCTCCCTGATGTGCCAGTCTTGCTCAATGTTCTCCACCATGTCATT
55 CTGTCAGCCCTTAACCCCATCATTTACGGGGTGAGAACCAAGAAATTAAGCAGGGAATG
CAGAGGTTGTTGAAGAAAGGGTGCTAA (SEQ ID NO: 126)

AOLFR69 sequences:

MSYSIYKSTVNIPLSHGVVHSFCHNMNCNFMHIFKFVLDNFMKNVTEVTLFVLKGFTDNLELQ
TIFFFLFLAIYLFITLMGNLGLILVVIRDSQLHKPMYYFLSMLSSVDACYSSVITPNMLVDFTTKN
5 KVISFLGCVAQVFLACSFGTTECFLLAAMAYDRYVAIYNPLLYSVSMSPRVYVIMPLINASYVAGI
LHATIHVATFSLFCGANEIRRVFCDDIPLLAISYSDHTNQLLLFYFVGSIELVTILIVLISYGLIL
LAILKMYSAGEGRRKVFSTCGAHLTGVSIIYYGTILFMYVRPSSSYASDHDMIVSIFYTIVIPLLNPV
IYSLRNKDVKDSMKKMFVKQVINKVYFHTKK (SEQ ID NO: 127)

10 ATGTCGTACAGTATATACAAGAGCACAGTTAACATCCCCTTGAGTCATGGTGTGTTTCATT
CTTTTTGTGATAATATGAACTGTAACCTTATGCATATCTTCAAGTTTGTCTAGATTTC AAC
ATGAAGAATGTCACCTGAAGTTACCTTATTTGACTGAAGGGCTTCACAGACAATCTTGAAC
TGCAGACTATCTTCTTCTCCTGTTTCTAGCAATCTACCTCTTCACTCTCATGGGAAATTTA
GGACTGATTTTAGTGGTCATTAGGGATTCCCAGCTCCACAAACCCATGTACTATTTTCTGA
15 GTATGTTGTCTTCTGTGGATGCCTGCTATTCCCTCAGTTATTACCCCAAATATGTTAGTAGAT
TTTACGACAAAGAATAAAGTCATTTTCATTCTTGGATGTGTAGCACAGGTGTTTCTTGCTT
GTAGTTTTGGAACACAGAATGCTTTCTTGGCTGCAATGGCTTATGATCGCTATGTAGC
CATCTACAACCCCTCTCCTGTATTGAGTGAGCATGTCAACCAGAGTCTACATGCCACTCATC
AATGCTTCTCTATGTTGCTGGCATTTCATGCTACTATACATACAGTGGCTACATTTAGCCT
20 ATCCTTCTGTGGAGCCAATGAAATTAGGCGTGTCTTTGTGATATCCCTCCTCTCCTTGCTA
TTTCTTATTCTGACACTCACACAAACCAGCTTCTACTCTTCTACTTTGTGGGCTCTATCGAG
CTGGTCACTATCCTGATTGTTCTGATCTCCTATGGTTTGATTCTGTTGGCCATTCTGAAGAT
GTATTCTGCTGAAGGGAGGAGAAAAGTCTTCTCCACATGTGGAGCTCACCTAACTGGAGT
GTCAATTTATTATGGGACAATCCTCTTCATGTATGTGAGACCAAGTCCAGCTATGCTTCG
25 GACCATGACATGATAGTGCAATATTTTACACCATTGTGATTCCCTTGCTGAATCCCGTCAT
CTACAGTTTGAGGAACAAAGATGTAAAAGACTCAATGAAAAAATGTTTGGGAAAAATCA
GGTTATCAATAAAGTATATTTTCATACTAAAAAATAA (SEQ ID NO: 128)

AOLFR70 sequences:

30 MDSTFTGYNLYNLQVKTEMDKLSSGLDIYRNPLKNKTEVTMFILTGFTDDFELQVFLFLFFAI
YLFTLIGNLGLVVLVIEDSWLHNPMMYYFLSVLSFLDACYSTVVPKMLVNFLAKNKSISFIGCA
TQMLLFVTFGTTECFLLAAMAYDHYVAIYNPLLYSVSMSPRVYVPLITASVYAGILHATHIVA
TFSLFCGSNEIRHVFCDDIPLLAISCSHTNQLLLFYFVGSIEIVTILIVLISCDIFILLSILKMHSA
KGRQKAFSTCGSHLTGVTIYHGTLVSVMRPSYASDHDIIVSIFYTIVIPKLNPIIYSLRNKEVK
35 KAVKKMLKLVIYK (SEQ ID NO: 129)

40 ATGGACTCCACTTTTCACAGGCTATAACCTTTATAACCTGCAAGTAAAAACTGAAATGGACA
AGTTGTGATCAGGTTTGGATATATACAGGAATCCACTGAAGAACAAGACTGAAGTCACCA
TGTTTATATTGACAGGCTTCACAGATGATTTTGAGCTGCAAGTCTTCTATTTTACTATTT
TTTGCAATCTATCTCTTACCTTGATAGGCAATTTAGGGCTGGTTGTGTTGGTCATTGAGG
ATTCCTGGCTCCACAACCCCATGTATTATTTTCTTAGTGTTTATCATTTCTTGGATGCTTGC
TATTCTACAGTTGTCACTCCAAAAATGTTGGTCAATTTCTTGGCAAAAAATAAATCCATTT
CATTTATCGGATGTGCAACACAGATGCTTCTTTTGTACTTTTGGAACTACAGAATGTTTT
CTCTGGCTGCAATGGCTTATGATCACTATGTAGCCATCTACAACCCCTCTCCTGTATTTCAGT
45 GAGCATGTCAACCCAGAGTCTATGTGCCACTCATCACTGCTTCTACGTTGCTGGCATTTTAC
ATGCTACTATACATATAGTGGCTACATTTAGCCTGTCCTTCTGTGGATCCAATGAAATTAG
GCATGTCTTTTGTGATATGCCTCCTCTCCTTGCTATTTCTTGTCTGACACTCACACAAACC
AGCTTCTACTCTTCTACTTTGTGGGTTCTATTGAGATAGTCACTATCCTGATTGTCCTCATT
TCCTGTGATTTCACTCTGTTGTCCATTCTGAAGATGCATTCTGCTAAGGGAAGGCAAAAGG
50 CCTTCTCTACATGTGGCTCTCACCTAACTGGAGTGACAATTTATCATGGAACAATTCTCGTC
AGTTATATGAGACCAAGTCCAGCTATGCTTCAGACCATGACATCATAGTGTCATATTTT
ACACAATTGTGATTCCCAAGTTGAATCCCATCATCTATAGTTTGAGGAACAAAGAAGTAAA
AAAGGCAGTGAAGAAAATGTTGAAATTGGTTTACAAATGA (SEQ ID NO: 130)

AOLFR71 sequences:

MGRNRNTNVPDFILTGLSDSEEVQMALFILFLIYLITMLGNVGMILIRLDLQLHTPMYFFLTH
LSFIDLSYSTVITPKTLANLLTSNYISFMGCFAQMFFVFLGAAECFLSSMAYDRYVAICSPRLY
PVIMSKRLCCALVTGPYVISFINSFVNVVWMSRLHFCDNSVVRHFFCDTSPILALSCMDTYDIEI
5 MIHILAGSTLMVSLITISASYVSILSTILKINSTSGKQKALSTCASHLLGVTFIFYGTMIFTYLPKPK
SYSLGRDQVASVFYTIVIPMLNPLIYSLRNKEVKNALIRVMQRRQDSR (SEQ ID NO: 131)

ATGGGTAGAAAGAAATAACACAAATGTGCCTGACTTCATCCTTACGGGACTGTCAGATTCTG
AAGAGGTCCAGATGGCCCTCTTTATACTATTTCTCCTGATATACCTAATTACTATGCTGGGC
10 AATGTGGGGATGATATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATGTATTTTT
TCCTTACTCACTTGTCATTTATTGACCTCAGTTACTCAACTGTCATCACACCTAAAACCTTA
GCGAACTTACTGACTTCCAACATATATTTCTTCATGGGCTGCTTTGCCAGATGTTCTTTTT
TGTCTTCTTGGGAGCTGCTGAATGTTTTCTTCTCTCATCAATGGCCTATGATCGCTACGTAG
CTATCTGCAGTCCCTCTACGTTACCCAGTTATTATGTCCAAAAGGCTGTGTTGCGCTCTTGTC
15 ACTGGGCCCTATGTGATTAGCTTTATCAACTCCTTTGTCAATGTGGTTTGGATGAGCAGAC
TGCATTTCTGCGACTCAAATGTAGTTCGTCACCTTTTTCTGCGACACGTCTCCAATTTTAGCT
CTGTCCTGCATGGACACATACGACATTGAAATCATGATACACATTTTAGCTGGTCCACCC
TGATGGTGTCCCTTATCACAATATCTGCATCCTATGTGTCCATTCTCTTACCATCCTGAAA
ATTAATTCCACTTCAGGAAAGCAGAAAGCTTTGTCTACTTGTGCCTCTCATCTCTTGGGAG
20 TCACCATCTTTTATGGAATATGATTTTTACTTATTTAAACCAAGAAAGTCTTATTCTTTG
GGAAGGGATCAAGTGGCTTCTGTTTTTATACTATTGTGATTCCCATGCTGAATCCACTCAT
TTATAGTCTTAGAAACAAAGAAGTTAAAAATGCTCTCATTAGAGTCATGCAGAGAAGACA
GGACTCCAGGTAA (SEQ ID NO: 132)

AOLFR72 sequences:

MAPENFTRVTEFILTVSSCPQLIPLFLVFLVLYGLTMAGNLGIITLTSVDSRLQTPMYFFLQHL
ALINLGNSTVIAPKMLINFLVKKKTTSFYECATQLGGFLFFIVSEVIMLALMACDRYVAICNPLL
YMVVVSRRLLCLLVSLTYLYGFSTAIVVSSYVFSVSYCSSNIINHFCNVPLLALSCSDTYLPE
TVVFISAATNVVGSLLIIVLSYFNIVLSILKICSSEGRKKAFSTCASHMMAVTIFYGTLLFMYVQP
30 RSNHSLDTHDKMASVFYTLVIPMLNPLIYSLRNKDVKTALQRFMTNLCYSFKTM (SEQ ID NO:
133)

ATGGCTCCTGAAAATTTACCAGGGTCACTGAGTTTATTCTTACAGGTGTCTCTAGCTGTC
CAGAGCTCCAGATCCCCCTCTTCTGGTCTTTCTGGTGTCTATGGGCTGACCATGGCAGG
35 GAACCTGGGCATCATCACCTCACCAGTGTGACTCTCGACTTCAAACCCCCATGTACTTTT
TCCTGCAACATCTGGCTCTCATTAATCTTGGTAACTCTACTGTCATTGCCCTAAAATGCTG
ATTAACCTTTTTAGTAAAGAAGAAAACCTCATCTATGAATGTGCCACCCAACTGGGAG
GGTTCTTGTTCTTTATGTATCGGAGGTAATCATGCTGGCTTTGATGGCCTGTGACCGCTAT
GTGGCTATTTGTAACCTCTGCTGTACATGGTGGTGGTGTCTCGGCGGCTCTGCCTCCTGCT
40 GGTCTCCCTCACATACCTCTATGGCTTTCTACAGCTATTGTGGTTTCATCTTATGTATTCT
CTGTGCTTATTGCTCTTCTAATAATCAATCATTTTTACTGTGATAATGTTCCCTCTGTTA
GCATTATCTTGCTCTGATACTTACTTACCAGAAACAGTTGTCTTTATATCTGCAGCAACAA
ATGTGGTTGGTTCCTTGATTATAGTTCTAGTATCTTATTTCAATATTGTTTTGTCTATTTTA
AAAATATGTTTCATCAGAAGGAAGGAAAAAAGCCTTTTCTACCTGTGCTTCACATATGATGG
45 CAGTCACAATTTTTATGGGACATTGCTATTTCATGTATGTGCAGCCCCGAAGTAACCATTC
ATTGGATACTGATGATAAGATGGCTTCTGTGTTTTACACGTTGGTAATTCCTATGCTGAAT
CCCTTGATCTACAGCCTGAGGAATAAGGATGTGAAGACTGCTCTACAGAGATTTCATGACA
AATCTGTGCTATTCCTTTAAACAATGTAA (SEQ ID NO: 134)

AOLFR73 sequences:

MNHVVKHNHTAVTKVTEFILMGITDNPGLQAPLFLGLIYLVTVIGNLGMVILTYLDSKLHTP
MYFFLRHLSITDLGYSTVIAPKMLVNFIVHKNTISYNWYATQLAFFEIFIISSELFILSAMAYDRYV
AICKPLLYVHMAEKVLWVLVIVPYLYSTFVSLFTIKLFKLSFCGSNIISYFYCDCIPLMSILCSDT
NELELILIFSGCNLLFSLIVLISYMFILVAILRMNSRKGRYKAFSTCSSHLTVVIMFYGTLLFIYL
55 QPKSSHTLAIDKMASVFYTLIPMLNPLIYSLRNKEVKDALKRTLNRFKIPI (SEQ ID NO: 135)

ATGAATCATGTGGTAAACACAATCACACGGCAGTGACCAAGGTGACTGAATTTATTCTCA
 TGGGGATTACAGACAACCTGGGCTGCAGGCTCCACTGTTGGACTCTTCCTCATCATATA
 TCTGGTCACAGTGATAGGCAATCTGGGCATGGTTATCTTGACCTACTTGGACTCCAAGCTA
 CACACCCCCATGTACTTTTCCCTTAGACATTTGTCAATCACTGATCTTGGTTACTCCACTGT
 5 CATTGCCCCGAAGATGTTAGTAACTTCATAGTGCACAAAAACACAATTTCTTACAATTGG
 TATGCCACTCAGCTAGCATTCTTTGAGATTTTCATCATCTCTGAGCTCTTTATTCTATCAGC
 AATGGCCTATGATCGCTACGTAGCCATCTGTAAACCTCTTCTGTACGTGATCATCATGGCA
 GAGAAAGTACTTTGGGTGCTGGTAATTGTTCCCTATCTCTATAGCACGTTTGTGTCACTATT
 TCTCACAAATTAAGTTATTTAAACTGCTTCTGTGGCTCAAACATAATCAGCTATTTTTACT
 10 GTGACTGTATCCCTCTGATGTCCATACTCTGTTCTGACACAAATGAATTAGAATTAATAAT
 TTTGATCTTCTCAGGCTGTAATTTGCTCTTCTCCCTCTCAATTGTTCTCATATCCTACATGTT
 TATTCTAGTGGCCATTCTCAGAATGAACTCAAGGAAAGGGAGGTACAAAGCCTTCTCCACC
 TGAGCTCTCATCTGACAGTGGTGATCATGTTCTATGGGACATTGTTATTTATTTACTTGCA
 ACCCAAGTCCAGTCATACTTTGGCTATTGATAAAATGGCCTCAGTGTTTATACCCTGTTG
 15 ATTCCTATGCTGAATCCGTTGATCTACAGCCTAAGGAACAAAGAAGTAAAGATGCTCTAA
 AGAGAACTTTAACCAATCGATTCAAAATTCCCATTTAA (SEQ ID NO: 136)

AOLFR74 sequences:

MEQHNLTTVNEFILTGITDIAELQAPLFAFLMIYVISVMGNLGMIVLTKLDSRLQTPMYFFLRH
 20 LAFMDLGYSTTVGPKMLVNFVVDKNIISYFCAATQLAFFLVFIGSELFILSAMSVDLYVAICNPL
 LYTIVMSRRVCQVLVAIPYLYCTFISLLVTIKIFTLFCGYNVISHFYCDLPLPLLCNSNTHIELI
 ILIFAADLISSLLIVLLSYLLILVAILRMNSAGRQKAFSTCGAHLTVVIVFYGTLLFMVYQPKSSH
 SFDTDKVASIFYTLVIPMLNPLIYSLRNKDVKYALRRTWNNLCNIFV (SEQ ID NO: 137)
 25 ATGGAACAACACAATCTAACAACGGTGAATGAATTCATTCTTACGGGAATCACAGATATC
 GCTGAGCTGCAGGCACCATTTATTTGCATTGTTCTCATGATCTATGTGATCTCAGTGATGG
 GCAATTTGGGCATGATTGTCCTACCAAGTTGGACTCCAGGTTGCAAACCCCTATGTACTT
 TTTCTCAGACATCTGGCTTTCATGGATCTTGGTTATTCAACAACGTGGGGACCCAAAATG
 TTAGTAAATTTTGTGTGGATAAGAATATAATTTCTTATTATTTTGTGCAACACAGCTAGC
 30 TTTCTTCTGTGTTCAATTGGTAGTGAACCTTTTTATTCTCTCAGCCATGTCCTACGACCTCT
 ATGTGGCCATCTGTAACCCCTCTGCTATACACAGTAATCATGTGCACGAAGGGTATGTCAGGT
 GCTGGTAGCAATCCCTTACCTCTATTGCACATTCATTTCTCTTCTAGTCACCATAAAGATTT
 TTACTTTATCCTTCTGTGGCTACAACGTCATTAGTCATTTCTACTGTGACAGTCTCCCTTTG
 TTACCTTTGCTTTGTTCAAATACACATGAAATTGAATTGATAATTCTGATCTTTGCAGCTAT
 35 TGATTTGATTTCTCTCTGATAGTTCTTTTATCTTACCTGCTCATCCTTGATAGCCATTCT
 CAGGATGAATTCGTGCTGGCAGACAAAAGGCTTTTTTCTACCTGTGGAGCCACCTGACAGTG
 GTCATAGTGTCTATGGGACTTTGCTTTTCATGTACGTGCAGCCCAAGTCCAGTCATTCTT
 TGACACTGATAAAGTGGCTTCCATATTTTACACCCTGGTTATCCCCATGTTGAATCCCTTGA
 TCTATAGTTTACGAAACAAAGATGTAATAATATGCCCTACGAAGGACATGGAATAACTTATG
 40 TAATATTTTTGTTTAA (SEQ ID NO: 138)

AOLFR75 sequences:

MEGKNQTNISEFLLLGFSSWQQQVLLFALFLCLYLTLGLFGNLLILLAIGSDHCLHTPMYFFLA
 NLSLVDLCLPSATVPKMLLNITQTQTISYPGCLAQMYFCMMFANMDNFLTVMAYDRYVAI
 45 CHPLHYSTIMALRLCASLVAAPWVIAILNPLLHTLMMAPHLHFCSDNVIHHFFCDINSLLPLSCSD
 TSLNQLSVLATVGLIFVPSVCILVSILIVSAVMKVPSAQGKLKAFSTCGSHLALVILFYGANT
 GVYMSPLSNHSTEKDSAASVIFMVVAPVLNPFYSLRNNELKGTLLKTLRPGAVAHACNPSTL
 GGRGGWIMRSGDRDHPG (SEQ ID NO: 139)
 50 ATGGAAGGGAAAAATCAAACCAATATCTCTGAATTTCTCCTCCTGGGCTTCTCAAGTTGGC
 AACAACAGCAGGTGCTACTCTTTGCACTTTTCTGTGTCTCTATTTAACAGGGCTGTTTGGGA
 AACTTACTCATCTTGCTGGCCATTGGCTCGGATCACTGCCTTCACACACCCATGTATTTCTT
 CCTTGCCAATCTGTCCTTGGTAGACCTCTGCCTTCCCTCAGCCACAGTCCCCAAGATGCTAC
 TGAACATCCAAACCCAAACCCAAACCATCTCCTATCCCGGCTGCCTGGCTCAGATGTATTT
 55 CTGTATGATGTTTGGCAATATGGACAATTTTCTTCTCACAGTGATGGCATATGACCGTTAC
 GTGGCCATCTGTCACCCCTTACATTACTCCACCATTATGGCCCTGCGCCTCTGTGCCTCTCT

GGTAGCTGCACCTTGGGTCATTGCCATTTTGAACCCTCTCTTGCACACTCTTATGATGGCCC
 ATCTGCACTTCTGCTCTGATAATGTTATCCACCATTTCCTTCTGTGATATCAACTCTCTCCTC
 CCTCTGTCTGTTCCGACACCAGTCTTAATCAGTTGAGTGTCTGGCTACGGTGGGGCTGA
 TCTTTGTGGTACCTTCAGTGTGTATCCTGGTATCCTATATCCTCATTGTTTCTGCTGTGATG
 5 AAAGTCCCTTCTGCCCAAGGAAAACCTCAAGGCTTTCTCTACCTGTGGATCTCACCTTGCCTT
 GGTCATTCTTTTCTATGGAGCAAACACAGGGGTCTATATGAGCCCTTATCCAATCACTCT
 ACTGAAAAAGACTCAGCCGCATCAGTCATTTTATGGTTGTAGCACCTGTGTTGAATCCAT
 TCATTTACAGTTTAAGAAACAATGAACTGAAGGGGACTTTAAAAAAGACCCTAAGCCGGC
 CGGGCGCGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCGGGGTGGATCA
 10 TGAGGTCAGGAGATCGAGACCATCCTGGCTAA (SEQ ID NO: 140)

AOLFR76 sequences:

MENNTEVSEFILLGLTNAPELQVPLFIMFTLIYLITLTGNLGMILLLLDSHLHTPMYFFLSNLSLA
 GIGYSSAVTPKVLTLGLLIEDKAISYSACAAQMFFCAVFATVENYLLSSMAYDRYAAVCNPLHY
 15 TTTMTTRVCACLAIGCYVIGFLNASIQIGDTRFLSFCMSNVIIHFFCDKPAVITLTCSEKHISELIL
 VLISFNVFFALLVTLISYLFILITILKRHTGKGQKPLSTCGSHLIAIFLYITVIIMYIRPSSSHSM
 DTDKIASVFTMIIPMLSPIVYTLRNKDVKNAFMKVVEKAKYSLDSVF (SEQ ID NO: 141)

ATGGAGAATAATACAGAGGTGAGTGAATTCATCCTGCTTGGTCTAACCAATGCCCCAGAA
 20 CTACAGGTTCCCTCTTTATCATGTTTACCCTCATCTACCTCATCACTCTGACTGGGAACCT
 GGGGATGATCATATTAATCCTGCTGGACTCTCATCTCCACACTCCCATGTACTTTTTTCTCA
 GTAACCTGTCTCTTGCAGGCATTGGTTACTCCTCAGCTGTCACTCCAAAGGTTTAACTGG
 GTTGCTTATAGAAGACAAAGCCATCTCCTACAGTGCCTGTGCTGCTCAGATGTTCTTTGT
 GCAGTCTTTGCCACTGTGGAATAATTACCTCTTGCTCAATGGCCTATGACCGCTACGCAG
 25 CAGTGTGTAACCCCTACATTATACCACCACCATGACAACACGTGTGTGTGCTTGTCTGGC
 TATAGGCTGTTATGTCATTGGTTTTCTGAATGCTTCTATCCAAATTGGAGATACATTTGCCC
 TCTCTTTCTGCATGTCCAATGTGATTCATCACTTTTTCTGTGACAAACCAGCAGTCATTACT
 CTGACCTGCTCTGAGAAACACATTAGTGAGTTGATTCTTGTTCCTATATCAAGTTTAAATGT
 CTTTTTGCACCTCTTGTACCTTGATTTCTATCTGTTCATATTGATCACCATTCTTAAGAG
 30 GCACACAGGTAAGGGATACCAGAAAGCCTTATCTACCTGTGGTTCTCACCTCATTGCCATT
 TTCTTATTTTATATAACTGTCATCATCATGTACATACGACCAAGTTCAGTCATTCCATGGA
 CACAGACAAAATTGCATCTGTGTTCTACACTATGATCATCCCCATGCTCAGTCCTATAGTCT
 ATACCCTGAGGAACAAAGACGTGAAGAATGCATTTCATGAAGGTTGTTGAGAAGGCAAAAT
 ATTCTCTAGATTCACTCTTTTAA (SEQ ID NO: 142)

35

AOLFR77 sequences:

MGDVNQSVASDFILVGLFSHSGSRQLLFSLVAVMFVIGLLGNTVLLFLIRVDSRLHTPMYFLLS
 QLSLFDIGCPMVTIPKMASDFLRGEGATSYGGAQAQIFFLTLMGVAEGVLLVLMSYDRYVAVC
 QPLQYPVLMRRQVCLLMMGSSWVVGVLNASIQTSITLHFPYCASRIVDHFFCEVPALLKLSCA
 40 DTCAYEMALSTSGVLILMLPLSLIATSYGHVLQAVLSMRSEEARHKAVTTCSSHITVVGFLFYGA
 AVFMYMVPCAYHSPQQDNVVSFLFYSLVPTLNLPLIYSLRNPEVWMALVKVLSRAGLRQMC
 (SEQ ID NO: 143)

ATGGGGGATGTGAATCAGTCGGTGGCCTCAGACTTCATTCTGGTGGGCCTCTTCAGTCACT
 45 CAGGATCACGCCAGCTCCTCTTCTCCCTGGTGGCTGTCATGTTTGTGATAGGCCTTCTGGGC
 AACACCGTTCTTCTCTTCTTGATCCGTGTGGACTCCCGGCTCCACACACCCATGTACTTCT
 GCTCAGCCAGCTCTCCCTGTTTGACATTGGCTGTCCCATGGTCACCATCCCCAAGATGGCA
 TCAGACTTTCTGCGGGGAGAAGGTGCCACCTCCTATGGAGGTGGTGCAGCTCAAATATTCT
 TCCTCACACTGATGGGTGTGGCTGAGGGCGTCTGTTGGTCTCATGTCTTATGACCGTTA
 50 TGTGTGCTGTGTGCCAGCCCTGCAGTATCCTGTACTTATGAGACGCCAGGTATGTCTGCTG
 ATGATGGGCTCCTCCTGGGTGGTAGGTGTGCTCAACGCCTCCATCCAGACCTCCATCACCC
 TGCATTTTCCCTACTGTGCCTCCCGTATTGTGGATCACTTCTTCTGTGAGGTGCCAGCCCTA
 CTGAAGCTCTCCTGTGCAGATACCTGTGCCTACGAGATGGCGCTGTCCACCTCAGGGGTGC
 TGATCCTAATGCTCCCTCTTTCCCTCATCGCCACCTCCTACGGCCACGTGTTGCAGGCTGTT
 55 CTAAGCATGCGCTCAGAGGAGGCCAGACACAAGGCTGTCAACACCTGCTCCTCGCACATCA
 CGGTAGTGGGGCTCTTTTATGGTGCCGCCGTGTTTCATGTACATGGTGCCTTGCGCCTACCA

CAGTCCACAGCAGGATAACGTGGTTTCCCTCTTCTATAGCCTTGTCACCCCTACACTCAAC
CCCCTTATCTACAGTCTGAGGAATCCGGAGGTGTGGATGGCTTGGTCAAAGTGCTTAGCA
GAGCTGGACTCAGGCAAATGTGCTGA (SEQ ID NO: 144)

5 **AOLFR78 sequences:**

MSPDGNHSSDPTEFVLAGLPNLNSARVELFSVFLVYLLNLTGNVLIVGVVRADTRLQTPMYF
FLGNLSCLEILLTSVIIPKMLSNFLSRQHTISFAACITQFYFYFFLGASEFLLAVMSADRYLAICH
PLRYPLMSGAVCFRVALACWVGGLVPVLGPTVAVALLPFCKQGA VVQHFFCDSGPLRLAC
TNTKKLEETDFVLASLVIVSSLLITAVSYGLIVLAVLSIPSASGRQKAFSTCTSHLIVVTLFYGSAI
10 FLYVRPSQSGSVDTNWAVTVITTFVTPLLNPFYALRNEQVKEALKDMFRKV VAGVLGNLLLD
KCLSEKAVK (SEQ ID NO: 145)

ATGAGTCCTGATGGGAACCACAGTAGTGATCCAACAGAGTTCGTCCTGGCAGGGCTCCCA
AATCTCAACAGCGCAAGAGTGGAATTATTTCTGTGTTTCTTCTGTCTATCTCCTGAATCT
15 GACAGGCAATGTGTTGATTGTGGGGGTGGTAAGGGCTGATACTCGACTACAGACCCCTAT
GTACTTCTTTCTGGGTAACCTGTCCTGCCTAGAGATACTGCTCACTTCTGTCATCATTCCAA
AGATGCTGAGCAATTTCTCTCAAGGCAACACACTATTTCTTTGCTGCATGTATCACCCA
ATTCTATTTCTACTTCTTTCTCGGGGCTCCGAGTTCTTACTGTTGGCTGTCATGTCTGCGG
ATCGCTACCTGGCCATCTGTCTATCCTCTGCGCTACCCCTTGCTCATGAGTGGGGCTGTGTG
20 CTTTCGTGTGGCCTTGGCCTGCTGGGTGGGGGACTCGTCCCTGTGCTTGGTCCCACAGTG
GCTGTGGCCTTGCTTCTTTCTGTAAGCAGGGTGTGTGGTACAGCACTTCTTCTGCGACA
GTGGCCCACTGCTCCGCTGGCTTGACCAACACCAAGAAGCTGGAGGAGACTGACTTTGT
CCTGGCCTCCCTCGTCATTGTATCTTCTTGCTGATCACTGCTGTGTCTACGGCCTCATTG
TGCTGGCAGTCCTGAGCATCCCCCTCTGCTTCAGGCCGTCAGAAGGCCTTCTCTACCTGTAC
25 CTCCCACCTTGATAGTGGTGACCTCTTCTATGGAAGTGCCATTTTCTCTATGTGCGGCCAT
CGCAGAGTGGTTCTGTGGACACTAACTGGGCAGTGACAGTAATAACGACATTTGTGACAC
CACTGTTGAATCCATTCTATGCCTTACGTAATGAGCAAGTCAAGGAAGCTTTGAAGGA
CATGTTTAGGAAGGTAGTGGCAGGCGTTTATAGGAATCTTTACTTGATAAATGTCTCAGT
GAGAAAGCAGTAAAGTAA (SEQ ID NO: 146)

30

AOLFR79 sequences:

MTPGELALASGNHTPVTKFILQGFSNYPDLQELLFGAILLIYAITVVGNLGMMLIFTDSHLQSP
MYFFLNVL SFLDICYSVVTPKLLVNFLVSDKSISFEGCVVQLAFFVVHVTAESFLLASMA YDR
FLAICQPLHYGSIMTRGTCLQLVAVSYAFGGANSIAIQTGNVFALPFCGPNQLTHYYCDIPLLH
35 LACANTATARVVLVYFSALVTLLPAAVILTSYCLVLVAIGRMRSVAGREKDLSTCASHFLAIAI
FYGTVVFTYVQPHGSTNNTNGQVVS VFYTHIIPMLNPFYSLRNKEVK GALQRKLQVNIFPG
(SEQ ID NO: 147)

ATGACACCTGGAGAACTAGCCCTTGCCAGTGGCAACCACACCCCAAGTACCAAGTTCATCT
40 TGCAGGGATTCTCCAATTATCCAGACCTCCAGGAGCTTCTCTTCGGAGCCATCCTGCTCAT
CTATGCCATAACAGTGGTGGGCAACTTGGGAATGATGGCACTCATCTTCACAGACTCCCAT
CTCCAAAGCCCAATGTATTTCTTCTCAATGTCCTCTCGTTTCTTGATATTTGTTACTCTTCT
GTGGTCAACCTAAGCTCTTGGTCAACTTCTGGTCTCTGACAAGTCCATCTCTTTTGAGG
GCTGTGTGGTCCAGCTCGCTTCTTTGTAGTGCATGTGACAGCTGAGAGCTTCTGCTGGC
45 CTCCATGGCCTATGACCGCTTCTAGCCATCTGTCAACCCCTCCATTATGGTTCTATCATGA
CCAGGGGGACCTGTCTCCAGCTGGTAGCTGTGTCTATGCATTTGGTGGAGCCAACTCCGC
TATCCAGACTGGAAATGTCTTTGCCCTGCCTTTCTGTGGGCCCAACCACTAACACACTAC
TACTGTGACATAACACCCCTTCTCCACCTGGCTTGTGCCAACACAGCCACAGCAAGAGTGG
TCCTCTATGTCTTTTCTGCTCTGGTCAACCTTCTGCCTGCTGCAGTCATTCTCACCTCCTACT
50 GCTTGGTCTTGGTGGCCATTGGGAGGATGCGCTCAGTAGCAGGGAGGGAGAAGGACCTCT
CCACTGTGCTCTCCACTTTCTGGCCATTGCCATTTTCTATGGCACTGTGGTTTTACCTAT
GTTTCAGCCCCATGGATCTACTAACAATACCAATGGCCAAGTAGTGTCCGTCTTCTACACCA
TCATAATTCCCATGCTCAATCCCTTCATCTATAGCCTCCGCAACAAGGAGGTGAAGGGCGC
TCTGCAGAGGAAGCTTCAGGTCAACATCTTTCCCGGCTGA (SEQ ID NO: 148)

55

AOLFR80 sequences:

MEGINKTAKMQFFRPFSPDPEVQMLIFVVFLMMYLTSLGGNATIAVIVQINHSLHTPMYFFLA
NLAVLEIFYTSSITPLALANLLSMGKTPVSITGCGTQMFFFVFLGGADCVLLVVMAYDRFIAICH
PLRYRLIMSWSLCVELLVGSVLGFLLSLPLTILFHLPFCHNDEIYHFYCDMPAVMRLACADTR
5 VHKTALYIISFIVLSIPLSLISISYVFIVVAILRIRSAEGRQQAYSTCSSHILVLLQYGCTSFYILSPS
SSYSPEMGRVVSVAYTFTIPILNPLIYSLRNKELKDALRKALRKF (SEQ ID NO: 149)

ATGGAAGGAATAAAATAAACTGCAAAGATGCAGTTTTTCTTTTCGTCCATTCTCACCTGACC
CTGAGGTCCAGATGCTGATTTTTGTGGTCTTCTGATGATGTATCTGACCAGCCTCGGTGG
10 AAATGCTACAATTGCAGTCATTGTTTCAGATCAATCATTCCCTCCACACCCCCATGTACTTTT
TCCTGGCTAATCTGGCAGTTCTAGAAATCTTCTATACATCTTCCATCACCCCATTTGGCCTTG
GCAAACCTCCTTTCAATGGGCAAACTCCTGTTTCCATCACGGGATGTGGCACCCAGATGT
TTTTCTTTGTCTTCTTGGGTGGGGCTGATTGTGTCTGCTGGTAGTCATGGCTTATGACCGG
TTTATAGCGATCTGTACCCCTCTGCGATACAGGCTCATCATGAGCTGGTCCTTGTGTGTGG
15 AGCTGCTGGTAGGCTCCTTGGTGTCTGGGGTCTGTTGTCACTGCCACTCACCATTTTAATC
TTCCATCTCCCATTCTGCCACAATGATGAGATCTACCACTTCTACTGTGACATGCCTGCAGT
CATGCGCCTGGCTTGTGCAGACACACGCGTTCACAAGACTGCTCTGTATATCATCAGCTTC
ATCGTCCTTAGCATCCCCCTCTCATTGATCTCCATCTCCTATGTCTTCATCGTGGTAGCCAT
TTTACGGATCCGGTCAGCAGAAGGGCGCCAGCAAGCCTACTCTACCTGCTCTTCTCACATC
20 TTAGTGGTCCTCCTGCAGTATGGCTGCACCAGCTTTATATACTTGTCCCCCAGTTCCAGCTA
CTCTCCTGAGATGGGCGGGTGGTATCTGTGGCCTACACATTTATCACTCCCATTTTAAAC
CCCTTGATCTATAGTTTGAGGAACAAGGAACTGAAAGATGCCCTAAGGAAAGCATTGAGA
AAATTCTAG (SEQ ID NO: 150)

AOLFR81 sequences:

MGVKNHSTVTEFLLSGLTEQAELQLPLFCLFLGIYTVTVVGNLSMISIRLNRLHTPMYYFLSS
LSFLDFCYSSVITPKMMKLWMESHLPETRPSPRMMSNQTLVTEFILQGFSEHPEYRVFLFSCF
LFLYSGALTGNVLITLAITFNPGLHAPMYFFLLNLATMDIICTSSIMPKALASLVSEESSISYGGC
MAQLYFLTWAASSELLLLTVMAYDRYAACHPLHYSSMMSKVFCGLATAVWLLCAVNTAIH
30 TGLMLRLDFCGPNVHHFFCEVPPLLLSCSSTYVNGVMIVLADAFYGIVNFLMTIASYGFIVSSI
LKVKTAWGRQKAFSTCSSHLTVVCMYYTAVFYAYISPVSGYSAGKSKLAGLLYTVLSPTLNPL
IYTLRNKEVKAALRLKLPFFRN (SEQ ID NO: 151)

ATGAAGCTGTGGATGGAGAGTCACCTGATAGTCCAGAAACCCGTCCAGCCCAAGGATG
ATGAGTAACCAGACGTTGGTAACCGAGTTCATCCTGCAGGGCTTTTCGGAGCACCCAGAAT
ACCGGGTGTTCCTTATTCAGCTGTTTCTCTTCTCTACTCTGGGGCCCTCACAGGTAATGTC
CTCATCACCTTGGCCATCACGTTCAACCCTGGGCTCCACGCTCCTATGTACTTTTTCTTACT
CAACTTGGCTACTATGGACATTATCTGCACCTCTTCCATCATGCCCAAGGCGCTGGCCAGT
CTGGTGTCTGGAAGAGAGCTCCATCTCCTACGGGGGCTGCATGGCCAGCTCTATTTCTCTCA
40 CGTGGGCTGCATCCTCAGAGCTGCTGCTCCTCACGGTCATGGCCTATGACCGGTACGCAGC
CATCTGCCACCCGCTGCATTACAGCAGCATGATGAGCAAGGTGTTCTGCAGCGGGCTGGCC
ACAGCCGTGTGGCTGCTCTGCGCCGTCAACACGGCCATCCACACGGGGCTGATGCTGCGCT
TGGATTTCTGTGGCCCCAATGTCATTATCCATTTCTTCTGCGAGGTCCCTCCCTGCTGCTT
CTCTCCTGCAGCTCCACCTACGTCAACGGTGTCTGATTGTCTGGCGGATGCTTTCTACG
45 GCATAGTGAACCTTCTGATGACCATCGCGTCTATGGCTTCATCGTCTCCAGCATCCTGAA
GGTGAAGACTGCCTGGGGGAGGCAGAAAGCCTTCTCCACCTGCTCTTCCACCTCACCGTG
GTGTGCATGTATTACACCGCTGTCTTCTACGCCTACATAAGCCCGGTCTCTGGCTACAGCG
CAGGGAAGAGCAAGTTGGCTGGCCTGCTGTACACTGTGCTGAGTCTACCTCAACCCCT
CATCTATACTTTGAGAAACAAGGAGGTCAAAGCAGCCCTCAGGAAGCTTTTCCCTTTCTTC
50 AGAAATTAA (SEQ ID NO: 152)

AOLFR82 sequences:

MQLNNNVTEFILLGLTQDPFWKKIVFVIFLRLYLGTLLGNLLIIISVKASQALKNPMFFFLFYLSL
SDTCLSTSIAPRMIVDALKKTTISFSECMIQVFSSHVFGCLEIFILILTAVDRYVDICKPLHYMTII
55 SQWVCGLMAVAWVGSCVHSLVQIFLALSLPFCGPNVINHCFCDLQPLLKQACSETYVVNLLL

VSNSGAICAVSYVMLIFSIVFLHSLRNHSAEVIKKALSTCVSHIIVVILFFGPCIFMYTCPATVFP
MDKMIAVFYTVGTSFLNPVIYTLKNTEVKSAMRKLWSKKLITDDKR (SEQ ID NO: 153)

5 ATGCAACTGAATAATAATGTGACTGAGTTCATTCTGCTTGGATTGACACAGGATCCTTTTT
GGAAGAAAATAGTGTGTTTATTTTTTTCGCTCTCTACTTGGGAACACTGTTGGGTAATTT
GCTAATCATTATTAGTGTCAAGGCCAGCCAGGCACCTAAGAACCCAATGTTCTTCTTCCTT
TTCTACTTATCTTTATCTGATACTTGCCTCTCTACTTCCATAGCCCCTAGAATGATTGTGGA
TGCCCTTTTGAAGAAGACAACCTATCTCCTTCAGCGAGTGCATGATCCAAGTCTTTTCATCC
10 CATGTCTTTGGCTGCCTGGAGATCTTCATCCTCATCCTCACGGCTGTTGACCGCTATGTGGA
CATCTGTAAGCCCCTGCACTACATGACCATCATAAGCCAGTGGGTCTGTGGTGTGTTTGATG
GCTGTGGCCTGGGTGGGATCCTGTGTGCATTCTTTAGTTCAGATTTTTCTTGCCCTGAGTTT
GCCATTCTGTGGCCCCAATGTGATCAATCACTGTTTCTGTGACTTGACGCCCTTGTTGAAA
CAAGCCTGTTTCAAGAACCTATGTGGTTAACTACTCCTGGTTTCCAATAGTGGGGCCATTT
GTGCAAGTGAAGTGTGCTAATAATCTCTCATGTGCTCTCCACATCATTTCTGAGAAAC
15 CACAGTGTGAAGTGATAAAGAAAGCACTTCCACATGTGTCTCCACATCATTTGTGGTCA
TCTGTCTTTGGACCTTGCATATTTATGTACACATGCCCTGCAACCGTATTCCCCATGGAT
AAGATGATAGCTGTATTTTATACAGTTGGAACATCTTTTCTCAACCCTGTGATTTACACGCT
GAAGAATACAGAAGTGAAAAGTGCCATGAGGAAGCTTTGGAGCAAGAAATTGATCACAGA
TGACAAAAGATAA (SEQ ID NO: 154)

20

AOLFR83 sequences:

MGNWTAAVTEFVLLGFSLREVELLLLVLPTFLLTLLGNLLIISTVLSCSRLHTPMYFFLCNL
SILDILFTSVISPKVLANLGSRDKTISFAGCITQCYFYFFLGTVEFLLLTVMYSDRYATICPLRYT
TIMRPSVCIGTVVFSWVGGFLSVLFPTILISQLPFCGSNIINHFFCDSGPLLALACADTTAIELMDF
25 MLSSMVLCCIVLVAYSITYIILTIVRIPSASGRKKAFNTCASHLTIVIIPSGITVFIYVTPSQKEYL
EINKIPLVLSSVTPFLNPFYITLRNDTVQGVLRDVWVRVGVFEKRMRAVLRSLSSNKDHQ
GRACSSPPCVYSVKLQC (SEQ ID NO: 155)

30 ATGGGTAACTGGACTGCAGCGGTGACTGAGTTTGTCTGCTGGGGTTTTCCCTGAGCAGGG
AGGTGGAGCTGCTGCTCCTGGTGCTCCTGCTGCCACGTTCTGCTGACTCTTCTGGGGAA
CCTGCTCATCATCTCCACTGTGCTGTCTGCTCCCGCCTCCACACCCCCATGTACTTCTTCT
TGTGCAACCTCTCTATCCTGGACATCCTCTTACCTCAGTCATCTCTCAAAAAGTGTGGCC
AACTTAGGATCTAGGGATAAAACCATCTCCTTTGCCGGATGTATCACCCAGTGCTATTTCT
ACTTTTTCTTGGGCACAGTTGAGTTCTCCTGCTGACGGTCATGTCTATGACCGTTATGCC
35 ACCATCTGCTGCCCCCTGCGGTACACCACCATCATGAGACCTTCTGTCTGCATTGGGACCG
TTGTATTCTCTTGGGTGGGAGGCTTCTGTCTGTGCTCTTTCCAACCATCCTCATCTCCCAG
CTGCCCTTCTGTGGCTCCAATATCATTAAACCACTTCTTCTGTGACAGTGGACCTTGCTGGC
CCTGGCCTGTGCAGACACCACTGCCATCGAGCTGATGGATTTTATGCTTTCTTCCATGGTC
ATCCTCTGTGCATAGTCTCGTGGCCTATTCCTATACGTACATCATCTTGACCATAGTGGC
40 CATTCCTTCTGCAAGTGGAAGGAAGGCCTTTAATACCTGTGCTTCCACCTGACCATA
GTCATCATTCCTAGTGGCATCACTGTGTTTATCTATGTGACTCCCTCCCAGAAAGAATATCT
GGAGATCAACAAGATCCCTTTGGTTCTGAGCAGTGTGGTGAATTCCTCAACCCCTTT
ATATATACTCTGAGGAATGACACAGTGCAGGGAGTCTCAGGGATGTGTGGGTGAGGGTT
CGAGGAGTTTTTGAAGAAGAGGATGAGGGCAGTGTGAGAAGCAGATTATCCTCCAACAAA
45 GACCACCAAGGAAGGGCTTGCTCTTCTCCACCATGTGTCTATTCTGTAAAGCTCCAGTGT
AG (SEQ ID NO: 156)

AOLFR85 sequences:

50 MGAKNNVTEFVFLFGLFESREMQHTCFVVFFLFHVLTVLGNLLVIITINARKTLKSPMYFFLSQL
SFADICYPSTTIPKMIADTFVEHKIISFNGCMTQLFSAHFFGGTEIFLLTAMAYDRYVAICRPLHY
TAIMDCRKCGLLAGASWLAGFLHSILQTLTVQLPFCGPNEIDNFFCDVHPLLKLACADTYMV
GLIVVANSGMISLASFFILIISYVILLNLRSSQSEDRRAVSTCGSHVITVLLVLMPPMFMYIRPS
TTLAADKLIILFNIVMPPLLNPFIYTLRNNDVKNAMRKLFRVKRSLGEK (SEQ ID NO: 157)

55 ATGGGTGCCAAGAACAATGTGACTGAGTTTGTGTTTTATTTGGCCTTTTTGAGAGCAGAGAGA
TGCAGCATACATGCTTTGTGGTATTCTTCTCTTTTCATGTGCTCACTGTCTGGGGAACCTT

CTGGTCATCATCACCATCAATGCTAGAAAGACCCTGAAGTCTCCCATGTATTTCTTCCTGA
GCCAGTTGTCTTTTGCTGACATATGTTATCCATCCACTACCATAACCAAGATGATTGCTGAC
ACTTTTGTGGAGCATAAGATCATCTCCTTCAATGGCTGCATGACCCAGCTCTTTTCTGCCCA
CTTCTTTGGTGGCACTGAGATCTTCCTCCTTACAGCCATGGCCTATGACCGCTATGTGGCC
5 ATCTGTAGGCCCTGCACTACACAGCCATCATGGATTGCCGGAAGTGTGGCCTGCTAGCGG
GGGCTCCTGGTTAGCTGGCTTCCTGCATTCCATCCTGCAGACCCTCCTCACGGTTCAGCTG
CCTTTTGTGGGCCCAATGAGATAGACAACCTTCTTCTGTGATGTTTCATCCCTGCTCAAGTT
GGCCTGTGCAGACACCTACATGGTAGGTCATCGTGGTGGCCAACAGCGGTATGATTTCT
Ttagcatcctttttatccttatcatttccatatgttatcatcttactgaacctaaagaagcca
10 gtcattctgaggaccggcgtaaggctgtctccacatgtggctcacacgtaatcaactgtcctt
TTGGTTCTCATGCCCCCATGTTTCATGTACATTCGTCCCTCCACCACCCTGGCTGCTGACAA
ACTTATCATCCTCTTTAACATTGTGATGCCACCTTTGCTGAACCTTTGATCTATACTAA
GGAACAACGATGTGAAAAATGCCATGAGGAAGCTGTTTAGGGTCAAGAGGAGCTTAGGGG
AGAAGTGA (SEQ ID NO: 158)

15

AOLFR86 sequences:

MQLVLLLMFLLVFIGNTAPAFSVTLESMDIPQNITEFFMLGLSQNSEVQRVLFVVFLLIYVVTVC
GNMLIVVTITSSPTLASPVYFFLANLSFIDTFYSSSMAPKLIADSLYEGRTISYECCMAQLFGAHP
LGGVEILLTVMAYDRYVAICKPLHNTTIMTRHLCAMLVGVAWLGGFLHSLVQLLLVLWLPFC
20 GPNVINHFACDLYPLLEVACTNTYVIGLLVVANSGLICLLNFLMLAASYIVILYSLRSHSADGRC
KALSTCGAHFIVVAFVFCIFTYVHPFSTLPIDKNMALFYGILTPMLNPLIYTLRNEEVKNAMR
KLFTW (SEQ ID NO: 159)

ATGCAATTAGTTCTATTACTTATGTTTCTCCTTGTCTTTATAGGCAATACTGCACCTGCATT
25 CTCAGTGACCTTGAATCTATGGACATACCACAAAATATCACAGAATTTTTCATGCTGGGG
CTCTCACAGAACTCAGAGGTACAGAGAGTTCTCTTTGTGGTCTTTTGTGCTGATCTATGTGG
TCACGGTTTGTGGCAACATGCTCATTGTGGTCACTATCACCTCCAGCCCCACGCTGGCTTC
CCCTGTGATTTTTTCTGGCCAACCTATCCTTTATTGACACCTTTTATTCTTCTTCTATGGC
TCCTAAACTCATGTGCTGACTCATTGTATGAGGGGAGAACCATCTCTATGAGTGCTGCATG
30 GCTCAGCTCTTTGGAGCTCATTTTTTGGGAGGTGTTGAGATCATTCTGCTCACAGTGATGG
CTTATGACCGCTATGTGGCCATCTGTAAGCCCTGCACAATACTACCATCATGACCAGGCA
TCTCTGTGCCATGCTTGTAGGGGTGGCTTGGCTTGGGGGCTTCTGCAATTCATTGGTTTCA
CTCCTCCTGGTCTTTGGTTGCCCTTCTGTGGGCCCAATGTGATCAATCACTTTGCCTGTGA
CTTGTAACCTTTGCTGGAAGTTGCTGCACCAATACGTATGTCATTGGTCTGCTGGTGGTT
35 GCCAACAGTGTTTAACTGCTGTTGAACCTTCTCATGCTGGCTGCTCCTACATTGTCAT
CCTGTACTCCTTGAGGTCCCACAGTGCAGATGGGAGATGCAAAGCCCTCTCCACCTGTGGA
GCCCCATTTCATTGTTGTTGCCTTGTCTTTGTGCCCTGTATATTTACTTATGTGCATCCATTT
TCTACTTTACCTATAGACAAAAATATGGCATTATTTTATGGTATTCTGACACCTATGTTGAA
TCCACTCATTTATACCCTGAGAAATGAAGAGGTAAAAAATGCCATGAGAAAGCTCTTTACA
40 TGGTAA (SEQ ID NO: 160)

AOLFR87 sequences:

MNNIAQLSLGFIDLIPSVLQKIILTKIILLFKMYVSNCPNCAIHRKINYPNTKLDFEQVNNITEFI
LLGLTQNAEAQKLLFAVFTLIYFLTMVDNLIIVVTITSPALDSPVYFFLSFFSFIDGCSSTMAP
45 KMIFDLLTEKKTISFSGCMTQLFVEHFFGGVEILLVVMAYDCYVAICKPLYLITMNRQVCG
LVAMAWVGGFLHALIQMLLIVWLPFCGPNVIDHFICDLFLLKLSCTDTHVFLFVAANSGLM
CMLJFSILITSYVLILCSQRKALSTCAFHITVVVLFVPCILVYLRPMITFPIDKAVSVFYTVVTPM
LNPLIYTLRNTTEVKNAMKQLWSQIIWGNLDCD (SEQ ID NO: 161)

ATGAATAACATAGCTCAACTTAGTCTTGGGTTTATAGATTTAGGGATTCCATCAGTGTTAC
AGAAAATAATCCTGACCAAAATTATTTTATTGTTCAAATGTATGTGTCAAATTGCAATCC
TTGTGCTATTACAGAAAAATCAATTATCCAAATACCAAAGTTCGAGCAAGTGAAC
AACATAACGGAATTCATCTTGCTTGGCCTGACACAGAACGCAGAGGCACAGAACTCTTGT
TTGCTGTGTTTACACTCATCTACTTTCTCACCATGGTAGACAACCTAATCATTGTGGTGACA
55 ATCACCACCAGCCCAGCCCTGGACTCCCCCGTATTTTTTCTGTCTTTCTTTCTCTTCAT
AGATGGCTGCTCCTCTTCTACCATGGCCCCAAAAATGATATTTGACTTACTCACTGAAAAAG

AAAACTATTTTCCTTCAGTGGGTGCATGACCCAGCTCTTTGTAGAACATTTCTTTGGGGGAG
 TTGAGATCATTCTGCTCGTGGTGATGGCCTATGACTGCTATGTGGCCATCTGCAAGCCCCCT
 GTACTACCTGATCACAATGAACAGGCAGGTATGTGGCCTCCTGGTGGCCATGGCATGGGTCT
 5 GGGGGATTTCCTCACGCTCTGATTCAAATGCTTTTAATAGTCTGGCTGCCCTTCTGTGGCCC
 CAATGTCATTGACCATTTTCATCTGTGACCTTTCCCTCTGCTAAAACTCTCCTGCACTGACA
 CTCACGTCTTTGGACTCTTTGTTGCCGCCAACAGTGGGCTGATGTGTATGCTCATTITTTCT
 ATTCITATTACCTCTTACGTCCTAATCCTCTGCTCACAGCGGAAGGCTCTCTCTACCTGCGC
 CTTCCATATCACTGTAGTCGTCCTATTCTTTGTTCCCTGTATATTGGTGTACCTTCGACCCA
 10 TGATCACCTTCCCTATTGATAAAAGCTGTGTCTGTGTTTTATACTGTGGTAACACCCATGTTA
 AACCCTTTAATCTACACCCTCAGAAACACAGAGGTGAAAAATGCCATGAAGCAGCTCTGG
 AGCCAAATAATCTGGGGTAACAATTTGTGTGATTAG (SEQ ID NO: 162)

AOLFR88 sequences:

15 MWQKNQTSLADFILEGLFDDSLTHLFLFSLTMVVFLIAVSGNTLTILLICIDPQLHTPMYFLLSQ
 LSLMDLMHVSTILKMATNYLSGKKSISFVGCATQHFLYLCLGGAECFLAVMSYDRYVAICH
 PLRYAVLMNKKVGLMMAVMSWLGASVNSLIHMAILMHFPFCGPRKVYHFYCEFPVVKLV
 GDITVYETTVYISSILLLLPIFLISTSYVFILQSVIQMRSSGSKRNAFATCGSHLTVVSLWFGACIFS
 YMRPRSQCTLLQNKVGSVFSIITPTLNSLIYTLRNKDVAKALRRVLRRDVITQCIQRLQLWLP
 RV (SEQ ID NO: 163)

20 ATGTGGCAGAAGAATCAGACCTCTCTGGCAGACTTCATCCTTGAGGGGCTCTTCGATGACT
 CCCTTACCCACCTTTTCCTTTCTCCTTGACCATGGTGGTCTTCCTTATTGCGGTGAGTGGC
 AACACCCTCACCATTCTCCTCATCTGCATTGATCCCCAGCTTCATACACCAATGTATTTCT
 25 GCTCAGCCAGCTCTCCCTCATGGATCTGATGCATGTCTCCACAATCATCCTGAAGATGGCT
 ACCAACTACCTATCTGGCAAGAAATCTATCTCCTTTGTGGGCTGTGCAACCCAGCACTTCC
 TCTATTTGTGTCTAGGTGGTGTGAATGTTTTCTCTTAGCTGTCATGTCCTATGACCGCTAT
 GTTGCCATCTGTATCCACTGCGCTATGCTGTGCTCATGAACAAGAAGGTGGGACTGATGA
 TGGCTGTCTGTATGTTGGGGGCATCCGTGAACCTCCCTAATTCATGCGCATCTTGAT
 30 GCACTTCCCTTTCTGTGGGCCTCGGAAAGTCTACCACTTCTACTGTGAGTTCCAGCTGTTG
 TGAAGTTGGTATGTGGCGACATCACTGTGTATGAGACCACAGTGTACATCAGCAGCATTCT
 CCTCCTCCTCCCATCTTCCTGATTTCTACATCCTATGTCTTCATCCTTCAAAGTGTCAATCA
 GATGCGCTCATCTGGGAGCAAGAGAAATGCCTTTGCCACTTGTGGCTCCACCTCACGGTG
 GTTTCTCTTTGGTTTGGTGCCTGCATCTTCTCCTACATGAGACCCAGGTCCCAGTGCATCT
 35 ATTCGAGAACAAGTTGGTTCTGTGTTCTACAGCATCATTACGCCACATTGAATTCTCTG
 GTTATCACCCAGTGCATTCAACGACTGCAATTGTGGTTGCCCCGAGTGTAG (SEQ ID NO:
 164)

AOLFR89 sequences:

40 MLDPSSISHTLYLHSLFPQGLRKGMWQKNQTSLADFILEGLFDDSLTHLFLFSLTMVVFLIAVS
 GNTLTILLICIDPQLHTPMYFLLSQLSLMDLMHVSTILKMATNYLSGKKSISFVGCATQHFLYL
 CLGGAECFLAVMSYDRYVAICHPLRYAVLMNKKVGLMMAVMSWLGASVNSLIHMAILMHF
 PFCGPRKVYHFYCEFPVVKLVCGDITVYETTVYISSILLLLPIFLISTSYVFILQSVIQMRSSGSK
 RNAFATCGSHLTVVSLWFGACIFS YMRPRSQCTLLQNKVGSVFSIITPTLNSLIYTLRNKDVA
 45 KALRRVLRRDVITQCIQRLQLWLP (SEQ ID NO: 165)

50 ATGCTGGACCCAGTATTTCCAGTCACACTCTTTATCTCCACTCTCTGTTTCCTCAGGGATT
 GAGAAAGGGGACAAATGTGGCAGAAGAATCAGACCTCTCTGGCAGACTTCATCCTTGAGGG
 GCTCTTCGATGACTCCCTTACCCACCTTTTCCTTTCTCCTTGACCATGGTGGTCTTCCTTAT
 TGCGGTGAGTGGCAACACCCTCACCATTCTCCTCATCTGCATTGATCCCCAGCTTCATACA
 CCAATGTATTTCTGCTCAGCCAGCTCTCCCTCATGGATCTGATGCATGTCTCCACAACCAT
 CCTGAAGATGGCTACCAACTACCTATCTGGCAAGAAATCTATCTCCTTTGTGGGCTGTGCA
 55 ACCCAGCACTTCCCTCTATTTGTGTCTAGGTGGTGTGAATGTTTTCTCTTAGCTGTCATGTC
 CTATGACCGCTATGTTGCCATCTGTCTCATCCACTGCGCTATGCTGTGCTCATGAACAAGAAG
 GTGGGACTGATGATGGCTGTCTATGTTGGGGGCATCCGTGAACCTCCCTAATTCACA
 TGGCGATCTTGATGCACTTCCCTTTCTGTGGGCCTCGGAAAGTCTACCACTTCTACTGTGA

GTTCCCAGCTGTTGTGAAGTTGGTATGTGGCGACATCACTGTGTATGAGACCACAGTGTAC
 ATCAGCAGCATTCTCCTCCTCCTCCCCATCTTCCTGATTTCTACATCCTATGTCTTCATCCTT
 CAAAGTGTCAATTCAGATGCGCTCATCTGGGAGCAAGAGAAATGCCTTTGCCACTTGTGGCT
 CCCACCTCACGGTGGTTTTCTCTTTGGTTTGGTGCCTGCATCTTCTCCTACATGAGACCCAGG
 5 TCCAGTGCACCTCTATTGCAGAACAAAGTTGGTTCTGTGTTCTACAGCATCATTACGCCCA
 CATTGAATTCTCTGATTATACTCTCCGGAATAAAGATGTAGCTAAGGCTCTGAGAAGAGT
 GCTGAGGAGAGATGTTATCACCCAGTGCATTCAACGACTGCAATTGTGGTTGCCCCGAGTG
 TAG (SEQ ID NO: 166)

10 **AOLFR90 sequences:**

MFSMTTEALNNFALGCTNLLMTMIPQIDLKQIFLCPNCRLYMIPVGAFIFSLGNMQNQSFVTEF
 VLLGLSQNPVQEIFVVFVFLVYIATVGGNMLIVVTILSSPALLVSPMYFFLGFLSFLDACFSSVI
 TPKMIVDSLYVTKTISFEGCMMQLFAEHFFAGVEVIVLTAMAYDRYVAICKPLHYSSIMNRRL
 CGILMGVAWTGGLLHSMIQILFTFQLPFCGPNVINHFMCPLYLLELACTDTHIFGLMVVINS
 15 FICINFSLLLVSAYAVILLSLRTHSSEGRWKALSTCGSHIAVVILFFVPCIFVYTRPPSAFSLDKMA
 AIFYIILNPLNPLYTFRNKEVKQAMRRIWNRLMVVSDEKENIKL (SEQ ID NO: 167)

ATGTTCTCAATGACAACAGAAGCACTCAATAATTTTGCACCTGGATGTACCAACTTGTTAA
 TGACTATGATACCACAAAATTGATCTGAAGCAAATTTTCCTTTGTCCTAATTGCAGACTATA
 20 CATGATCCCTGTTGGAGCTTTCATCTTTTCCTTGGGAAACATGCAAAACCAAAGCTTTGTA
 ACTGAGTTTGTCTCCTGGGACTTTCACAGAATCCAAATGTTTCAGGAAATAGTATTTGTTG
 TATTTTTGTTTGTCTACATTGCAACTGTGGGGGCAACATGCTAATTGTAGTAACCATCTC
 AGCAGCCCTGCTCTTCTGGTGTCTCCTATGTACTTCTTCTGGGCTTCTGTCCTTCTGGA
 TCGCTGCTTCTCATCTGTCTATCACCCCAAAGATGATTGTAGACTCCCTCTATGTGACAAAA
 25 ACCATCTCTTTTGAAGGCTGCATGATGCAGCTCTTTGCTGAACACTTCTTTGCTGGGGTGG
 AGGTGATTGTCCTCACAGCCATGGCCTATGATCGTTATGTGGCCATTGCAAGCCCTTGCA
 TTAATCTTCTATCATGAACAGGAGGCTCTGTGGCATTCTGATGGGGGTAGCCTGGACAGGG
 GGCCTCTTGCAATCCATGATACAAATCTTTTTACTTTCCAGCTTCCCTTTTGTGGCCCCAA
 TGTCATCAATCACTTTATGTGTGACTTGTACCCGTTACTGGAGCTTGCCTGCACTGATACTC
 30 ACATCTTTGGCCTCATGGTGGTCATCAACAGTGGGTTTATCTGCATCATAAACTTCTCCTTG
 TTGCTTGTCTCCTATGCTGTCTCTCTCTGAGAACACACAGTTCTGAAGGGCGCTG
 GAAAGCTCTCTCCACCTGTGGATCTCACATTGCTGTTGTGATTTTGTCTTTGTCCCATGCA
 TATTTGTATATACACGACCTCCATCTGCTTTTTCCCTTGACAAAATGGCGGCAATATTTTAT
 ATCATCTTAAATCCCTTGCTCAATCCTTTGATTTACACTTTCAGGAATAAGGAAGTAAAC
 35 AGGCCATGAGGAGAATATGGAACAGACTGATGGTGGTTTCTGATGAGAAAGAAAATATTA
 AACTTTAA (SEQ ID NO: 168)

AOLFR91 sequences:

MGNWSTVTEITLIAFPALLEIRISLFFVLVVVYTLTATGNITIISLIWIDHRLQTPMYFFLSNLSFL
 40 DILYTTVITPKLLACLGEKTIISFAGCMIQTYFYFFLGTVEFILLAVMSFDRYMAICDPLHYTVI
 MNSRACLLLVLGCWVGAFSLVLFPTIVVTRLPHYCRKEINHFFCDIAPLLQVACINTHLIEKINFL
 SALVILSSLAFTTGSYVYIISTILRIPSTQGRQKAFSTCASHITVVSIAHGSNIFVYVRPNQNSSLD
 YDKVA AVLITVVTPLNPFYSLRNEKVQEVLRQTVNRIMTLIQRKT (SEQ ID NO: 169)

ATGGGAAACTGGAGCACTGTGACTGAAATCACCTAATTGCCTTCCCAGCTCTCCTGGAGA
 TTCGAATATCTCTCTTCGTGGTTCTTGTGGTAACTTACACATTAACAGCAACAGGAAACAT
 CACCATCATCTCCCTGATATGGATTGATCATCGCCTGCAAACTCCAATGTACTTCTCCTCA
 GTAATTTGTCTTTCTGGATATCTTATACACCACTGTCATTACCCCAAAGTTGTTGGCCTGC
 CTCCTAGGAGAAGAGAAAACCATATCTTTTGTGGTGGTGCATGATCCAAACATATTTCTACT
 50 TCTTTCTGGGGACGGTGGAGTTTATCCTCTTGGCGGTGATGTCCTTTGACCGCTACATGGC
 TATCTGCGACCACTGCACTACACGGTCATCATGAACAGCAGGGCCTGCCTTCTGCTGGTT
 CTGGGATGCTGGGTGGGAGCCTTCTGTCTGTGTTGTTTCCAACCATTTGTAGTGACAAGGC
 TACCTTACTGTAGGAAAGAAATTAATCATTTCTTCTGTGACATTGCCCCCTCTTCTCAGGTG
 GCCTGTATAAATACTCACCTCATTGAGAAGATAAACTTTCTCCTCTCTGCCCTTGTATCCT
 55 GAGCTCCCTGGCATTCACTACTGGGTCTACGTGTACATAATTTCTACCATCCTGCGTATCC
 CCTCCACCCAGGGCCGTCAGAAAGCTTTTTCTACCTGTGCTTCTCACATCACTGTTGTCTCC

ATTGCCCCACGGGAGCAACATCTTTGTGTATGTGAGACCCAATCAGAACTCCTCACTGGATT
ATGACAAGGTGGCCGCTGTCCTCATCAGTGGTGACCCCTCTCCTGAACCCTTTTATCTA
CAGCTTGAGGAATGAGAAGGTACAGGAAGTGTTGAGAGAGACAGTGAACAGAATCATGAC
CTTGATACAAAGGAAAACCTGA (SEQ ID NO: 170)

5

AOLFR92 sequences:

MRNGTVITEFILLGFPVIQGLQTPLFIAIFLTLYILTLAGNGLIATVWAEPRQLQIPMYFFLCNLSFLE
IWYTTTTVIPKLLGTFVVARVICMSCLLQAFFHFFVGTTEFLILTIMSFDRLYTICNPLHHPTIM
TSKLCLQLALSSWVVGFTIVFCQTMILLIQLPFCGNNVISHFYCDVGPSLKAACIDTSILELLGVIA
TILVIPGSLLFNMISYIYILSAILRIPSATGHQKTFSTCASHLTVVSLLYGAVLFMYLRPTAHSSFK
INKVSVLNTILTPLLNPFIYTIRNKEVKGALRKAMTCPKTGHAK (SEQ ID NO: 171)

10

ATGAGAAATGGCACAGTAATCACAGAATTCATCCTGCTAGGCTTTCCTGTTATCCAAGGCC
TACAAACACCTCTCTTTATTGCAATCTTCTCACCTACATATTAACCCTTGCAGGCAATGGG
CTTATTATTGCCACTGTGTGGGCTGAGCCCAGGCTACAAATTCGAATGTACTTCTTCCTTTG
TAACCTGTCTTTCTTAGAAATCTGGTACACCACCACAGTCATCCCCAACTGCTAGGAACC
TTGTAGTGGCAAGAACAGTAATCTGCATGTCTGCTGCCTGCTGCAGGCCTTCTTCCACT
TCTCGTGGGCACCACCGAGTTCCTGATCCTCACTATCATGTCTTTTGACCGCTACCTCACC
ATCTGCAATCCCCCTTACCACCCCCACCATCATGACCAGCAAACCTCTGCCTGCAGCTGGCCC
TGAGCTCCTGGGTGGTGGGCTTACCATTGTCTTTTGTGACGATGTGCTCATCCAGTT
GCCATTCTGTGGCAATAATGTTATCAGTCATTTCTACTGTGATGTTGGGCCAGTTTGAAA
GCCGCTGCATAGACACCAGCATTTTGGAACTCCTGGGCGTCATAGCAACCATCCTTGTGA
TCCAGGGTCACTTCTCTTTAATATGATTTCTTATATCTACATTCTGTCCGCAATCCTACGA
ATTCCTTCAGCCACTGGCCACCAAAAGACTTTCTCTACCTGTGCCTCGCACCTGACAGTTGT
CTCCCTGCTCTACGGGGCTGTTCTGTTTCATGTACCTAAGACCCACAGCACACTCCTCCTTTA
AGATTAATAAGGTGGTGTCTGTGCTAAATACTATCCTCACCCCCCTTCTGAATCCCTTTATT
TATACTATTAGAAACAAGGAGGTGAAGGGAGCCTTAAGAAAGGCAATGACTTGCCCAAAG
ACTGGTCATGCAAAGTAA (SEQ ID NO: 172)

15

20

25

30

AOLFR93 sequences:

MLMNYSSATEFYLLGFPGSEELHHILFAIFFFFYLVTLMGNTVIIMIVCVDKRLQSPMYFFLGHL
SALEILVTIIVPVMWLWGLLPQMITYLSACVVQLFLYLAVGTTEFALLGAMAVDRYVAVCN
PLRYNIIMNRHTCNFVVLVSWVFGFLFQIWPVYVMFQLTYCKSNVNNFFCDRGQLKLSCN
NTLFTEFILFLMAVFVLFGLIPTIVSNAYIISTILKIPSSSGRRKSFSTCASHFTCVVIGYGSCFLY
VKPKQTQAADYNWVVSMLMVSVVTPFLNPFIFTLRNDKVIEALRDGVKRCCLFRN (SEQ ID
NO: 173)

35

ATGTTGATGAATTACTCTAGTGCCACTGAATTTTATCTCCTTGGCTTCCCTGGCTCTGAAGA
ACTACATCATATCCTTTTTGCTATATTCTTCTTTTCTACTTGGTGACATTAATGGGAAACA
CAGTCATCATCATGATTGTCTGTGTGGATAAACGTCTGCAGTCCCCCATGTATTTCTTCCTC
GGCCACCTCTCTGCCCTGGAGATCCTGGTCACAACCATAATCGTCCCCGTGATGCTTTGGG
GATTGCTGCTCCCTGGGATGCAGACAATATATTGTCTGCCTGTGTTGTCCAGCTCTTCTTG
TACCTTGCTGTGGGGACAACAGAGTTCGCATTACTTGGAGCAATGGCTGTGGACCGTTATG
TGGCTGTCTGTAACCCTCTGAGGTACAACATCATTATGAACAGACACACCTGCAACTTTGT
GGTTCTTGTGTTCATGGGTGTTTGGGTTTCTTTTTCAAATCTGGCCGGTCTATGTCATGTTTC
AGCTTACTTACTGCAAATCAAATGTGGTGAACAATTTTTTTGTGACCGAGGGCAATTGCT
CAAACATCCTGCAATAATACTCTTTTCACGGAGTTTATCCTCTTCTTAATGGCTGTTTTTG
TTCTCTTTGGTTCTTTGATCCCTACAATTGTCTCCAACGCCTACATCATCTCCACCATTCTC
AAGATCCCGTCATCCTCTGGCCGGAGGAAATCCTTCTCCACTTGTGCCTCCCACTTCACCTG
TGTTGTGATTGGCTACGGCAGCTGCTTGTCTCTACGTGAAACCAAGCAAACGCAGGCA
GCTGATTACAATTGGGTAGTTTCCCTGATGGTTTCAGTAGTAACTCCTTCTCAATCCTTT
CATCTTACCCTCCGGAATGATAAAGTCATAGAGGCCCTTCGGGATGGGGTGAAACGCTGC
TGTCAACTATTCAGGAATTAG (SEQ ID NO: 174)

40

45

50

AOLFR94 sequences:

METWVNQSYTDGFFLLGIFSHSTADLVLFSSVVMVFTVALCGNVLLIFLIYMDPHLHTPMYFF
LSQLSLMDLMLVCTNVPKMAANFLSGRKSISFVCGCIQIGLVCLVSGEGLLLGLMAYDRYVA
ISHPLHYPILMNQVRVCLQITGSSWAFGIIDGLIQMVVVMNFPYCGLRKVNHHFCEMLSLLKLAC
5 VDTSLFEKVIFACCVFMLLFPFSIIVASYAHILGTVLQMHSAAWKKALATCSSHLTAVTLFYG
AAMFIYLRPRHYRAPSHDKVASIFYTVLTPMLNPLIYSLRNREVMGALRKGLDRCRIGSQH
(SEQ ID NO: 175)

10 ATGGAGACGTGGGTGAACCAAGTCTACACAGATGGCTTCTTCCTCTTAGGCATCTTCTCCC
ACAGTACTGCTGACCTTGTCTCTTCTCCGTGGTTATGGCGGTCTTCACAGTGGCCCTCTGT
GGGAATGTCCTCCTCATCTTCTCATCTACATGGACCCTCACCTTCACACCCCATGTACTT
CTTCCTCAGCCAGCTCTCCCTCATGGACCTCATGTTGGTCTGTACCAATGTGCCAAAGATG
GCAGCCAACTTCCTGTCTGGCAGGAAGTCCATCTCCTTTGTGGGCTGTGGCATACAAATTG
GCCTCTTTGTCTGCTTGTGGGATCTGAGGGGCTCTTGCTGGGACTCATGGCTTATGACCG
15 CTATGTGGCCATTAGCCACCCACTTCACTATCCCATCCTCATGAATCAGAGGGTCTGTCTCC
AGATTACTGGGAGCTCCTGGGCCCTTTGGGATAATCGATGGCTTGATCCAGATGGTGGTAGT
AATGAATTTCCCTACTGTGGCTTGAGGAAGGTGAACCAATTCTTCTGTGAGATGCTATCC
TTGTTGAAGCTGGCCTGTGTAGACACATCCCTGTTTGAGAAGGTGATATTTGCTTGCTGTG
TCTTCATGCTTCTCTTCCCATTCTCCATCATCGTGGCCTCCTATGCTCACATTCTAGGGACT
20 GTGCTGCAAATGCACTCTGCTCAGGCCTGGAAAAAGGCCCTGGCCACCTGCTCCTCCCACC
TGACAGCTGTCACCCTCTTCTATGGGGCAGCCATGTTTATCTACCTGAGGCCTAGGCACTA
CCGGGCCCCCAGCCATGACAAGGTGGCCTCTATCTTCTACACGGTCTTACTCCCATGCTC
AACCCCTCATTTACAGCTTGAGGAACAGGGAGGTGATGGGGGCACTGAGGAAGGGGCTG
GACCGCTGCAGGATCGGCAGCCAGCACTGA (SEQ ID NO: 176)

25

AOLFR95 sequences:

MLGSKPRVHLIYLPASQVSTMGDRGTSNHSEMTDFILAGFRVRPELHILLFLLFLFVYAMILL
GNVGMMTIIMTDPRLNTPMYFFLGNLSFIDLFYSSVIEPKAMINFWSENKSISFAGCVAQLFLFA
LLIVTEGFLLAAMAYDRFIAICNPLLYSVQMSTRCTQLVAGSYFCGCISSVIQTSMTFTLSFCAS
30 RAVDHFYCDRPLQRLSCSDLFIHRMISFSLSCIILPHTIIVSYMYIVSTVLKIHSTEGHKKAFST
CSSHLGVSVLYGAVFFMYLTPDRFPELSKVASLCYSLVTPMLNPLIYSLRNKDVQEALKKFLE
KKNIL (SEQ ID NO: 177)

35 ATGCTAGGATCCAAACCAAGAGTTCATTTGTATATTTTGCCCTGTGCCTCTCAACAGGTTTC
TACCATGGGTGACAGGGGAACAAGCAATCACTCAGAAATGACTGACTTCATTCTTGCAGG
CTTCAGGGTACGCCAGAGCTCCACATTCTCCTCTTCCTGCTATTTTGTGTTGTTATGCCA
TGATCCTTCTAGGGAATGTTGGGATGATGACCATTATTATGACTGATCCTCGGCTGAACAC
ACCAATGTATTTTTCCTAGGCAATCTCTCCTTCATTGATCTTTTCTATTCTGTTATTGA
ACCCAAGGCTATGATCAACTTCTGGTCTGAAAACAAGTCTATCTCCTTTGCAGGCTGTGTG
40 GCCCAGCTCTTTCTCTTTGCCCTCCTCATTGTGACTGAGGGATTTCTCCTGGCGGCCATGGC
TTATGACCGCTTATTGCCATCTGCAACCCCTGCTCTACTCTGTTCAAATGTCCACACGTC
TGTGTACTCAGTTGGTGGCTGGTTCCTATTTTGTGGCTGCATTAGCTCAGTTATTACAGACT
AGCATGACATTTACTTTTATCTTTTTCGCGCTTCTCGGGCTGTTGACCACTTTTACTGTGATTC
TCGCCCCACTTCAGAGACTGTCTTGTCTGATCTCTTTATCCATAGAATGATATCTTTTTCCT
45 TATCATGTATTATTATCTTGCCTACTATCATAGTCATTATAGTATCTTACATGTATATTGTG
TCCACAGTTCTAAAGATACTTCTACTGAGGGACATAAGAAGGCCTTCTCCACCTGCAGCT
CTCACCTGGGAGTTGTGAGTGTGCTGTATGGTGTCTGCTTTTTTATGTATCTCACTCCTGAC
AGATTTTCTGAGCTGAGTAAAGTGGCATCCTTATGTTACTCCCTAGTCACTCCCATGTTGA
ATCCTTTGATTTACTCTCTGAGGAACAAAGATGTCCAAGAGGCTCTAAAAAAATTTCTAGA
50 GAAGAAAAATATTATTCTTTGA (SEQ ID NO: 178)

AOLFR96 sequences:

MICENHTRVTEFILLGFTNNPEMQVSLFIFFLAIYTVTLLGNFLIVTVTSVDLALQTPMYFFLQN
LSLLEVCFITLVMVPKMLVDLVSPRKISFVCGGTQMYFFFFFGSSECFLLSMMAAYDRFVAICNP
55 LHYSVIMNRSCLWMAIGSWMSGVPVSMQLTAWMMALPFCGPNAVDFHFCDDGPPVLKLVTV
DTTMYEMQALASTLLFIMFPFLILVSYTRIITILRMSSATGRQKAFSTCSSHLIVVSLFYGTASL

TYLRPKSNQSPESKKLVSLSYTVITPMLNPIIYGLRNNEVKGAVKRTITQKVLQKLDVF (SEQ ID NO: 179)

5 ATGATCTGTGAAAATCACACCAGAGTCACTGAATTTATTCTTCTTGGTTTTACAAACAACC
CCGAGATGCAAGTTTCCCTCTTTATTTTTTCTGGCCATTTATACAGTCACTTTGTGGGC
AACTTTCTTATTGTACAGTTACCAGTGTGGATCTCGCACTTCAAACACCCATGTACTTCTT
TCTTCAAATCTGTCACTTCTTGAAGTATGTTTACCTTGGTTATGGTGCCAAAAATGCTTG
TAGATCTAGTGTCCCAAGGAAAATTATCTCTTTTGTGGGCTGTGGTACCCAGATGTACTT
10 CTTCTTCTTCTTGGCAGTTCTGAATGTTTCTTCTCTCCATGATGGCTTATGATCGCTTTGT
GGCCATCTGTAACCCTCTCCATTATTCAGTCATAATGAACAGGTCCCTATGCTTGTGGATG
GCCATAGGCTCTTGGATGTCCGGTGTTCCTGTGTCTATGCTACAGACAGCTTGGATGATGG
CCCTTCTTTCTGTGGACCAAATGCCGTGGACCACTTTTCTGTGATGGTCCCCCAGTGTTA
AAACTAGTCACAGTGGATAACAACCATGTATGAAATGCAAGCACTTGCTCCACACTCCTGT
TTATCATGTTTCCCTTTTGTCTCATTTTGGTTTCTACACCCGATTATCATAACAATTCTG
15 AGGATGTCCTCTGCCACTGGCCGCCAGAAGGCATTTTCTACTTGTTCCTCACACCTCATTGT
GGTGTCCCTCTTCTACGGAACAGCCAGTCTGACCTACCTGCGGCCCAAATCAAACAGTCC
CCTGAGAGCAAGAAGCTAGTGTCAATTGTCTACACTGTCATCACACCTATGCTAAACCCCA
TCATCTACGGCCTGAGGAACAATGAAGTGAAAGGGGCTGTCAAGAGGACAATCACTCAAA
AAGTCTTACAGAAGTTAGATGTGTTTTGA (SEQ ID NO: 180)

20

AOLFR97 sequences:

MTEFHLQSQMPSIRLIFRRLSLGRIKPSQSPRCSTSMFVVPFSIAEHWRMRMKGANLSQGMFEL
LGLTTDPQLQRLLFVFLGMYTATLLGNLVMFLLHVSATLHTPMYSLKLSLDFCYSSTVV
PQTLVNFLAKRKVISYFGCMTQMFFYAGFATSECYLIAAMAYDRYAAICNPLLYSTIMSPEVC
25 ASLIVGSYSAGFLNSLIHTGCFSLKFCGAHVVTHFFCDGPPLSLSCVDTSLCEILLFIFAGFNLLS
CTLTILISYFLILNTILKMSSAQGRFKAFSTCASHLTAICLFFGTTLFMYLRPRSSYSLTQDRTVA
VIYTVVIPVLNPLMYSLRNKDVKKALIKVWGRKTME (SEQ ID NO: 181)

30 ATGACAGAGTTTCATCTGCAAAGCCAAATGCCCTCAATAAGACTCATCTTCAGAAGGCTGT
CCTTAGGCAGAAATTAACCCAGTCAGAGCCCCAGGTGTTCAACCTCATTTATGGTGGTGCC
TTCTTTCTCCATCGCAGAGCACTGGAGAAGGATGAAAGGGGCAAACCTGAGCCAAGGGAT
GGAGTTTGAGCTCTTGGGCCTCACCCTGACCCCACTCCAGAGGCTGCTCTTCGTGGTG
TTCCTGGGCATGTACACAGCCACTCTGCTGGGGAACCTGGTCATGTTCTCCTGATCCATG
TGAGTGCCACCCTGCACACACCCATGTACTCCCTCCTGAAGAGCCTCTCCTTCTTGATTTC
35 TGCTACTCCTCCACGGTTGTGCCCCAGACCCTGGTGAACCTCTTGCCAAAGAGGAAAGTGA
TCTCTTATTTTGGCTGCATGACTCAGATGTTCTTCTATGCGGGTTTTGCCACCAGTGAGTGC
TATCTCATCGCTGCCATGGCCTATGACCGCTATGCCGCTATTTGTAACCCCTGCTCTACTC
AACCATCATGTCTCCTGAGGTCTGTGCCTCGCTGATTGTGGGCTCCTACAGTGCAGGATTC
CTCAATTCTCTTATCCACACTGGCTGTATCTTTAGTCTGAAATTCTGCGGTGCTCATGTCTG
40 CACTCACTTCTTCTGTGATGGGCCACCCATCTGTCTTGTCTTGTGTAGACACCTCACTGT
GTGAGATCCTGCTCTTCATTTTGTCTGGTTTCAACCTTTTGAGCTGCACCCTCACCATCTTG
ATCTCCTACTTCTTAATTCTCAACACCATCCTGAAAATGAGCTCGGCCAGGGCAGGTTTA
AGGCATTTTCCACCTGTGCATCCACCTCACTGCCATCTGCCTCTTCTTTGGCACAACACTT
TTATGTACCTGCGCCCCAGGTCCAGCTACTCCTTGACCCAGGACCGCACAGTTGCTGTCA
45 TCTACACAGTGGTGATCCAGTGCTGAACCCCTCATGTACTCTTTGAGAAACAAGGATGT
GAAGAAAGCTTTAATAAAGGTTTGGGGTAGGAAAACAATGGAATGA (SEQ ID NO: 182)

AOLFR98 sequences:

MRGFNKTTVVTFILVGFSSLGELQLLLFVIFLLLYLTILVANVTIMAVIRFSWTLHTPMYGLFI
50 LSFSESCYTFVIIQLLVHLLSDTKTISFMACATQLFFFLGFACTNCLLIAVMGYDRYVAICHPLR
YTILNKRLGLELISLSGATGFFIALVATNLCIDMRFCGPNRVNHYFCDMAPVIKLACTDTHVKE
LALFSLVIMVPFLILISYGFIVNTILKIPSAEGKKAFTVCASHLTVFVHYGCASIYLRPKSK
SASDKDQLVAVTYTVVTPLLNPLVYSLRNKEVKTALKRVLGMPVATKMS (SEQ ID NO: 183)

55 ATGCGAGGTTTCAACAAAACCACTGTGGTTACACAGTTCATCCTGGTGGGTTTCTCCAGCC
TGGGGGAGCTCCAGCTGCTGCTTTTGTGCATCTTCTTCTCCTATACTTGACAATCCTGGTG

5 GCCAATGTGACCATCATGGCCGTTATTCGCTTCAGCTGGACTCTCCACACTCCCATGTATG
 GCTTCTATTTCATCCTTTTCATTTTCTGAGTCCTGCTACACTTTTGTTCATCATCCCTCAGCTGC
 TGGTCCACCTGCTCTCAGACACCAAGACCATCTCCTTCATGGCCTGTGCCACCCAGCTGTT
 CTTTTTCCCTTGGCTTTGCTTGCACCAACTGCCTCCTCATTGCTGTGATGGGATATGATCGCT
 10 ATGTAGCAATTTGTACCCCTCTGAGGTACACACTCATCATAAAACAAAAGGCTGGGGTTGGA
 GTTGATTTCTCTCTCAGGAGCCACAGGTTTCTTTATTGCTTTGGTGGCCACCAACCTCATTT
 GTGACATGCGTTTTTGTGGCCCCAACAGGGTTAAACCACTATTTCTGTGACATGGCACCTGT
 TATCAAGTTAGCCTGCACTGACACCCATGTGAAAGAGCTGGCTTTATTTAGCCTCAGCATC
 CTGGTAATTATGGTGCCTTTTCTGTTAATTCTCATATCCTATGGCTTCATAGTTAACACCAT
 15 CCTGAAGATCCCCCTCAGCTGAGGGCAAGAAGGCCTTTGTACCTGTGCCTCACATCTCACT
 GTGGTCTTTGTCCACTATGGCTGTGCCTCTATCATCTATCTGCGGCCCAAGTCCAAGTCTGC
 CTCAGACAAGGATCAGTTGGTGGCAGTGACCTACACAGTGGTTACTCCCTTACTTAATCCT
 CTTGTCTACAGTCTGAGGAACAAAGAGGTAATAAACTGCATTGAAAAGAGTTCTTGAATG
 CCTGTGGCAACCAAGATGAGCTAA (SEQ ID NO: 184)

AOLFR99 sequences:

20 MERVNETVREVIFLGFSSRLRLQQLLFVIFLLLYLFTLGTNAIIISTIVLDRALHIPMYFFLAILSC
 SEICYTFIIVPKMLVDLLSQKKTISFLGCAIQMFSFLFLGCSHSFLLAVMGYDRYIAICNPLRYSV
 LMGHGVCMGLVAAACACGFTVAQIITSLVFHLPFYSSNQLHFFCDIAPVLKLASHHNHFSQIV
 IFMLCTLVLAIPLLLILVSYVHLSAILQFPSTLGRCKAFSTCVSHLIIVTVHYGCASFIYLRPQSNY
 SSSQDALISVSYTIITPLFNPMIYSLRNKEFKSALCKIVRRRTISLL (SEQ ID NO: 185)

25 ATGGAGCGGGTCAATGAGACTGTGGTGAGAGAGGTCATCTTCCTCGGCTTCTCATCCCTGG
 CCAGGCTGCAGCAGCTGCTCTTTGTTATCTTCCTGCTCCTCTACCTGTTCACTCTGGGCACC
 AATGCAATCATCATTTCCACCATTGTCTGGACAGGGCCCTTCATATCCCCATGTACTTCTT
 CCTTGCCATCCTCTCTTGCTCTGAGATTTGCTACACCTTCATCATTGTACCCAAGATGCTGG
 TTGACCTGCTGTCCCAGAAGAAGACCATTTCTTTCTGGGCTGTGCCATCCAAATGTTTTCC
 TTCCTCTTCCTTGGCTGCTCTCACTCCTTTCTGCTGGCAGTCATGGGTTATGATCGTTACAT
 30 AGCCATCTGTAACCCACTGCGCTACTCAGTGCTAATGGGACATGGGGTGTGTATGGGACTA
 GTGGCTGCTGCCTGTGCCTGTGGCTTCACTGTTGCACAGATCATCACATCCTTGGTATTTCA
 CCTGCCTTTTTATTCCCTCCAATCAACTACATCACTTCTTCTGTGACATTGCTCCTGTCCTCA
 AGCTGGCATCTCACCATAACCACTTTAGTCAGATTGTTCATCTTCATGCTCTGTACATTGGTC
 CTGGCTATCCCCCTTATTGTTGATCTTGGTGTCTATGTTACATCCTCTCTGCCATACTTCA
 GTTTCCTTCCACACTGGGTAGGTGCAAAGCTTTTCTACCTGTGTATCTCACCTATTATTG
 35 TCACTGTCCACTATGGCTGTGCCTCCTTTATCTACTTAAGGCCTCAGTCCAACTACTCCTCA
 AGCCAGGATGCTCTAATATCAGTATCCTTCACTAATTATAAATCCATTGTTCAACCCAATGA
 TTTATAGCTTGAGAAATAAGAGTTCAAATCAGCTCTTTGTAAAATTGTGAGAAGAACAAT
 TTCCTGTGTGTA (SEQ ID NO: 186)

AOLFR101 sequences:

40 MDTGNWSQVAEFILGFPHLQGVQIYLFLLLLLIYLMTVLGNLLIFLVVCLDSRLHTPMYHFVSI
 LSFSELGYTAATIPKMLANLLSEKKTISFSGCLLQIYFFHSLGATECYLLTAMAYDRYLAICRPL
 HYPTLMTPTLCAEIAIGCWLGGLAGPVVEISLISRLPFCGPNRIQHVFCDPFPVLSLACTDTSINV
 LVDFVINSCKILATFLLILCSYVQIICTVLRIPSAAGKRKAISTCASHFTVVLIFYGSILSMYVQLK
 45 KSYSLDYDQALAVVYSVLTPLNPFYISLRNKEIKEAVRRQLKRIGILA (SEQ ID NO: 187)

50 ATGGACACAGGGAAGTGGAGCCAGGTAGCAGAATTCATCATCTTGGGCTTCCCCCATCTCC
 AGGGTGTCCAGATTTATCTCTTCTCTTGTGCTTCTCATTTACCTCATGACTGTGTTGGGA
 AACCTGCTGATATTCCTGGTGGTCTGCCTGGACTCCCGGCTTCACACACCCATGTACCACT
 TTGTCAGCAATCTCTCCTTCTCAGAGCTTGGCTATACAGCTGCCACCATCCCTAAGATGCTG
 GCAAACATTTGCTCAGTGAGAAAAAGACCATTTTCACTTCTGCGGTGTCTCCTGCAGATCTATT
 TCTTCACTCCCTTGGAGCGACTGAGTGCTATCTCCTGACAGCTATGGCCTACGATAGGTA
 TTTAGCCATCTGCCGGCCCCCTCCACTACCCAACCCTCATGACCCCAACACTTTGTGCAGAG
 ATTGCCATTGGCTGTTGGTTGGGAGGCTTGGCTGGGCCAGTAGTTGAAATTTCTTGATTT
 55 CACGCCTCCCATCTGTGGCCCCAATCGCATTACAGCACGTCTTTTGTGACTTCCCTCCTGTG
 CTGAGTTTGGCTTGCACTGATACGTCTATAAATGTCCTAGTAGATTTTGTATAAATTCCTG

CAAGATCCTAGCCACCTTCCTGCTGATCCTCTGCTCCTATGTGCAGATCATCTGCACAGTGC
 TCAGAATTCCCTCAGCTGCCGCAAGAGGAAGGCCATCTCCACGTGTGCCTCCCACTTCAC
 TGTGGTTCTCATCTTCTATGGGAGCATCCTTTCCATGTATGTGCAGCTGAAGAAGAGCTAC
 TCACTGGACTATGACCAGGCCCTGGCAGTGGTCTACTCAGTGCTCACACCCTTCCTCAACC
 5 CCTTCATCTACAGCTTGCGCAACAAGGAGATCAAGGAGGCTGTGAGGAGGCAGCTAAAGA
 GAATTGGGATATTGGCATGA (SEQ ID NO: 188)

AOLFR102 sequences:

MPVGKLVFNQSEPTFVFRAFTTATEFQVLLFLLFLLLYLMILCGNTAIIWVVCTHSTLRTPMYF
 10 FLSNLSFLELCYTTVVVPLMLSNILGAQKPISLAGCGAQMFFVTLGSTDCFLLAIMAYDRYVAI
 CHPLHYTLIMTRELCTQMLGGALGLALFPSLQLTALIFTLPFCGHHQEINHFLCDVPPVLRRLACA
 DIRVHQAVLYVVSILVLTIPFLLICVSYVFITCAILSIRSAEGRRRAFSTCSFHLTVVLLQYGCCSL
 VYLRPRSSTSEDEDSQIALVYTFVTPLNPLLYSLRNKDKGALRSAIRKAASDAN (SEQ ID
 NO: 189)

15 ATGCCTGTGGGGAAACTTGTCTTCAACCAGTCTGAGCCCACTGAGTTTGTGTTCCGTGCGT
 TCACCACAGCCACTGAATTCCAGTTTCTTCTTCTCCTTCTTCTCCTCCTCTACTTGATG
 ATCCTCTGTGGCAACACAGCCATCATCTGGGTGGTGTGCACACACAGCACCTCCGCACCC
 CGATGTATTCTTCTGTCCAACCTGTCTTTCCTGGAACCTCTGCTACACCACCGTGGTAGTA
 20 CCCTTGATGCTTTCCAACATTTTGGGGGCCAGAAAGCCATTTTCGTTGGCTGGATGTGGGG
 CCCAAATGTTCTTCTTTGTACCCCTCGGCAGCACGACTGTTTCTTCTTGGCGATCATGGCC
 TATGACCGCTATGTGGCTATCTGCCACCCGCTGCACTACACCCTCATGACCCGCGAGC
 TGTGCACGCAGATGCTGGGTGGGGCCCTGGGCCTGGCCCTCTTCCCCTCCCTGCAGCTCAC
 CGCCTTAATCTTACCCCTGCCCTTTTGGCGCCACCACCAGGAAATCAACCACTTCTCTGCG
 25 ATGTGCCTCCCGTCTGCGCTGGCCTGCGCTGACATCCGCGTGCACCAGGCTGTCTCTA
 TGTCTGTAGCATCCTCGTGCTGACCATCCCTTCTGCTCATCTGCGTCTCTACGTGTTCA
 TCACCTGTGCCATCCTGAGCATCCGTTCTGCCGAGGGCCGCCCGGGCCTTCTCCACCTG
 CTCCTTCCACCTCACCGTGGTCTGCTGCAGTATGGCTGCTGCAGCCTCGTGTACCTGCGTC
 CTCGGTCCAGCACCTCAGAGGATGAGGACAGCCAAATCGCGTTGGTCTACACCTTTGTAC
 30 CCCCTTACTCAACCCTTGTCTTACAGCCTTAGGAACAAGGATGTCAAAGGTGCTCTGAGG
 AGTGCCATTATCCGTAAAGCAGCCTCTGACGCCAACTGA (SEQ ID NO: 190)

AOLFR103 sequences:

MAEMNLTLVTEFLLIATFEYPEWALPLFLLLLFMYLITVLGNLEMIILMDHQLHAPMYFLLSH
 35 LAFMDVCYSSITVPQMLAVLLEHGAALS YTRCAAQFFLFTFFGSIDCYLLALMAYDRYLAVCQ
 PLLYVTILTQQARLSLVAGAYVAGLISALVRTVSAFTLSFCGTSEIDFIFCDLPLLKLTGGEYSY
 QEVLIMFAIFVIPASMVVILVSYLFIIVAIMGIPAGSQAKTFSTCTSHLTAVSLFFGLTFMYLRG
 NSDQSSEKNRVVSVLYTEVIPMLNPLIYSLRNKEVKEALRKILNRAKLS (SEQ ID NO: 191)

40 ATGGCAGAGATGAACCTCACCTTGGTGACCGAGTTCTCCTTATTGCATTCACTGAATATC
 CTGAATGGGCACTCCCTCTCTTCTTCTGTTATTATTTATGTATCTCATCACCGTATTGGGG
 AACTTAGAGATGATTATTCTGATCCTCATGGATCACCAGCTCCACGCTCCAATGTATTTCCT
 TCTGAGTCACCTCGCTTTCATGGACGTCTGCTACTCATCTATCACTGTCCCCCAGATGCTGG
 CAGTGCTGCTGGAGCATGGGGCAGCTTTATCTTACACACGCTGTGCTGCTCAGTTCTTTCT
 45 GTTCACCTTCTTTGGTTCCATCGACTGCTACCTCTTGGCCCTCATGGCCTATGACCGCTACT
 TGGCTGTGTGCCAGCCCCGTGCTTTATGTACCATCCTGACACAGCAGGCCCGCTTGAGTCT
 TGTGGCTGGGGCTTACGTTGCTGGTCTCATCAGTGCCCTGGTGCGGACAGTCTCAGCCTTC
 ACTCTCTCCTTCTGTGGAACAGTGAGATTGACTTTATTTTCTGTGACCTCCCTCCTCTGTT
 AAAGTTGACCTGTGGGGAGAGCTACACTCAAGAAGTGCTGATTATTATGTTTGCCATTTTT
 50 GTCATCCCTGCTTCCATGGTGGTGATCTTGGTGTCTACCTGTTTATCATCGTGGCCATCAT
 GGGGATCCCTGCTGGAAGCCAGGCCAAGACCTTCTCCACCTGCACCTCCACCTCACTGCT
 GTGTCACTCTTCTTGGTACCCTCATCTTCATGTACTTGAGAGGTAACCTCAGATCAGTCTTC
 GGAGAAGAATCGGGTAGTGTCTGTGCTTACACAGAGGTCATCCCCATGTTGAATCCCCCTC
 ATCTACAGCCTGAGGAACAAGGAAGTGAAGGAGGCCCTGAGAAAAATTCTCAATAGAGCC
 55 AAGTTGTCCTAA (SEQ ID NO: 192)

AOLFR105 sequences:

MQGLNHTSVSEFILVGFSAPHLQLMLFLLFLLMYLFTLLGNLLIMATVWSERSLHMPMYLFLC
ALSITEILYTVAIIPRMLADLLSTQRSIAFLACASQMFFSFSFGFTHSFLLTVMGYDRYVAICHPL
RYNVLM SLRGCTCRVGCSWAGGLVMGMVVTSAIFHLAFCGHKEIHFFCHVPPLLKLACGDD
5 VLVVAKGVGLVCITALLGCFLILLSYAFIVAAILKIPSAEGRNKAFTSCASHLTVVVVHYGFAS
VIYLKPKGPQSPGDTLMGITYTVLTPFLSPIIFSLRNKELKVAMKKTCTFKLFPQNC (SEQ ID
NO: 193)

10 ATGCAGGGGCTAAACCACACCTCCGTGTCTGAATTCATCCTCGTTGGCTTCTCTGCCTTCCC
CCACCTCCAGCTGATGCTCTTCCTGCTGTTCTGCTGATGTACCTGTTACGCTGCTGGGCA
ACCTGCTCATCATGGCCACTGTCTGGAGCGAGCGCAGCCTCCACATGCCCATGTACCTCTT
CCTGTGTGCCCTCTCCATCACCGAGATCCTCTACACCGTGGCCATCATCCCGCGCATGCTG
GCCGACCTGCTGTCCACCCAGCGCTCCATCGCCTTCTGTCCTGTGCCAGTCAGATGTTCTT
CTCCTTCAGCTTCGGCTTCACCCACTCCTTCTGCTCACTGTCATGGGCTACGACCGCTACG
15 TGGCCATCTGCCACCCCTGCGTTACAACGTGCTCATGAGCCTGCGGGGCTGCACCTGCCG
GGTGGGCTGCTCCTGGGCTGGTGGCTGATGGGGATGGTGGTGACCTCGGCCATTTTC
CACCTCGCCTTCTGTGGAGATGATGTGCTGGTGGTGGCCAAAGGCGTGGGCTTGGTGTGTAT
GAAGTTGGCCTGTGGAGATGATGTGCTGGTGGTGGCCAAAGGCGTGGGCTTGGTGTGTAT
CACGGCCCTGCTGGGCTGTTTTCTCCTCATCCTCCTCTCCTATGCCTTCATCGTGGCCGCCA
20 TCTTGAAGATCCCTTCTGCTGAAGGTCGGAACAAGGCCTTCTCCACCTGTGCCTCTCACCT
CACTGTGGTGGTGGTGCCTATGGCTTTGCCTCCGTCATTTACCTGAAGCCCAAAGGTCCC
CAGTCTCCGGAAGGAGACACCTTGATGGGCATCACCTACACGGTCTCACACCTTCTCCTCA
GCCCCATCATCTTCAGCCTCAGGAACAAGGAGCTGAAGGTCGCCATGAAGAAGACTTGCTT
CACCAAACCTTTCCACAGAACTGCTGA (SEQ ID NO: 194)

25

AOLFR106 sequences:

METANYTKVTEFVLTGLSQTPEVQLVLFVIFLSFYLFILPGNIICTISLDPHLTSPMYFLLANLA
FLDIWYSSITAPEMLIDFFVERKISFDGCIQLFFLHFAGASEMFLLTVMAFDLYTAICRPLHYA
TIMNQRLCCILVALSWRGGFIHSIIQVALIVRLPFCGPNELDSYFCDITQVVRIACANTFPEELVM
30 ICSSGLISVVCLIALLSYAFLLALFKKLSGSGENTNRAMSTCYSHITIVVLMFGPSIYIARPF
SFSLDKVVSVFNTLIFPLRNPIIYTLRNKEVKAAMRKLVTKYILCKEK (SEQ ID NO: 195)

35 ATGGAAACTGCAAATTACACCAAGGTGACAGAATTTGTTCTCACTGGCCTATCCCAGACTC
CAGAGGTCCAACTAGTCTATTTGTTATATTTCTATCCTTCTATTTGTTTCATCCTACCAGGA
AATATCCTTATCATTTGCACCATCAGTCTAGACCCTCATCTGACCTCTCCTATGTATTTCTT
GTTGGCTAATCTGGCCTTCTTGATATTTGGTACTCTTCCATTACAGCCCCTGAAATGCTCA
TAGACTTCTTTGTGGAGAGGAAGATAATTTCTTTTGATGGATGCATTGCACAGCTCTTCTT
CTTACACTTTGCTGGGGCTTCGGAGATGTTCTTGCTCACAGTGATGGCCTTTGACCTCTACA
CTGCTATCTGCCGACCCCTCCACTATGCTACCATCATGAATCAACGTCTCTGCTGTATCCTG
40 GTGGCTCTCTCCTGGAGGGGGGGCTTCATTCATTCTATCATACAGGTGGCTCTCATTGTT
GACTTCCTTTCTGTGGGCCCAATGAGTTAGACAGTTACTTCTGTGACATCACACAGGTGT
CCGATTGCCTGTGCCAACACCTTCCCAGAGGAGTTAGTGATGATCTGTAGTAGTGGTCTG
ATCTCTGTGGTGTGTTTGATTGCTCTGTTAATGTCCTATGCCTTCTTCTGGCCTTGTTC
GAAACTTTACAGGCTCAGGTGAGAATACCAACAGGGCCATGTCCACCTGCTATTCCCACATT
45 ACCATTGTGGTGCTAATGTTTGGGCCATCCATCTACATTTATGCTCGCCCATTTGACTCGTT
TTCCCTAGATAAAGTGGTGTCTGTGTTCAATACTTTAATATTCCTTTACGTAATCCCATT
TTTACACATTGAGAAACAAGGAAGTAAAGGCAGCCATGAGGAAGTTGGTCACCAAATATA
TTTTGTGTAAAGAGAAGTGA (SEQ ID NO: 196)

AOLFR107 sequences:

MELWNFTLGSFILVGI LNDSGSPELLCATITILYLLALISNGLLLLAITMEARLHMPMYLLLGQ
LSLMDLLFTSVVTPKALADFLRRENTISFGGALQMFLALTMGGAEDLLAFMAYDRYVAICH
PLTYMTLMSSRACWLMVATSWILASLSALIYTVYTMHYPFCRAQEIRHLLCEPHLLKVACAD
TSRYELMVYVMGVTFILPSLAAILASYTQILLTVLHMPSPNEGRKKALVTCSSHLTVMGMFYGA
55 ATFMVYLPSSFHSTRQDNIIISVFYITVTPALNPLIYSLRNKEVMRALRRVLGKYMLPAHSTL
(SEQ ID NO: 197)

ATGGAGCTCTGGAACCTTCACCTTGGGAAGTGGCTTCATTTTGGTGGGGATTCTGAATGACA
 GTGGGTCTCCTGAACTGCTCTGTGCTACAATTACAATCCTATACTTGTGGCCCTGATCAG
 CAATGGCCTACTGCTCCTGGCTATCACCATGGAAGCCCGGCTCCACATGCCCATGTACCTC
 5 CTGCTTGGGCAGCTCTCTCTCATGGACCTCCTGTTACATCTGTTGTCACTCCCAAGGCCCT
 TGGCGACTTTCTGCGCAGAGAAAACACCATCTCCTTTGGAGGCTGTGCCCTTCAGATGTTT
 CTGGCACTGACAATGGGTGGTGTGAGGACCTCCTACTGGCCTTCATGGCCTATGACAGGT
 ATGTGGCCATTTGTCTATCCTCTGACATACATGACCCTCATGAGCTCAAGAGCCTGCTGGCT
 CATGGTGGCCACGTCTTGGATCCTGGCATCCCTAAGTGGCCTAATATATACCGTGTATACC
 10 ATGCACTATCCCTTCTGCAGGGCCCAGGAGATCAGGCATCTTCTCTGTGAGATCCACACT
 TGCTGAAGGTGGCCTGTGCTGATACCTCCAGATATGAGCTCATGGTATATGTGATGGGTGT
 GACCTTCCTGATTCCCTCTCTTGTCTGCTATACTGGCCTCCTATACACAAATTCTACTACTG
 TGCTCCATATGCCATCAAATGAGGGGAGGAAGAAAGCCCTTGTCACTGCTCTTCCACCT
 GACTGTGGTTGGGATGTTCTATGGAGCTGCCACATTCATGTATGTCTTGGCCAGTTCCCTTCC
 15 ACAGCACCAGACAAGACAACATCATCTCTGTTTTCTACACAATTGTCACTCCAGCCCTGAA
 TCCACTCATCTACAGCCTGAGGAATAAGGAGGTTCATGCGGCCCTTGGAGAGGGTCTGGG
 AAAATACATGCTGCCAGCACACTCCACGCTCTAG (SEQ ID NO: 198)

AOLFR108 sequences:

20 MCSFFLCQTKQKAKISMGEENQTFVSKFIFLGLSQDLQTQILLFILFLIHYLLTVLGNQLIILIFLD
 SRLHTPMYFFLRNLSFADLCFSTSIVPQVLVHFLVKRKTISFYGCMTQIIVFLLVGCTECALLAV
 MSYDRYVAVCKPLYYSTIMTQVRVCLWLSFRSWASGALVSLVDSFTFHLPLYWGQNIINHYFCE
 PPALLKLASIDTYSTEMAIFSMGVVILLAPVSLILGSYWNIISTVIQMQSGEGRLLKAFSTCGSHLI
 VVVLFGSGIFTYMRPNSKTTKELDKMISVFYTAVTPMLNPIIYSLRNKDVKGALRKLVGRC
 25 FSHRQ (SEQ ID NO: 199)

ATGTGTTCTTTTTTCTTGTGCCAAACAGGTAAACAGGCAAAAATATCAATGGGAGAAGAAA
 ACCAAACCTTTGTGTCCAAGTTTATCTTCCTGGGTCTTTCACAGGACTTGCAGACCCAGAT
 CCTGCTATTTATCCTTTTCTCATCATTTATCTGCTGACCGTGCTTGGAAACCAGCTCATCA
 30 TCATTCTCATCTTCTGATTCTCGCCTTCACACTCCCATGTATTTTTTCTTAGAAATCTCT
 CCTTTCAGATCTCTGTTTCTCTACTAGCATTGTCCCTCAAGTGTGGTTCACTTCTTGGTA
 AAGAGGAAAACCATTTCTTTTTATGGGTGTATGACACAGATAATTGTCTTTCTTCTGGTTG
 GGTGTACAGAGTGTGCGCTGCTGGCAGTGATGTCCTATGACCGGTATGTGGCTGTCTGCAA
 GCCCCTGTACTACTTACCATCATGACACAACGGGTGTGTCTCTGGCTGTCTTCCAGTCCCT
 35 GGGCCAGTGGGGCACTAGTGTCTTTAGTAGATACCAGCTTTACTTTCCATCTTCCCTACTG
 GGGACAGAATATAATCAATCACTACTTTTGTGAACCTCCTGCCCTCCTGAAGCTGGCTTCC
 ATAGACACTTACAGCACAGAAATGGCCATCTTTTCAATGGGCGTGGTAATCCTCCTGGCCC
 CTGTCTCCCTGATTCTTGGTTCTTATTGGAATATTATCTCCACTGTTATCCAGATGCAGTCT
 GGGGAAGGGGAGACTCAAGGCTTTTCCACCTGTGGCTCCCATCTTATTGTTGTTGTCTCTT
 40 CTATGGGTGAGGAATATTCACCTACATGCGACCAAACTCCAAGACTACAAAAGAACTGGA
 TAAATGATATCTGTGTTCTATACAGCGGTGACTCCAATGTTGAACCCCATATTTATAGC
 TTGAGGAACAAAGATGTCAAAGGGGCTCTCAGGAACTAGTTGGGAGAAAGTGCTTCTCT
 CATAGGCAGTGA (SEQ ID NO: 200)

AOLFR109 sequences:

45 MLRNGSIVTEFILVGFQSSSTSTRALLFALFLALYSLTAMNGLIIFITSWTDPKLNSPMYFFLG
 HLSLLDVCFITTTIPQMLIHLVVRDHIVSFVCCMTQMYFVFCVGVAECILLAFMAYDRYVAICY
 PLNYVPIISQKVCVRLVGTAWFFGLINGIFLEYISFREPFRRDNHIESFFCEAPIVIGLSCGDPQFSL
 WAIFADAIVVLSPMVLTVTSYVHILATILSKASSSGRGKTFSTCASHLTVVIFLYTSAMFSYMN
 50 PHSTHGPKDKPFSLLYTIITPMCNPIIYSFRNKEIKEAMVRALGRTRLAQPQSV (SEQ ID NO:
 201)

ATGCTAAGGAATGGCAGCATAGTGACGGAATTTATCCTCGTGGGCTTTCAGCAGAGCTCCA
 CTTCCACACGAGCATTGCTCTTTGCCCTCTTCTGGCCCTCTACAGCCTCACCATGGCCATG
 55 AATGGCCTCATCATCTTTATCACTCCTGGACAGACCCCAAGCTCAACAGCCCCATGTA
 TCTTCTCGGCCATCTGTCTCTCCTGGATGTCTGCTTCATCACCCTACCATCCACAGATG

TTGATCCACCTCGTGGTCAGGGACCACATTGTCTCCTTTGTATGTTGCATGACCCAGATGT
 ACTTTGTCTTCTGTGTTGGTGTGGCCGAGTGCATCCTCTTGGCTTTTCATGGCCTATGACCGT
 TATGTTGCTATCTGCTACCCACTTAACATATGTCCCGATCATAAGCCAGAAGGTCTGTGTCA
 GGCTTGTGGGAAGTGCCTGGTTCTTTGGGCTGATCAATGGCATCTTCTCGAGTATATTTTC
 5 ATTCGAGAGCCCTTCCGCAGAGACAACCACATAGAAAGCTTCTTCTGTGAGGCCCCCATA
 GTGATTGGCCTCTCTTGTGGGGACCCTCAGTTTAGTCTGTGGGCAATCTTTGCCGATGCCA
 TCGTGGTAATTCTCAGCCCCATGGTGCTCACTGTCACTTCCTATGTGCACATCCTGGCCACC
 ATCCTCAGCAAAGCCTCCTCCTCAGGTCGGGGGAAGACTTTCTCTACTTGTGCCTCTCACC
 TGA CTGTGGTCATCTTTCTCTACACTTCAGCTATGTTCTCTTACATGAACCCCCACAGCACA
 10 CATGGGCTGACAAAGACAAACCTTTCTCCCTCCTGTACACCATCATTACCCCCATGTGCA
 ACCCATCATTTATAGTTTCCGCAACAAGGAAATTAAGGAGGCCATGGTGAGGGCACTTG
 GAAGAACCAGGCTGGCCAGCCACAGTCTGTCTAG (SEQ ID NO: 202)

AOLFR110 sequences:

15 MKIANNTVVTEFILLGLTQSQDIQLLVFVLILIFYLILPGNFLIIFTIRSDPGLTAPLYLFLGNLAFL
 DASYSFIVAPRMLVDFLSEKKVISYRGCTQLFFLHFLGGEGLLLVMAFDRIYAIACRPLHCST
 VMNPRACYAMMLALWLGGFVHSIIQVVLRLPFCGPNQLDNFFCDVRQVIKLACTDMFVVEL
 LMVFNGLMTLLCFLGLLASYA VILCHVRRRAASEGKNKAMSTCTTRVIIIIMFGPAIFTYMCPP
 20 RALPADKMVSLFHTVIFPLMNPMIYTLRNQEVKTSMKRLLSRHVVCQVDFIIRN (SEQ ID NO:
 203)

ATGAAGATAGCAAACAACACAGTAGTGACAGAATTTATCCTCCTTGGTCTGACTCAGTCTC
 AAGATATTCAGCTCTTGGTCTTGTGCTGATCTTAATTTCTACCTTATCATCCTCCCTGGA
 AATTTTCTCATTATTTTACCATAAGGTCAGACCCTGGGCTCACAGCCCCCTCTATTTATT
 25 TCTGGGCAACTTGGCCTTCTGGATGCATCCTACTCCTTCATTGTGGCTCCCAGGATGTTGG
 TGGACTTCTCTCTGAGAAAAAGGTAATCTCCTACAGAGGCTGCATCACTCAGCTCTTTTT
 CTTGCACTTCTTGGAGGAGGGGAGGGATTACTCCTTGTGTGATGGCCTTTGACCGCTAC
 ATCGCCATCTGCCGGCCTCTGCACTGTTCAACTGTGATGAACCCTAGAGCCTGCTATGCAA
 TGATGTTGGCTCTGTGGCTTGGGGGTTTTGTCCACTCCATTATCCAGGTGGTCCCTCATCCTC
 30 CGCTTGCCCTTTTTGTGGCCCAAACCAGCTGGACAACCTTCTTCTGTGATGTCCGACAGGTCA
 TCAAGCTGGCTTGACCGACATGTTTGTGGTGGAGCTTCTAATGGTCTTCAACAGTGGCCT
 GATGACACTCCTGTGCTTTCTGGGGCTTCTGGCTTCTATGCAGTCATCCTCTGCCATGTTCT
 GTAGGGCAGCTTCTGAAGGGAAGAACAAGGCCATGTCCACGTGCACCACTCGTGTGATTA
 TTATACTTCTTATGTTTGGACCTGCTATCTTACATGATGTGCCCTTTCAGGGCCTTACCA
 35 GCTGACAAGATGGTTTCTCTCTTTCACACAGTGATCTTCCATTGATGAATCCTATGATTTA
 TACCCTTCGCAACCAGGAAGTGAAAACCTCCATGAAGAGGTTATTGAGTCGACATGTAGTC
 TGTCAAGTGGATTTTATAATAAGAACTGA (SEQ ID NO: 204)

AOLFR111 sequences:

40 MCYIYLIFKEWTLIFYFSLLLFLQITPAIMANLTIVTEFILMGFSTNKNMCIHLSILFLLIYLCALM
 GNVLIIMITTLDHHLHTPVYFFLKNLSFLDLCLISVTAPKSIANSIHNNSISFLGCVSQVFLLS
 ASAELLLLTVMSFDRYTAICHPLHYDVIMDRSTCVQRATVSWLYGGLIIVMHTAGTFSLSYCG
 SNMVHQFFCDIPQLLAISCENLIREIALILINVLDFCCFIVIIITYVHVVFSTVKKIPSTEGQSKAY
 SICLPHLLVVLSTGFIAYLKPASESPSILDAVISVFYTMLPPTFNPIIYSLRNKAIKVALGMLIKG
 45 KLTKK (SEQ ID NO: 205)

ATGTGTTATATATATTTAATATTTAAAGAGTGGACATTGATATTTTACTTCAGTCTTCTCCT
 TTTCTGCAAGTACTCCTGCAATAATGGCAAATCTCACAATCGTGACTGAATTTATCCTTA
 TGGGGTTTTCTACCAATAAAAAATATGTGCATTTTGCATTGATTCTCTTCTTGTGATTTAT
 50 TTGTGTGCCCTGATGGGGAATGTCCTCATTATCATGATCACAACCTTTGGACCATCATCTCC
 ACACCCCCGTGTATTTCTTCTTGAAGAATCTATCTTTCTTGGATCTCTGCCTTATTTAGTC
 ACGGCTCCCAAATCTATCGCCAATTCTTTGATACACAACAACCTCCATTTCATTCTTGGCTG
 TGTTTCCCAGGTCTTTTGTGCTTTCTTCAAGCATCTGCAGAGCTGCTCCTCCTCACGGTGA
 TGTCCTTTGACCGCTATACTGCTATATGTCACCCTCTGCACTATGATGTGATCATGGACAGG
 55 AGCACCTGTGTCCAAAGAGCCACTGTGTCTTGGCTGTATGGGGGTCTGATTGCTGTGATGC
 ACACAGCTGGCACCTTCTCCTTATCCTACTGTGGGTCCAACATGGTCCATCAGTTCTTCTGT

GACATTCCCCAGTTATTAGCTATTTCTTGCTCAGAAAATTTAATAAGAGAAATTGCACTCA
 TCGTTATTAATGTAGTTTTGGATTTCTGCTGTTTTATTGTCATCATCATTACCTATGTCCAC
 GTCTTCTCTACAGTCAAGAAGATCCCTTCCACAGAAGGCCAGTCAAAAGCCTACTCTATTT
 GCCTTCCACACTTGCTGGTTGTGTTATTTCTTTCCACTGGATTCAATTGCTTATCTGAAGCCA
 5 GCTTCAGAGTCTCCTTCTATTTTGGATGCTGTAATTTCTGTGTTCTACACTATGCTGCCCCC
 AACCTTTAATCCCATATATACAGTTTGAGAAACAAGGCCATAAAGGTGGCTCTGGGGATG
 TTGATAAAGGGAAAGCTCACCAAAAAGTAA (SEQ ID NO: 206)

AOLFR113 sequences:

10 MKFWHGFSSHLNPMFSSFLLYLSLPWINTTIQAWLNLCALPVWAMSGAGFLSCCYWHTCSP
 SVVTCSSSQSSDWMQLCTHLCTTSLVFFPSWSCGIQLPLSLRCLIFSRRKPFLLQDASFRPTSS
 TPWGACECYLLTAMAYDRYLAICRPLHYPIIMTTTLCAKMAAACWTCGFLCPISEVILASQLPF
 CAYNEIQHIFCDPPLLSLACKDTSANILVDFAINAFILITFFMISYARIIGAVLKIKTASGRKK
 AFSTCASHLAVVLIFFGSIIFMYVRLKKSYSLTLDRTLAIVYSVLTMPMNPPIIYSLRNKEIHKAIKR
 15 TIFQKGDKASLAHL (SEQ ID NO: 207)

ATGTGTCAACAAATCTTACGGGATTGCATTCTTCTCATACATCATTTGTGCATTAACAGGA
 AAAAAGTCTCACTTGTGATGCTGGGTCCAGCTTATAACCACACAATGGAAACCCCTGCCTC
 CTTCTCTCTTGTGGGTATCCCAGGACTGCAATCTTCACATCTTTGGCTGGCTATCTCACTGA
 20 GTGCCATGTACATCATAGCCCTGTTAGGAAACACCATCATCGTGACTGCAATCTGGATGGA
 TTCCACTCGGCATGAGCCCATGTATTGCTTTCTGTGTGTTCTGGCTGCTGTGGACATTGTTA
 TGGCCTCCTCGGTGGTACCCAAGATGGTGAGCATCTTCTGCTCAGGAGACAGCTCAATCAG
 CTTTAGTGCTTGTTCCTCACTCAGATGTTTTTGTCCACTTAGCCACAGCTGTGGAGACGGGG
 CTGCTGCTGACCATGGCTTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGA
 25 GAATTCTACGCCTCAAGTGATGCTGGGAATGAGTATGGCCATCACCATCAGAGCTATCAT
 AGCCATAACTCCACTGAGTTGGATGGTGAGTCATCTACCTTTCTGTGGCTCCAATGTGGTT
 GTCCACTCCTACTGTGAGCACATAGCTTTGGCCAGGTTAGCATGTGCTGACCCCGTGCCCA
 GCAGTCTCTACAGTCTGATTGGTTCTCTCTTATGGTGGGCTCTGATGTGGCCTTCATTGCT
 GCCTCCTATATCTTAATTCTCAAGGCAGTATTTGGTCTCTCCTCAAAGACTGCTCAGTTGAA
 30 AGCATTAAGCACATGTGGCTCCCATGTGGGGGTTATGGCTTGTACTATCTACCTGGGATG
 GCATCCATCTATGCGGCCTGGTTGGGGCAGGATGTAGTGCCCTTGACACCCCAAGTCTGC
 TAGCTGACCTGTACGTGATCATCCAGCCACCTTAAATCCCATCATCTATGGCATGAGGAC
 CAAACAACCTGCGGGAGAGAATATGGAGTTATCTGATGCATGTCTCTTTGACCATTCCAAC
 CTGGGTTTCATGA (SEQ ID NO: 208)

35

AOLFR114 sequences:

MERINHSSVSEFILLGLSSRPEDQKTLFVLFLIVYLVTTITGNLLIHLAIRFNPHLQTPMYFFLSFLS
 LTDICFTTSVVPKMLMNFLSEKKTISYAGCLTQMYFLYALGNSDSLAVMAFDYVAVCDPF
 HYVTTMSHHHCVLLVAFSCSFPHLHSLHTLLNRLTFCDNSVIHHFLCDLSPVLKLSCSSIFVN
 40 EIVQMTEAPIVLVTRFLCIAFSYIRILTVLKIPSTSGKRKAFTSCGYLTVVTLFYGSIFCVYLQP
 PSTYAVKDHVATIVYTVLSSMLNPFIYSLRNKDLKQGLRKLMSKRS (SEQ ID NO: 209)

ATGGAAAGAATCAACCACACCAGCAGTGTCTCCGAGTTTATCCTCCTGGGACTCTCCTCCC
 GGCCTGAGGACCAAAAGACACTCTTTGTTCTCTTCCCTCATCGTGTACCTGGTCACCATAAC
 45 AGGGAACCTGCTCATCATCTGGCCATTGCTTCAACCCCCATCTTACAGACCCCTATGTATT
 TCTTCTTGAGTTTTCTGTCTCTCACTGATATTTGCTTTACAACAAGCGTTGTCCCCAAGATG
 CTGATGAACCTCCTGTGAGAAAAGAAGACCATCTCCTATGCTGGGTGTCTGACACAGATGT
 ATTTTCTCTATGCCTTGGGCAACAGTGACAGCTGCCTTCTGGCAGTCATGGCCTTTGACCG
 CTATGTGGCCGTCTGTGACCCCTTCCACTATGTACCACCATGAGCCACCACCATGTGTCTC
 50 TGCTGGTGGCCTTCTCCTGCTCATTTCTCCTCACTCCTCACTCCTGCACACACTTCTGCTG
 AATCGTCTACCTTCTGTGACTCCAATGTTATCCACCACCTTCTCTGTGACCTCAGCCCTGT
 GCTGAAATTGTCCTGCTCTTCCATATTTGTCAATGAAATTGTGCAGATGACAGAAGCACCT
 ATTGTTTTGGTGACTCGTTTTCTCTGCATTGCTTTCTCTTATATACGAATCCTCACTACAGT
 TCTCAAGATTCCCTCTACTTCTGGGAAACGAAAGCCTTCTCCACCTGTGGTTTTTACCTCA
 55 CCGTGGTGACGCTCTTTTATGGAAGCATCTTCTGTGTCTATTACAGCCCCCATCCACCTAC
 GCTGTCAAGGACCACGTGGCAACAATTGTTTACACAGTTTTGTCTCATCATGCTCAATCCTT

TTATCTACAGCCTGAGAAACAAAGACCTGAAACAGGGCCTGAGGAAGCTTATGAGCAAGA
GATCCTAG (SEQ ID NO: 210)

AOLFR115 sequences:

5 MEGFYLRSHLQGMGKPGRVNQTTVSDFLLLGLSEWPPEEQPLLFGIFLGMVLTVMVGNLLII
LAISSDPHLHTPMYFFLANLSLTDACFTSASIPKMLANIHTQSQIISYSGCLAQLYFLLMFGGLD
NCLLAVMAYDRYVAICQPLHYSTMSPOLCALMLGVCWVLTNCPALMHTLLLTRVAFCAQK
AIPHFYCDPSALLKLACSDTHVNELMIITMGLLFLTVPLLLIVFSYVRIFWAVFVISSPGGRWKA
10 FSTCGSHLTVVLLFYGSLMGVYLLPPSTYSTERESRAAVLYMVIPTLNPFIYSLNRNMDKEALG
KLFVSGKTFFL (SEQ ID NO: 211)

ATGGAAGGTTTTTATCTGCGCAGATCACACGAACTACAAGGGATGGGAAAACCAGGCAGA
GTGAACCAAACCACTGTTTCAGACTTCCTCCTTCTAGGACTCTCTGAGTGGCCAGAGGAGC
AGCCTCTTCTGTTTGGCATCTTCCTTGGCATGTACCTGGTCACCATGGTGGGGAACCTGCTC
15 ATTATCCTGGCCATCAGCTCTGACCCACACCTCCATACTCCCATGTACTTCTTTCTGGCCAA
CCTGTCATTAACTGATGCCTGTTTCACTTCTGCCTCCATCCCCAAAATGCTGGCCAACATTC
ATACCCAGAGTCAGATCATCTCGTATTCTGGGTGTCTTGCACAGCTATATTTCTCCTTATG
TTTGGTGGCCTTGACAACTGCCTGCTGGCTGTGATGGCATATGACCGCTATGTGGCCATCT
GCCAACCACTCCATTACAGCACATCTATGAGTCCCCAGCTCTGTGCACTAATGCTGGGTGT
20 GTGCTGGGTGCTAACCACTGTCCTGCCCTGATGCACACACTGTTGCTGACCCGCGTGGCT
TTCTGTGCCAGAAAGCCATCCCTCATTCTATTGTGATCCTAGTGCTCTCCTGAAGCTTGC
CTGCTCAGATACCCATGTAAACGAGCTGATGATCATCACCATGGGCTTGCTGTTCTCTCACT
GTTCCTCCTCCTGCTGATCGTCTTCTCCTATGTCCGCATTTTCTGGGCTGTGTTTGTCTATCTC
ATCTCCTGGAGGGAGATGGAAGGCCTTCTCTACCTGTGGTTCTCATCTCACGGTGGTTCTG
25 CTCTTCTATGGGTCTCTTATGGGTGTGATTTACTTCTCCATCAACTTACTCTACAGAGAG
GGAAAGTAGGGCTGCTGTTCTCTATATGGTGATTATTTCCACGCTAAACCCATTCAATTTAT
AGCTTGAGGAACAGAGACATGAAGGAGGCTTTGGGTAAACTTTTGTGCTGAGGAAAAACA
TTCTTTTATGA (SEQ ID NO: 212)

AOLFR116 sequences:

30 MDEANHSVSVSEFVFLGLSDSRKIQLLLFLFFSVFYVSSLMGNLLIVLTVTSDPRLQSPMYFLLAN
LSIINLVFCSSTAPKMIYDLFRKHKTISFGGCVVQIFFIHAVGGTEMVLLIAMAFDRYVAICKPLH
YLTIMNPQRCILFLVISWIIHHSVIQLAFVVDLLFCGPNELDSFFCDLPRFIKLACIETYTLGFMV
TANSGFISLASFLILISYIFILVTVQKKSSGGIFKAFSMLSAHVIVVVLVFGPLIFFYIFPFPTSHLD
35 KFLAIFDAVITPVLNPVIYTFRNKEMMVAMRRRCSQFVNYSKIF (SEQ ID NO: 213)

ATGGATGAAGCCAATCACTCTGTGGTCTCTGAGTTTGTGTTTCTGGGACTCTCTGACTCGC
GGAAGATCCAGCTCCTCCTCTTCTCTTTTCTCAGTGTTCTATGTATCAAGCCTGATGGGA
AATCTCCTCATTGTGCTAACTGTGACCTCTGACCCTCGTTTACAGTCCCCATGTACTTCT
40 GCTGGCCAACCTTTCCATCATCAATTTGGTATTTTGTCTCCACAGCTCCCAAGATGATTT
ATGACCTTTTTCAGGAAGCACAAAGACCATCTCTTTTGGGGGCTGTGTAGTTTCAATCTTCT
TATCCATGCAGTTGGGGGAACTGAGATGGTGCTGCTCATAGCCATGGCTTTTGACCGATAT
GTGGCCATATGTAAGCCTCTCCACTACCTGACCATCATGAACCCACAAAGGTGCATTTTGT
TTTTAGTCATTTCTGGATTATAGGTATTATCACTCAGTGATTGAGTTGGCTTTTGTGTTGA
45 GACCTGCTGTTCTGTGGCCCTAATGAATTAGATAGTTTCTTTTGTGATCTTCTCGATTTAT
CAAACCTGGCTTGCTAGAGACCTACACATTGGGATTGATGTTACTGCCAATAGTGGATTT
ATTTCTCTGGCTTCTTTTAAATTCTCATAATCTCTTACATCTTTATTTTGGTGACTGTTTCA
AAAAAATCTTCAGGTGGTATATTCAAGGCTTTCTCTATGCTGTCAGCTCATGTCATTGTG
TGGTTTTGGTCTTTGGGCCATTAATCTTTTCTATATTTTCCATTTCCACATCACATCTTG
50 ATAAATTCCTTGCCATCTTTGATGCAGTTATCACTCCCGTTTGAATCCAGTCATCTATACT
TTTAGAAATAAAGAGATGATGGTGGCAATGAGAAGACGATGCTCTCAGTTTGTGAATTAC
AGTAAATCTTTTAA (SEQ ID NO: 214)

AOLFR117 sequences:

55 MNNTIVFVIKIQIEKSDLKYRAISLQEISKISLLFWVLLLVISRLLLAMTLGNSTEVTEFYLLGFGA
QHEFWCILFIVFLLIYVTSIMGNSGILLINTDSRFQTLTYFFLQHLAFVDICYTSAITPKMLQSFT

EEKNLILFQGCVIQFLVYATFATSDCYLLAMMAVDPYVAICKPLHYTVIMSRTVCIRLVAGSYI
MGSINASVQTGFTCSLSFCKSNSINHHFCDVPPILALSCSNVDINIMLLVVFVGSNLIFTGLVVIFS
YIYIMATILKMSSSAGRKKSFSSTCASHLTAVTIFYGTLASYMYLQSHSNNSQENMKVAFIFYGTVI
PMLNPLIYSLRNKEVKEALKVIGKKLF (SEQ ID NO: 215)

5

ATGAATAACACTATTGTATTTGTCATAAAAAATACAAATAGAAAAAAGTGACTTGAAATATA
GAGCCATTTTCATTGCAAGAAATCTCAAAGATTCCCTTCTTTTCTGGGTCCTTCTCTTGGTC
ATTTCTAGACTTTTACTAGCCATGACACTAGGAAACAGCACTGAAGTCACTGAATTCTATC
TTCTGGGATTGTTGGTCCCAGCATGAGTTTTGGTGTATCCTCTTCATTGTATTCCTTCTCATC
10 TATGTGACCTCCATAATGGGTAATAGTGAATAATCTTACTCATCAACACAGATTCCAGAT
TTCAAACACTCACGTACTTTTTTCTACAACATTTGGCTTTTGTGATATCTGTTACACTTCT
GCTATCACTCCCAAGATGCTCCAAAGCTTCACAGAAGAAAAGAATTTGATATTATTTTCAGG
GCTGTGTGATACAATTCTTAGTTTATGCAACATTTGCAACCAGTGACTGTTATCTCCTGGCT
ATGATGGCAGTGGATCCTTATGTTGCCATCTGTAAGCCCCTTCACTATACTGTAATCATGT
15 CCCGAACAGTCTGCATCCGTTTGGTAGCTGGTTCATACATCATGGGCTCAATAAATGCCTC
TGTACAAACAGGTTTTACATGTTCACTGTCCTTCTGCAAGTCCAATAGCATCAATCACTTTT
TCTGTGATGTTCCCCCTATTCTTGCTCTTTCATGCTCCAATGTTGACATCAACATCATGCTA
CTTGTTGTCTTTGTGGGATCTAACTTGATAATCACTGGGTTGGTCGTCATCTTTTCTACAT
CTACATCATGGCCACCATCCTGAAAATGTCTTCTAGTGCAGGAAGGAAAAAATCCTTCTCA
20 ACATGTGCTTCCACCTGACCGCAGTCACCATTTTCTATGGGACACTCTCTTACATGTATTT
GCAGTCTCATCTAATAATTCCAGGAAAATATGAAAGTGGCCTTTATATTTTATGGCACA
GTTATTCCCATGTTAAATCCTTTAATCTATAGCTTGAGAAATAAGGAAGTAAAAGAAGCTT
TAAAGTGATAGGGAAAAAGTTATTTTAA (SEQ ID NO: 216)

25 **AOLFR118 sequences:**

MNHMSASLKISNSSKFQVSEFILLGFPGIHSWQHWLSLPLALLYLSALAANTLILIIWQNPSLQQ
PMYIFLGILCMVDMGLATTIIPKILAIWFDAKVISLPECFAQIYAIHFFVGMESGILLCMAFDRY
VAICHPLRYPISIVTSSILKATLFMVLNRNGLFVTPVPVLAQRDYCSKNEIEHCLCSNLGVTSLA
CDDRRPNISICQLVLAWLGMGSDLSLILSYLILYSVLRNSAEAAAKALSTCSSHLTLILFFYTIV
30 VVISVTHLTEMKATLIPVLLNVLHNIIPPSLNPTVYALQTKELRAAFQKVLFAITKEIRS (SEQ ID
NO: 217)

ATGAATCATATGTCTGCATCTCTCAAAATCTCCAATAGCTCCAAATCCAGGTCTCTGAGTT
CATCCTGCTGGGATTCCCGGGCATTACAGCTGGCAACACTGGCTATCTCTGCCCTGGCA
35 CTACTGTATCTCTCAGCACTTGCTGCAAACACCCTCATCCTCATCATCTGGCAGAACCC
TTCTTTACAGCAGCCCATGTATATTTTCTTGGCATCCTCTGTATGGTAGACATGGGTCTGG
CCACTACTATCATCCCTAAGATCCTGGCCATCTTCTGGTTTGATGCCAAGGTTATTAGCCTC
CCTGAGTGCTTTGCTCAGATTTATGCCATTCACTTCTTTGTGGGCATGGAGTCTGGTATCCT
ACTCTGCATGGCTTTTGATAGATATGTGGCTATTTGTCACCCTCTTCGCTATCCATCAATTG
40 TCACCAGTTCCTTAATCTTAAAAGCTACCCTGTTTCATGGTGCTGAGAAATGGCTTATTTGTC
ACTCCAGTGCCTGTGCTTGCAGCACAGCGTGATTATTGCTCCAAGAATGAAATTGAACACT
GCCTGTGCTCTAACCTTGGGGTCACAAGCCTGGCTTGTGATGACAGGAGGCCAAACAGCAT
TTGCCAGTTGGTTCTGGCATGGCTTGAATGGGGAGTGATCTAAGTCTTATTATACTGTCA
TATATTTTGATTCTGTACTCTGTACTTAGACTGAACTCAGCTGAAGCTGCAGCCAAGGCC
45 TGAGCACTGTAGTTCACATCTCACCCCTCATCTTTTCTTTTACACTATTGTTGTAGTGATT
TCAGTGACTCATCTGACAGAGATGAAGGCTACTTTGATTCCAGTTCTACTTAATGTGTTGC
ACAACATCATCCCCCTTCCCTCAACCCTACAGTTTATGCACTTCAGACCAAAGAACTTAG
GGCAGCCTTCCAAAAGGTGCTGTTTGCCCTTACAAAAGAAATAAGATCTTAG (SEQ ID NO:
218)

50

AOLFR119 sequences:

MPLFNSLCWFPTIHVTPPSFILNGIPGLERVHVWISLPLCTMYIIFLVGNLGLVYLIYYEESLHHP
MYFFFGHALSLIDLLTCTTTLPNALCIFWFSKEINFNACLAQMFFVHGFTGVESGVLMLMALD
RYIAICYPLRYATTLNPIIAKAEATFLRGVLLMIPFPFLVKRLPFCQSNIIISHTYCDHMSVVKL
55 SCASIKVNVYGLMVALLIGVFDICISLSYTLILKAAISLSSSDARQKAFSTCTAHISAIITYVPA

FFTTFAHRFGGHTIPPSLHIIIVANLYLLLPTLNPVYGVKTKQIRKSVIKFFQGDKGAG (SEQ ID NO: 219)

5 ATGCCTCTATTTAATTCATTATGCTGGTTTCCAACAATTCATGTGACTCCTCCATCTTTTAT
TCTTAATGGAATACCTGGTCTGGAAAGAGTACATGTATGGATCTCCCTCCCACTCTGCACA
ATGTACATCATCTTCCTTGTGGGGAATCTGGTCTTGTGTACCTCATTTATTATGAGGAGTC
CTTACATCATCCGATGTATTTTTTTTTTGGCCATGCTCTCTCCCTCATTGACCTCCTTACCTG
CACCACCACTCTACCCAATGCACTCTGCATCTTCTGGTTCAGTCTCAAAGAAATTAACCTCA
10 ATGCTTGCTTGGCCCAGATGTTCTTTGTTCATGGGTTACAGGTGTGGAGTCTGGGGTGCT
CATGCTCATGGCTCTAGACCGCTATATAGCCATTTGCTACCCTTTGCGTTATGCTACCACAC
TCACCAACCCTATCATTGCCAAGGCTGAGCTTGCCACCTTCCTGAGGGGTGTATTGCTGAT
GATTCCTTTCCCATCTCTGGTTAAGCGTTTGCCTTTCTGCCAAAGCAATATTATCTCCATA
CGTACTGCGACCACATGTCTGTAGTAAAGCTATCTTGTGCCAGCATCAAGGTCAATGTAAT
CTATGGTCTAATGGTTGCTCTCCTGATTGGAGTGTGTGACATTTGTTGTATATCTTTGCTT
15 ACACCTTGATCCTCAAGGCAGCGATCAGCCTCTCTTCATCAGATGCTCGGCAGAAGGCTTT
CAGCACCTGCACTGCCATATATCTGCCATCATCATCACCTATGTTCCAGCATTCTTCACTT
TCTTTGCCACCGTTTGGGGGACACACAATTCCCCCTTCTCTTCACATCATTGTGGCTAAT
CTTTATCTTCTTCTCCCCCACTCTAAACCCTATTGTTTATGGAGTAAAGACAAAACAGAT
ACGCAAGAGTGTCTATAAAGTTCTTCCAGGGTGATAAGGGTGCAGGTTGA (SEQ ID NO: 220)

20

AOLFR120 sequences:

MQPYTKNWTQVTEFVMMGFAGIHEAHLFFILFLTMYLFTLVENLAAILVGLDHLRLRRPMYF
FLTHLSCLEIWYTSVTPVKMLAGFIGVDGGKNISYAGCLSQLFIFTLGATECFLLAAMAYDRY
VAICMPLHYGAFVSWGTCIRLAAACWLVGFLTPLPIYLLSQLTFCGPNVIDHFSCDASPLLALS
25 CSDVTWKETVDFVLVSLAVLLASSMVIAVSYGNIVWTLHIRSAAERWKAFSTCAHLTVVSLF
YGTLLFMYVQTKVTSSINFNKVVSFYSVVTPLNPLIYSLRNKEVKALGRVFSLNFWKQG
(SEQ ID NO: 221)

30 ATGCAACCATATACCAAAAACTGGACCCAGGTAACCTGAATTTGTCATGATGGGCTTTGCTG
GCATCCATGAAGCACACCTCCTCTTCTTCATACTCTTCCTCACCATGTACCTGTTACCTTG
GTGGAGAATTTGGCCATCATTTTAGTGGTGGGTTTGGACCACCGACTACGGAGACCCATGT
ATTTCTTCCTGACACACTTGTCTGCCTTGAAATCTGGTACACTTCTGTTACAGTGCCCAAG
ATGCTGGCTGGTTTTATTGGGGTGGATGGTGGCAAGAATATCTCTTATGCTGGTTGCCTAT
CCCAGCTCTTCATCTTCACCTTTCTTGGGGCAACTGAGTGTTCCTACTGGCTGCCATGGCC
35 TATGATCGTTATGTGGCCATTTGTATGCCTCTCCACTATGGGGCTTTTGTGTCCTGGGGCAC
CTGCATCCGTCTGGCAGCTGCCTGTTGGCTGGTAGGTTTCCTCACACCCATCTTGCCAATCT
ACCTCTTGTCTCAGCTAACATTTTGTGGCCCAAATGTCATTGACCATTCTCCTGTGATGCC
TCACCCTTGCTAGCCTTGTCTGCTCAGATGTCACTTGAAGGAGACTGTGGATTCTCTGG
TGTCTCTGGCTGTGCTACTGGCCTCCTCTATGGTCATTGCTGTGTCTATGGCAACATCGTC
40 TGGACACTGCTGCACATCCGCTCAGCTGCTGAGCGCTGGAAGGCCTTCTCTACCTGTGCAG
CTCACCTGACTGTGGTGAGCCTCTTCTATGGCACTCTTTCTTTATGTATGTCCAGACCAAG
GTGACCTCCTCCATCAACTTCAACAAGGTGGTATCTGTCTTCTACTCTGTTGTACGCCCAT
GCTCAATCCTCTCATCTACAGTCTTAGGAACAAGGAAGTGAAGGGAGCTCTGGGTGAGTC
TTTTCTCTCAACTTTTGAAGGGACAGTGA (SEQ ID NO: 222)

45

AOLFR121 sequences:

MKRKNFTEVSEFIFLGFSSFGKHQITLFVVFLTIVYILTLVANIIVTICIDHHLHTPMYFFLSMLA
SSETVYTLVIVPRMLLSLIFHNQPISLAGCATQMFFFVILATNNCFLLTAMGYDRYVAICRPLRY
TVIMSKGLCAQLVCGSFGIGLTMAVLHVTAMFNLPCGTVVDHFFCDIYPVMKLSCIDTTINEII
50 NYGVSSSFVIFPIGLIFISYVLVISSILQIASAEGRKKTFCVSHLTVVIVHCGCASIAYLKPKSES
SIEKDLVLSVTYTIITPLNPNVYSLRNKEVKDALCRVVGRNIS (SEQ ID NO: 223)

55 ATGAAGAGAAAGAACTTCACAGAAGTGTCAGAATTCATTTTCTTGGGATTTTCTAGCTTTG
GAAAGCATCAGATAACCCTCTTTGTGGTTTCTCTAACTGTCTACATTTTAACTCTGGTTGCT
AACATCATCATTGTGACTATCATCTGCATTGACCATCATCTCCACACTCCCATGTATTTCTT
CCTAAGCATGCTGGCTAGTTCAGAGACGGTGTACACACTGGTCATTGTGCCACGAATGCTT

TTGAGCCTCATTTTTTCATAACCAACCTATCTCCTTGGCAGGCTGTGCTACACAAATGTTCTT
 TTTTGTTATCTTGGCCACTAATAATTGCTTCCTGCTTACTGCAATGGGGTATGACCGCTATG
 TGGCCATCTGCAGACCCCTGAGATACACTGTCATCATGAGCAAGGGACTATGTGCCAGCT
 5 GGTGTGTGGGTCCTTTGGCATTGGTCTGACTATGGCAGTTCTCCATGTGACAGCCATGTTT
 AATTTGCCGTTCTGTGGCACAGTGGTAGACCACTTCTTTTGTGACATTTACCCAGTCATGA
 AACTTTCTTGCATTGATACCACTATCAATGAGATAATAAATTATGGTGTAAGTTTCATTTGT
 GATTTTGTGCCCATAGGCCTGATATTTATCTCCTATGTCCTTGTCTCTCTCCATCCTTC
 AAATTGCCTCAGCTGAGGGCCGGAAGAAGACCTTTGCCACCTGTGTCTCCACCTCACTGT
 10 GGTATTGTCCACTGTGGCTGTGCCTCCATTGCCTACCTCAAGCCGAAGTCAGAAAGTTCA
 ATAGAAAAAGACCTTGTTCTCTCAGTGACGTACACCATCATCACTCCCTTGCTGAACCCTG
 TTGTTTACAGTCTGAGAAACAAGGAGGTAAAGGATGCCCTATGCAGAGTTGTGGGCAGAA
 ATATTTCTTAA (SEQ ID NO: 224)

AOLFR122 sequences:

15 MEWENQTLVEFFLKGHSVHPRLELLFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
 SFLDICYTTTSIPSTLVSFLSERKTISFSGCAVQMFLGLAMGTTECVLLGMMAFDRYVAICNPLR
 YPIIMSKNAYVPMVAGSWFAGIVNSAVQTTFFVQLPFCRKNVINHFSCIELAVMKLACADISGN
 EFLMLVATILFTLMPLLLIVISYSLIISILKIHSSSEGRSKAFSTCSAHLTVVIIFYGTILFMYMKPKS
 20 KETLNSDDLDATDKIISMFGVMTMPMNPLIYSLRNKDVKEAVKHLPNRRFFSK (SEQ ID NO:
 225)

ATGGAATGGGAAAACCAACCATTTCTGGTGAATTTTTCTGAAGGGACATTCTGTTTACC
 CAAGGCTTGAGTTACTCTTTTTGTGCTAATCTTCATAATGTATGTGGTCATCCTTCTGGGG
 AATGGTACTCTCATTTTAATCAGCATCTTGGACCTCACCTTCACACCCCTATGTACTTCTT
 25 TCTGGGGAACCTCTCCTTCTTGGACATCTGCTACACCACCACCTCTATTCCCTCCACACTAG
 TGAGCTTCTTTTCAAGAAAGAACCATTTCTTTTCTGGCTGTGCAGTGCAGATGTTCTT
 GGCTTGCCATGGGGACAACAGAGTGTGTGCTTCTGGGCATGATGGCCTTTGACCGCTATG
 TGGCTATCTGCAACCCTCTGAGATATCCCATCATCATGAGCAAGAATGCCTATGTACCCAT
 GGCTGTTGGGTCCTGGTTTGCAGGGATTGTCAACTCTGCAGTACAACTACATTTGTAGTA
 30 CAATTGCCTTTCTGCAGGAAGAATGTCATCAATCATTCTCATGTGAAATTCTAGCTGTCTAT
 GAAGTTGGCCTGTGCTGACATCTCAGGCAATGAGTTCTCATGCTTGTGGCCACAATATTG
 TTCACATTGATGCCACTGCTCTTGATAGTTATCTCTTACTCATTAAATCATTTCAGCATCCT
 CAAGATCACTCCTCTGAGGGGAGAAAGCAAGCTTTCTCTACCTGCTCAGCCCATCTGACT
 GTGGTCATAATATTCTATGGGACCATCTCTTCATGTATATGAAGCCCAAGTCTAAAGAGA
 35 CACTTAATTCAGATGACTTGGATGCTACCGACAAAATTATATCCATGTTCTATGGGGTGAT
 GACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAAGAGGCAGT
 AAAACACCTACCGAACAGAAGGTTCTTTAGCAAGTGA (SEQ ID NO: 226)

AOLFR123 sequences:

40 MYRFTDFDVSNISIYLNHVLFYTTQQAGDLEHMETRNYSAMTEFFLVGLSQYPELQLFLFLCL
 IMYMIILLGNSLLIITILDSRLHTPMYFFLGNL SFLDICYTTSSIPPMLIIFMSERKSISFIGCALQM
 VVSLGLGSTECVLLAVMAYDHYVAICNPLRYSIIMNGVLYVQMAAWSWIIGCLTSLQLTVLT
 MMLPFCGNNVIDHITCEILALLKLVCSBITINVLIMTVTNIVSLVILLLLIFISYVFILSSILRINCAE
 GRKKAFSTCSAHSIVVILFYGSALFMYMKPKSKNTNTSDEIIGLSYGVVSPMLNPIIYSLRNKEV
 45 KEAVKKVLSRHLHLLKM (SEQ ID NO: 227)

ATGTACAGATTTACAGATTTTGATGTATCAAACATTTCAATTTACCTGAATCATGTCCTTTT
 CTATACTACCCAGCAGGCAGGTGACCTAGAACACATGGAGACAAGAAATTACTCTGCCAT
 GACTGAATTCTTTCTGGTGGGGCTTTCCCAATATCCAGAGCTCCAGCTTTTTCTGTTCTCTGC
 50 TCTGCCTCATCATGTACATGATAATCCTCCTGGGAAATAGCCTCCTCATTATCATCAACATC
 TTGGATTCTCGCCTCCATACTCCCATGTATTTCTTTCTTGGAAACCTCTCATTCTTGGACAT
 CTGTTACACATCCTCATCCATTCTCCAATGCTTATTATATTTATGTCTGAGAGAAAATCCA
 TCTCCTTCATTGGCTGTGCTCTGCAGATGGTTGTGTCCCTTGGCTTGGGCTCCACTGAGTGT
 55 GTCCTCCTGGCTGTGATGGCCTATGACCACTATGTGGCCATCTGCAACCCACTGAGGTACT
 CCATCATCATGAACGGAGTGCTGTATGTGCAAATGGCTGCATGGTCCTGGATCATAGGCTG
 TCTGACCTCCCTATTGCAAACAGTTCTGACAATGATGTTGCCTTTCTGTGGGAATAATGTC

ATTGATCATATTACCTGTGAAATTTTGGCCCTTCTAAAACTTGTTTGTTCAGATATCACCAT
CAATGTGCTTATCATGACAGTGACAAATATTGTTTCACTGGTGATTCTTCTACTGTTAATTT
TCATCTCCTATGTGTTTATTCTCTCTTCCATCCTGAGAATTAATTGTGCTGAGGGAAGAAAG
AAAGCCTTCTCTACCTGTTTACGCGCACTCGATTGTGGTCATCTTATTCTACGGTTCAGCCCT
5 TTTTATGTACATGAAACCCAAGTCAAAGAACACTAATACATCTGATGAGATTATTGGGCTG
TCTTATGGAGTGGTAAGCCCAATGTTAAATCCCATCATCTATAGCCTCAGGAATAAAGAGG
TCAAAGAGGCTGTAAAGAAAGTCTGAGCAGACATCTGCATTTATTGAAAATGTGA (SEQ
ID NO: 228)

10 **AOLFR124 sequences:**

MNHSVVTEFIILGLTKKPELQGIIFLFLIVYLVAFLGNMLIIIAKIYNNLHTPMYVFLTLAVV
DICTTSIIPKMLGTMILTSENTISYAGCMSQLFLTWSLGAEMVLFTTMAYDRYVAICFPLHYST
VMNHMCVALLSMVMAIAVTNSWVHTALIMRLTFCGPNTIDHFFCEIPPLALSCSPVRINEV
MVYVADITLAIQDFILTCISYGFIIIVAILRIRTVGKRAKAFSTCSSHLTVVTLYYSPVIYTYIRPASS
15 YTFERDKVVAALYTLVPTLNPVMVYSFQNRMQAGIRKVFAFLKH (SEQ ID NO: 229)

ATGAATCACAGCGTTGTAAGTGAAGTTCATTATTCTGGGCCTCACCAAAAAGCCTGAACTCC
AGGGAATTATCTTCCTCTTTTTTCTCATTGTCTATCTTGTGGCTTTTCTCGGCAACATGCTC
20 ATCATCATTGCCAAAATCTATAACAACACCTTGACATACGCCCATGTATGTTTCTCTTCTGAC
ACTGGCTGTTGTGGACATCATCTGCACAACAAGCATCATACCGAAGATGCTGGGGACCAT
GCTAACATCAGAAAATACCATTTCATATGCAGGCTGCATGTCCCAGCTCTTCTTGTTCACA
TGGTCTCTGGGAGCTGAGATGGTTCTCTTACCACCATGGCCTATGACCGCTATGTGGCCA
TTTGTTCCTCTTTCATTACAGTACTGTTATGAACCACCATATGTGTGTAGCCTTGCTCAGC
ATGGTCATGGCTATTGCAGTCACCAATTCTGGGTGCACACAGCTCTTATCATGAGGTTGA
25 CTTTCTGTGGGCCAAACACCATTGACCACTTCTTCTGTGAGATACCCCCATTGCTGGCTTTG
TCCTGTAGCCCTGTAAGAATCAATGAGGTGATGGTGTATGTTGCTGATATTACCTGGCCA
TAGGGGACTTTATTCTTACCTGCATCTCCTATGGTTTTATCATTGTTGCTATTCTCCGTATC
CGCACAGTAGAAGGCAAGAGGAAGGCCTTCTCAACATGCTCATCTCATCTCACAGTGGTG
ACCCTTTACTATTCTCCTGTAATCTACACCTATATCCGCCCTGCTTCCAGCTATACATTTGA
30 AAGAGACAAGGTGGTAGCTGCACTCTATACTCTTGTGACTCCCACATTAAACCCGATGGTG
TACAGCTTCCAGAATAGGGAGATGCAGGCAGGAATTAGGAAGGTGTTTGCATTTCTGAAA
CACTAG (SEQ ID NO: 230)

AOLFR125 sequences:

MTNQTQMMEFFLVRFTEFNWVLLRLHALLFSLIYLTAVLMNLVILLMILDHRLHMAMYFFLRH
LSFLDLCLISATVPKSIILNSVASTDSISFLGCVLQLFLVLLAGSEIGILTAMSYDRYAAICPLHC
EAVMSRGLCVQLMALSWLNRGALGLLYTAGTFSLNFYGSDELHQFFCDVPALLKLTCSKEHAI
ISVSVAIGVCYAFSCLVCIVVSYYVIFSAVLRISQRQRQSKAFSNCVPHLIVVTVFLVTGAVAYL
KPGSDAPSILDLLVSFVYSVAPPTLNPVIYCLKNKDIKSALS KVLWNVRSSGVMKDD (SEQ ID
40 NO: 231)

ATGACCAATCAGACACAGATGATGGAATTCTTGCTTGTGAGATTTACTGAGAATTGGGTGC
TCCTGAGGCTGCATGCTTTGCTCTTCTCACTGATCTACCTCACGGCTGTGCTGATGAATTTA
45 GTCATCATTCTCCTCATGATTCTGGACCATCGTCTCCACATGGCAATGTAATTTTCTCCTCCG
ACATTTGTCCTTCTTAGACCTGTGTCTCATTCTGCCACAGTCCCCAAATCCATCCTCAACT
CTGTCGCCTCCACTGACTCCATCTCCTTCTGGGGTGTGTGTTGCAGCTCTTCTTGGTGGTA
CTGCTGGCTGGATCAGAGATTGGCATCCTTACTGCCATGTCTATGACCGCTATGCTGCCA
TCTGCTGCCCCCTACACTGTGAGGCTGTGATGAGCAGAGGGCTCTGTGTCCAGTTGATGGC
TCTGTCTCTGGCTCAACAGAGGGGCTTGGGACTCTTGTACACAGCTGGAACATTCTCTCTG
50 AATTTTTATGGCTCTGATGAGCTACATCAGTTCTTCTGCGATGTCCCTGCCCTACTAAAGCT
CACTTGTTCTAAAGAACATGCCATCATTAGTGTGAGTGTGGCCATTGGGGTCTGTTATGCA
TTTTCATGTTTAGTTTGCAATTGTAGTTTCTATGTGTACATTTTCTCTGCTGTGTTAAGGAT
ATCACAGAGACAGAGACAATCCAAAGCCTTTTCCAACCTGTGTGCCTCACCTCATGTTGTC
ACTGTGTTTCTTGTAAACAGGTGCTGTTGCTTATTTAAAGCCAGGGTCTGATGCACCTTCTAT
55 TCTAGACTTGCTGGTGTCTGTGTTCTATTCTGTGCGACCTCCAACCTTGAACCTGTTATCT

ACTGTCTGAAGAACAAGGACATTAAATCCGCTCTGAGTAAAGTCCTGTGGAATGTTAGAA
GCAGTGGGGTAATGAAAGATGACTAA (SEQ ID NO: 232)

AOLFR126 sequences:

5 MFLYLCFIFQRTCSEEMEEENATLLTEFVLTGFLHQPDKIPLFLAFLVIYLITIMGNLGLIVLIW
KDPHLHIPMYLFLGSLAFVDASLSSTVTPKMLINFLAKSKMISLSECMVQFFSLVTTVTTECFLL
ATMAYDRYVAICKALLYPVIMTNELCIQLLVLSFIGGLLHALIHEAFSFRITFCNSNIIHFYCDII
PLLKISCTDSSINFLMVFI FAGSVQVFTIGTILISYTHLFTILEKKSIRKAVSTCGAHLISVSLY
10 YGPLTFKYLGSASPQADDQDMMESLFYTVIVPLLNPMIYSLRNKQVIASFTKMFKSNV (SEQ ID
NO: 233)

ATGTTCCCTTTACCTTTGCTTCATTTTTTCAGAGGACATGCAGTGAGGAGATGGAAGAGGAAA
ATGCAACATTGCTGACAGAGTTTGTTCACAGGATTTTTACATCAACCTGACTGTAAAAT
ACCGCTCTTCCTGGCATTCTTGGAATATATCTCATCACCATCATGGGGAATCTTGGTCTAA
15 TTGTTCTCATCTGGAAAGACCCTCACCTTCATATCCCAATGTACTTATTCCTTGGGAGTTTA
GCCTTTGTGGATGCTTCGTTATCATCCACAGTGACTCCGAAGATGCTGATCAACTTCTTAG
CTAAGAGTAAGATGATATCTCTCTGAATGCATGGTACAATTTTTTCCCTTGTAACCACT
GTAACCACAGAATGTTTCTCTTGGAACAATGGCATATGATCGCTATGTAGCCATTTGCA
AAGCTTTACTTTATCCAGTCATTATGACCAATGAACTATGCATTACAGCTATTAGTCTTGTC
20 TTTATAGGTGGCCTTCTTCATGCTTTAATCCATGAAGCTTTTCATTACAGATTAACCTTCTG
TAATTCCAACATAATAACAACCTTTTACTGTGACATTATCCATTGTTAAAGATTTCTGTGTA
CTGATTCTCTATTAACCTTTCTAATGGTTTTATTTTCGCAGGTTCTGTTCAAGTTTTTACCA
TTGGAATCTCTATTAATCTTATACAAATTATCCTCTTTACAATCTTAGAAAAAGAGTCTATC
AAAGGGATACGAAAAGCTGTCTCCACCTGTGGGGCTCATCTCTTATCTGTATCTTTATACT
25 ATGGCCCCCTCACCTTCAAATATCTGGGCTCTGCATCTCCGCAAGCAGATGACCAAGATAT
GATGGAGTCTCTATTTTACACTGTCATAGTTCCCTTTATTAATCCCATGATCTACAGCCTGA
GAAACAAGCAAGTAATAGCTTCATTCACAAAAATGTTCAAAAGCAATGTTTAG (SEQ ID
NO: 234)

AOLFR127 sequences:

30 MSNEDMEQDNNTLLTEFVLTGLTYQPEWKMPFLVFLVIYLITIVWNLGLIALIWNDPQLHIPM
YFFLGSLAFVDAWISSTVTPKMLVNFLLAKNRMISLSECMIQFFSFAFGGTTECFLLATMAYDRY
VAICKPLLYPVIMNNSLCIRLLAFSFLGGFLHALIHEVLIFRLTFCNSNIIHFYCDIIPLMISCTD
PSINFLMVFILSGSIQVFTIVTVLNSYTFALFTILKKKSVRGVRKAFSTCGAHLISVSLYYGPLIF
35 MYLRPASQPADDQDMIDSVFYTHIPLNPIIYSLRNKQVIDSFTKMVKRNV (SEQ ID NO: 235)

ATGTCGAATGAGGACATGGAACAGGATAATACAACATTGCTGACAGAGTTTGTTCACAG
GGACTTACATATCAGCCAGAGTGGAATAATGCCCTGTTCTTGGTGTTCTTGGTGATCTATC
TCATCACTATTGTGTGGAACCTTGGTCTGATTGCTCTTATCTGGAATGACCCACAACCTTAC
40 ATCCCCATGTACTTTTTTCTTGGGAGTTAGCCTTTGTTGATGCTTGGATATCTTCCACAGT
AACTCCCAAAAATGTTGGTTAATTTCTTGGCCAAAAACAGGATGATATCTCTGTCTGAATGC
ATGATTCAATTTTTTCTTTCATTTGGTGGAACTACAGAATGTTTCTCTTGGCAACAAT
GGCATATGATCGCTATGTAGCCATATGCAACCTTTACTATATCCAGTGATTATGAACAAT
TCACTATGCATACGGCTGTTAGCCTTCTCATTTTTAGGTGGCTTCTCCATGCCTTAATTCA
45 TGAAGTCCTTATATTCAGATTAACCTTCTGCAATTCTAACATAATACATCATTTTTACTGTG
ATATTATACCACTGTTTATGATTTCTGTACTGACCTTCTATTAATTTTCTAATGGTTTTTA
TTTTGTCTGGCTCAATTCAGGTATTCACCATTTGTGACAGTTCTTAATTTCTACACATTTGCT
CTTTTCACAATCCTAAAAAAGAAGTCTGTTAGAGGCGTAAGGAAAGCCTTTTCCACCTGTG
GAGCCCATCTCTTATCTGTCTCTTATATTATGGCCCACTTATCTTCATGATTTTGCGCCCT
50 GCATCTCCACAAGCAGATGACCAAGATATGATAGACTCTGTCTTTTATACAATCATAATTC
CTTTGCTAAATCCCATTATCTACAGCTCTGAGAAATAAACAAGTAATAGATTCAATTCACAAA
AATGGTAAAAAGAAATGTTTAG (SEQ ID NO: 236)

AOLFR128 sequences:

55 METQNLTVVTEFILLGLTQSQDAQLLVFVLVLIIFYLIILPGNFIIFTIKSDPGLTAPLYFFLGNLA
LLDASYSFIVVPRMLVDFLSEKKVISYRSCITQLFFLHFLGAGEMFLLVVMFAFDRIYAIICRPLHY

STIMNPRACYALSLVLWLGFIHSIVQVALILHLPFCGPNQLDNFFCDVPQVIKLACTNTFVVEL
LMVSNSSLGSLLCFLGLASYAVILCRIREHSSEGKSKAISTCTTHIIIFLMFGPAIFIYTCPPQAFP
ADKVVSFLHTVIFPLMNPVIYTLRNQEVKASMRKLLSQHMFC (SEQ ID NO: 237)

5 ATGGAAACACAGAACCTCACAGTGGTGACAGAATTCATTCTTCTTGGTCTGACCCAGTCTC
AAGATGCTCAACTTCTGGTCTTTGTGCTAGTCTTAATTTTCTACCTTATCATCCTCCCTGGA
AATTTCTCATCATTTTCACCATAAAGTCAGACCCTGGGCTCACAGCCCCCTCTATTTCTT
TCTGGGCAACTTGGCCTTACTGGATGCATCCTACTCCTTCATTGTGGTTCCCAGGATGTTG
GTGGACTTCCTCTCTGAGAAGAAGGTAATCTCCTATAGAAGCTGCATCACTCAGCTCTTTT
10 TCTTGCAATTTTCTTGGAGCGGGAGAGATGTTCTCCTCGTTGTGATGGCCTTTGACCGCTAC
ATCGCCATCTGCCGGCCTTTACACTATTCAACCATCATGAACCCTAGAGCCTGCTATGCAT
TATCGTTGGTTCTGTGGCTTGGGGGCTTTATCCATTCCATTGTACAAGTAGCCCTTATCCTG
CACTTGCCTTTCTGTGGCCCAAACCACTCGATAAATCTTCTGTGATGTTCCACAGGTCAT
CAAGCTGGCCTGCACCAATACCTTTGTGGTGGAGCTTCTGATGGTCTCCAACAGTGGCCTG
15 CTCAGCCTCCTGTGCTTCCTGGGCCTTCTGGCCTCCTATGCAGTCATCCTCTGTGCTATAAG
GGAGCACTCCTCTGAAGGAAAGAGCAAGGCTATTTCCACATGCACCACCCATATTATCATT
ATATTTCTCATGTTTGGACCTGCTATTTTCATCTACACTTGCCCCCTCCAGGCTTTCCAGC
TGACAAGGTAGTTTCTCTTTTCCATACTGTCATCTTTCCTTTGATGAACCCTGTTATTTATA
CGCTTCGCAACCAGGAGGTGAAAGCTTCCATGAGGAAGTTGTTAAGTCAACATATGTTTTG
20 CTGA (SEQ ID NO: 238)

AOLFR129 sequences:

MALYFSLILHGMSDLFFLSTGHPRASCRMEAMKLLNQSQVSEFILLGLTSSQDVEFLLFALFSVI
YVVTVLGNLLIIVTVFNTPNLNTPMYFLLGNLSFVDMTLASFATPKVILNLLKKQKVISFAGCFT
25 QIFLLHLLGGVEMVLLVSMADFVVAICKPLHYMTIMNKKVCVLLVVTSWLLGLLHSGFQIPF
AVNLPFCGPNVDSIFCDLPLVTKLACIDIYFVQVVIVANSGLSLSCFIILLISYSLILITIKNHSPT
GQSKARSTLTAHITVVILFFGPCIFIYIWPFGNHSVDKFLAVFYTIITPILNPIIYTLRNKEMKISMK
KLWRAFVNSREDT (SEQ ID NO: 239)

30 ATGGCTCTTTATTTTTCACTCATACTCCATGGTATGAGTGATCTTTTCTTTCTCTACAGG
TCATCCAAGAGCGAGCTGTAGGATGGAGGCCATGAAACTATTAAATCAATCTCAAGTGTC
AGAATTCATTTTGCTGGGACTGACCAGCTCCAGGATGTAGAGTTTCTTCTCTTTGCCCTCT
TCTCGTTATCTATGTGGTCACAGTTTGGGTAACCTTCTTATTATAGTCACAGTGTTTAAAC
ACCCCTAACCTGAATACTCCCATGTATTTCTCCTTGGAATCTCTCTTTTGTAGATATGAC
35 CCTTGCTTCTTTTGCCACCCCTAAGGTGATTCTGAACTTGTTAAAAAAGCAGAAGGTAATT
TCTTTTGCTGGGTGCTTCACTCAGATATTTCTCCTTCACTTACTGGGTGGGGTTGAAATGGT
ACTGTTGGTCTCCATGGCTTTTGACAGATATGTGGCCATTTGTAAGCCCTACACTACATG
ACCATCATGAACAAGAAGGTATGTGTTTGTCTGTAGTGACCTCATGGCTCTTGGGTCTCC
TTCACTCAGGGTTTCAGATACCATTTGCTGTGAACTTGCCCTTTTGTGGTCCCAATGTGGTA
40 GACAGCATTTTTTGTGACCTCCCTTTGGTACTAAGCTTGCCTGTATAGACATATATTTGT
ACAGGTAGTCATTGTTGCCAACAGTGGCATAATCTCCCTGAGCTGTTTCATTATTTTGCTTA
TCTCCTACAGTCTGATCCTCATAACCATAAGAACCACTCTCCTACTGGGCAATCTAAAGC
CCGTTCCACTTTGACTGCTCACATCACAGTGGTGATTCTCTTCTTTGGCCCATGCATCTTTA
TCTACATTTGGCCCTTCGGCAACCACTCTGTAGATAAGTTCCTTGCTGTGTTTATACCATC
45 ATCACTCCTATCTTGAATCCAATTATCTATACTCTGAGAAACAAAGAAATGAAGATATCCA
TGAAAAAACTCTGGAGAGCTTTTGTGAATTCTAGAGAAGATACTTAG (SEQ ID NO: 240)

AOLFR131 sequences:

MASTSNVTELIPTGLFQDPAVQSVCFVFLPVYLATVVGNGLIVLTVSISKSLDSPMYFFLSCLS
50 LVEISYSSTIAPKFIIDLLAKIKTISLEGCLTQIFFHFFGVAEILLIVVMAYDCYVAICKPLHYMNI
ISRQLCHLLVAGSWLGGFCHSIIQILVIIQLPFCGPNVIDHYFCDLQPLFKLACTDTFMEGVIVLA
NSGLFSVFSFLILVSSYIVILVNLRNHSAGRHKALSTCASHITVVILFFGPAIFLYMRPSTFTED
KLVAVFYTVITPMLNPIIYTLRNAEVKIAIRRLWSKKENPGRE (SEQ ID NO: 241)

55 ATGGCCAGTACAAGTAATGTGACTGAGTTGATTTTCACTGGCCTTTTCCAGGATCCAGCTG
TGCAGAGTGTATGCTTTGTGGTGTTTCTCCCCGTGTACCTTGCCACGGTGGTGGGCAATGG

CCTCATCGTTCTGACGGTCAGTATCAGCAAGAGTCTGGATTCTCCCATGTACTTCTTCCTTA
 GCTGCCTGTCTTGGTGGAGATCAGTTATTCTCCACTATCGCCCCTAAATTCATCATAGAC
 TTAATTGCCAAGATTAAAACCATCTCTCTGGAAGGCTGTCTGACTCAGATATTCTTCTTCCA
 CTTCTTTGGGGTTGCTGAGATCCTTTTGATTGTGGTGATGGCCTATGATTGCTACGTGGCC
 5 ATTTGCAAGCCTCTTCATTATATGAACATTATCAGTCGTCAACTGTGTCACTTCTGGTGGC
 TGGTTCTGCTGGCTGGGGGGCTTTTGTCACTCCATAATTCAGATTCTCGTTATCATCCAATTGC
 CTTTCTGTGGTCCCAATGTGATTGACCACTATTTCTGTGACCTCCAGCCTTTATTCAAGCTT
 GCCTGCACTGACACCTTCATGGAGGGGGTTATTGTGTTGGCCAACAGTGGATTATTCTCTG
 TCTTCTCCTTCTCATCTTGGTGTCTCTTATATTGTCACTTCTGGTCAACTGAGGAACCAT
 10 TCTGCAGAGGGGAGGCACAAAGCCCTCTCCACCTGTGCTTCTCACATCACAGTGGTCTATCT
 TGTTTTTTGGACCTGCTATCTTCTCTACATGCGACCTTCTTCCACTTTCAGTGAAGATAAA
 CTTGTGGCTGTATTCTACACGGTCATCACCCCATGCTGAACCCCATCATTTACACACTCAG
 GAATGCAGAGGTGAAAATCGCCATAAGAAGATTGTGGAGCAAAAAGGAGAATCCAGGGA
 GGGAGTGA (SEQ ID NO: 242)

15

AOLFR132 sequences:

MVATNNVTEIIFVGFSGNQWSEQRVISVMFLMYTAVVLGNLIVVTILASKVLTSPMYFFLSYL
 SFVEICYCSVMAPKLIFDSFIKRKVISLKGCLTQMFSLHFFGGTEAFLLMVMAYDRYVAICKPL
 HYMAIMNQRMCGLLVRIAWGGGLLSVGGTFLIFQLPFCGPNIMDHYFCDVHPVLELACADT
 20 PFISLLIITNGGSISVVSFFVLMASYLILHLRSHNLEGQHKALSTCASHVTVDLFFIPCSLVYIR
 PCVTLPADKIVAVFYTVVTPLLNPVIYSFRNAEVKNAMRRFIGGKVI (SEQ ID NO: 243)

ATGGTTGCTACAAACAATGTGACTGAAATAATTTTCGTGGGATTTTCCCAGAATTGGAGTG
 AGCAGAGGGTCATTTCTGTGATGTTTCTCCTCATGTACACAGCTGTTGTGCTGGGCAATGG
 25 CCTCATTGTGGTGACCATCCTGGCCAGCAAAGTGCTCACCTCCCCCATGATTTCTTTCTCA
 GCTACTTATCCTTTGTGGAGATCTGCTACTGTTCTGTATGGCCCCCAAGCTTATCTTTGAC
 TCCTTTATCAAGAGGAAAGTCATTTCTCTCAAGGGCTGCCTCACACAGATGTTTTCCCTCC
 ATTTCTTTGGTGGCACTGAGGCCTTTCTCCTGATGGTGATGGCCTATGACCGCTATGTGGC
 CATCTGCAAGCCCTTGCACTACATGGCCATCATGAACCAGCGAATGTGTGGTCTCCTCGTG
 30 AGGATAGCATGGGGCGGGGGCCTGCTGCATTCTGTTGGGCAAACCTTCTGATTTTCCAGC
 TCCCGTTCTGTGGCCCCAACATCATGGACCACTACTTCTGTGATGTCCACCCAGTGCTGGA
 GCTGGCCTGCGCAGACACCTTCTTATTAGCCTGCTGATCATCACCAATGGCGGGCTCCATC
 TCCGTAGTCAGTTTCTTCTGCTGATGGCTTCTTCACTGATCATCCTGCACCTTCTGAGAAG
 CCACAACCTGGAGGGGCGAGCACAAAGCCCTCTCCACCTGTGCCTCTCATGTACAGTTGTC
 35 GACCTGTTCTTCATACCTTGCTCCTTGGTCTATATTAGGCCCTGTGTACCCTCCCTGCAGA
 CAAGATAGTTGCTGTATTTTATACAGTGGTCACACCTCTCTTAAACCTGTGATTTACTCCT
 TCAGGAATGCTGAAGTGAAAAATGCCATGAGGAGATTTATTGGGGGAAAAGTAATTTGA
 (SEQ ID NO: 244)

40 **AOLFR133 sequences:**

MTEFIFLVLPNQEVQRVCFVIFLFLYTAIVLGNFLIVLTVMTSRSLGSPMYFFLSYLSFMEICYS
 SATAPKLISDLLAERKVISWWGCMAQLFFLHFFGGTEIFLLTVMAYDHYVAICKPLSYTTIMN
 WQVCTVLVGIAWVGGFMHSFAQILLIFHLLFCGPNVINHYFCDLVPLKLACSDTFLIGLLIVAN
 GGTLSVISFGVLLASYMVILLHLRTWSSEGWCKALSTCGSHFAVVILFFGPCVFNSLRPSTTLPI
 45 DKMVAVFYTVITAILNPVIYSLRNAEMRKAMKRLWIRTLRLNEK (SEQ ID NO: 245)

ATGACTGAATTCATTTTTCTGGTACTTTCTCCCAACCAGGAGGTGCAGAGGGTTTGCTTTG
 TGATATTTCTGTTCTTGTACACAGCAATTGTGCTGGGGAATTTCTCATTGTGCTCACTGTC
 50 ATGACCAGCAGAAGCCTTGGTTCCCCCATGTACTTCTTCTCAGCTACCTCTCCTTCATGGA
 GATCTGCTACTCCTCCGCTACAGCCCCCAAACCTCATCTCAGATCTGCTGGCTGAAAGGAAA
 GTCATATCTTGGTGGGGCTGCATGGCACAGCTTTTCTTCTTGCACCTCTTTGGTGGCACTGA
 GATTTTCTGCTCACTGTGATGGCCTATGACCACTATGTGGCCATCTGCAAGCCCCTCAGC
 TACACCACCATCATGAAGTGGCAGGTGTGTAAGTGTGCTTGTAGGAATAGCATGGGTGGGA
 GGCTTCATGCATTCTTTGCACAAATCCTTCTCATCTTCCACCTGCTCTTCTGTGGCCCCAA
 55 TGTGATCAATCACTATTTCTGTGACCTAGTTCCCTTCTCAAACCTTGCTGCTGACACCT
 TCCTCATTGGTCTGCTGATTGTTGCCAATGGAGGCACCTGTCTGTGATCAGTTTTGGGGT

CCTCTTAGCATCCTATATGGTCATCTTGCTCCATCTGAGAACCTGGAGCTCTGAAGGGTGG
 TGCAAAGCCCTCTCCACCTGTGGGTCCCATTTTCGCTGTGGTTATCTTGTCTTTGGGCCCTG
 CGTCTTCAACTCTCTGAGGCCTTCTACCACTCTGCCCATAGACAAGATGGTGGCTGTGTCT
 ACACAGTGATAACCGCGATCCTGAACCCTGTCATCTACTCTCTGAGAAATGCTGAAATGAG
 5 GAAGGCCATGAAGAGGCTGTGGATTAGGACATTGAGACTAAATGAGAAATAG (SEQ ID
 NO: 246)

AOLFR134 sequences:

MTTIILEVDNHTVTTRFILLGFTRPAFQLFFSIFLATYLLTLENLLILAIHSDGQLHKPMYFFL
 10 SHLSFLEMWYVTVISPKMLVDFLSHDKSISFNGCMTQLYFFVTVFCTEYILLAIMAFDRYVAIC
 NPLRYPVIMTNQLCGTLAGGCWFCGLMTAMIKMVFLAQLHYCGMPQINH YFCDISPLLNVSC
 DASQAEMVDFFLALMVIAIPLCVVVASAAILATILRIPSAQGRQKAFSTCASHLTVVILFY SMT
 LFTYARPKL MYAYNSNKVVS VLYTVIVPLLNPIIYCLRNHEVKAALRKTIHCRGSGPQNGAFS
 S (SEQ ID NO: 247)

15 ATGACCACCATAATTCTGGAAGTAGATAATCATACAGTGACAACACGTTTCATTCTTCTGG
 GGTTTCCAACACGACCAGCCTTCCAGCTTCTCTTTTCTCCATTTTCCTGGCAACCTATCTG
 CTGACACTGCTGGAGAATCTTCTTATCATCTTAGCTATCCACAGTGATGGGCAGCTGCATA
 AGCCCATGTACTTCTTCTTGAGCCACCTCTCCTTCCCTGGAGATGTGGTATGTCACAGTCATC
 20 AGCCCCAAGATGCTTGTTGACTTCCTCAGTCATGACAAGAGTATTTCTTCAATGGCTGCA
 TGACTCAACTTTACTTTTTGTGACCTTTGTCTGCACTGAGTACATCCTTCTTGCTATCATG
 GCCTTTGACCGCTATGTAGCCATTGTAAATCCACTACGCTACCCAGTCATCATGACCAACC
 AGCTCTGTGGCACACTGGCTGGAGGATGCTGGTTCTGTGGACTCATGACTGCCATGATTAA
 GATGGTTTTTATAGCAAACTTCACTACTGTGGCATGCCTCAGATCAATCACTACTTTTGTG
 25 ATATCTCTCCACTCCTTAACGTCTCCTGTGAGGATGCCTCACAGGCTGAGATGGTGGACTT
 CTTCTTGCCCTCATGGTCATTGCTATTCCTCTTTGTGTTGTGGTGGCATCCTACGCTGCTA
 TCCTTGCCACCATCCTCAGGATCCCTTCTGCTCAGGGCCGCCAAAAGGCATTCTCCACCTG
 TGCCTCCACCTGACCGTCGTAATTCTCTTCTATTCCATGACACTTTTCACCTATGCCCGTC
 CCAAACCTCATGTATGCCTACAAATCCAACAAAGTGGTATCTGTTCTCTACACTGTCATTGTT
 30 CCACTCCTCAACCCCATCATTTACTGTCTGAGGAACCATGAAGTAAAGGCAGCCCTCAGAA
 AGACCATAATTGCAGAGGAAGTGGGCCCCAGGGAAATGGGGCTTTCAGTAGTTAA (SEQ
 ID NO: 248)

AOLFR135 sequences:

35 MIFPSHDSQAFSTVDMEVGNCTILTEFILLGFSADSQWQPILFGVFLMLYLITLSGNMTLVILIRT
 DSHLHTPMYFIGNLSFLDFWYTSVYTPKILASCVSEDKRISLAGCGAQLFFSCVVAYTECYLL
 AAMAYDRHAAICNPLLYSGTMSALCTGLVAGSYIGGFLNAIAHTANTFRLHFCGKNIDHFFC
 DAPPLVKMSCTNTRVYEKVLG VGVFTV LSSILAILISYVNILLAILRIHSASGRHKAFSTCASHL
 ISVMLFYGSLLFMYSRPSSTYSLERDKVAALFYTVINPLLNPLIYSLRNKDIKEAFRKATQTIQ P
 40 T (SEQ ID NO: 249)

ATGATTTTCCCTTCTCATGATAGTCAGGCTTTCACCTCCGTGGACATGGAAGTGGGAAATT
 GCACCATCCTGACTGAATTCATCTTGTTGGGTTTCTCAGCAGATTCCCAGTGGCAGCCGAT
 TCTATTTGGAGTGTTTCTGATGCTCTATTTGATAACCTTGTGAGGAAACATGACCTTGGTTA
 45 TCTTAATCCGAACCTGATTCCCACTTGATACACCTATGTACTTTTTCATTGGCAATCTGTCT
 TTTTGGATTCTGGGTATACCTCTGTGTATACCCCCAAAATCCTGGCCAGTTGTGTCTCAGA
 AGATAAGCGCATTTTCTTGCTGGATGTGGGGCTCAGCTGTTTTTTTCTGTGTTGTAGCCT
 ACACTGAATGCTATCTCCTGGCAGCCATGGCATATGACCGCCATGCAGCAATTTGTAACCC
 ATTGCTTTATTGAGTACCATGTCCACCGCCCTCTGTACTGGGCTTGTGCTGGCTCCTACA
 50 TAGGAGGATTTTTGAATGCCATAGCCATACTGCCAATACATTCCGCCTGCATTTTGTGG
 TAAAAATATCATTGACCACTTTTCTGTGATGCACCACCATTTGGTAAAAATGTCCTGTACA
 AACACCAGGGTCTACGAAAAAGTCCTGCTTGGTGTGGTGGGCTTCACAGTACTCTCCAGCA
 TTCTTGCTATCCTGATTTCTATGTCAACATCCTCCTGGCTATCCTGAGAATCCACTCAGCT
 TCAGGAAGACACAAGGCATTCTCCACCTGTGCTTCCACCTCATCTCAGTCATGCTCTTCTA
 55 TGGATCATTGTTGTTTATGTATTCAAGGCCTAGTTCACCTACTCCCTAGAGAGGGACAAA
 GTAGCTGCTCTGTTCTACACCGTGATCAACCCACTGCTCAACCCCTCTCATCTATAGCCTGAG

AAACAAAGATATCAAAGAGGCCTTCAGGAAAGCAACACAGACTATACAACCACAAACATG
A (SEQ ID NO: 250)

AOLFR136 sequences:

5 MTMENYSMAAQFVLDGLTQQABELQLPLFLLFLGIYVVTVVGNLGMILLIAVSPLLHTPMYYFL
SSLSFVDFCYSSVITPKMLVNFLGKKNTILYSECMVQLFFFVVFVVAEGYLLTAMAYDRYVAIC
SPLLYNAIMSSWVCSLLVLAFFLGFLSALHTSAMMKLSFCKSHIINHIFCDVLPLLNLSCSNT
HLNELLLFIAGFNTLVPTLAVAVSYAFILYSILHIRSSEGRSKAFGTCCSHLMNAVVIFFGSITFMY
FKPPSSNSLDQEKVSSVFYTTVIPMLNPLIYSLRNKDVKKALRKVLVGK (SEQ ID NO: 251)

10 ATGACCATGGAAAATTATTCTATGGCAGCTCAGTTTGTCTTAGATGGTTTAACACAGCAAG
CAGAGCTCCAGCTGCCCTCTCCTCCTGTTCTGGAATCTATGTGGTCACAGTAGTGGG
CAACCTGGGCATGATTCTCCTGATTGCAGTCAGCCCTCTACTTCACACCCCCATGTACTATT
TCCTCAGCAGCTTGTCTTCGTCGATTCTGTCTATTCTCTGTCACTACTCCCAAAATGCTG
15 GTGAACTTCCTAGGAAAGAAGAATAACAATCCTTTACTCTGAGTGCATGGTCCAGCTCTTTT
TCTTTGTGGTCTTTGTGGTGGCTGAGGGTTACCTCCTGACTGCCATGGCATATGATCGCTA
TGTTGCCATCTGTAGCCCACTGCTTTATAATGCGATCATGTCCTCATGGGTCTGCTCACTGC
TAGTGCTGGCTGCCTTCTTCTTGGGCTTTCTCTCTGCCTTGACTCATACAAGTGCCATGATG
AAACTGTCCTTTTGCAAATCCCACATTATCAACCATTACTTCTGTGATGTTCTTCCCTCCT
20 CAATCTCTCCTGCTCCAACACACACCTCAATGAGCTTCTACTTTTTATCATTGCGGGGTTTA
ACACCTTGGTGCCCAACCTAGCTGTTGCTGTCTCCTATGCCTTCATCCTCTACAGCATCCTT
CACATCCGCTCCTCAGAGGGCCGGTCCAAAGCTTTTGAACATGCAGCTCTCATCTCATGCC
CTGTGGTGATCTTCTTTGGGTCCATTACCTTCATGTATTTCAAGCCCCCTTCAAGTAACTCC
CTGGACCAGGAGAAGGTGTCTCTGTGTTCTACACCACGGTGATCCCCATGCCACCTT
25 TAATATACAGTCTGAGGAATAAGGATGTGAAGAAAGCATTAAAGGAAGGTCTTAGTAGGAA
AATGA (SEQ ID NO: 252)

AOLFR137 sequences:

MSPENQSSVSEFLLLGLPIRPEQQAVFFALFLGMYLTTVLGNLLIMLLIQLDLSHLHTPMYFFLSH
30 LALTDISFSSVTPKMLNMNMQTHLAVFYKGCISQTYFFIFFADLDSFLITSMAYDRYVAICHPL
HYATIMTQSQCVMLVAGSWVIACACALLHTLLLAQLSFCADHIIPHYFCDLGALLKLSCSDTSL
NQLAIFTAALTAIMLPFLCILVSYGHIGVTILQIPSTKGICKALSTCGSHLSVVTIYYRTIIGLYFLP
PSSNTNDKNIIASVIYTAVTPMLNPFIYSLRNKDIKGALRKLLSRGAVAHACNLSTLGG (SEQ
ID NO: 253)

35 ATGAGCCCTGAGAACCAGAGCAGCGTGTCCGAGTTCCTCCTCCTGGGCCTCCCCATCCGGC
CAGAGCAGCAGGCCGTGTTCTTCGCCCTGTTCTGCGCATGTACCTGACCACGGTGCTGGG
GAACCTGCTCATCATGCTGCTCATCCAGCTAGACTCTCACCTTCACACCCCCATGTACTTCT
TCCTTAGCCACTTGGCCCTCACTGACATCTCCTTTTCATCTGTCACTGTCCCTAAGATGCTG
40 ATGAACATGCAGACTCAGCACCTAGCCGTCTTTTACAAGGGATGCATTTACAGACATATT
TTTTCATATTTTTTGTGACTTAGACAGTTTCTTATCACTTCAATGGCATATGACAGGTAT
GTGGCCATCTGTATCCTCTACATTATGCCACCATCATGACTCAGAGCCAGTGTGTATGC
TGGTGGCTGGGTCTGGGTGTCATCGCTTGTGCGTGTGCTCTTTTGATACCCCTCCTCCTGGCC
CAGCTTTCCTTCTGTGCTGACCACATCATCCCTCACTACTTCTGTGACCTTGGTGCCCTGCT
45 CAAGTTGTCTGCTCAGACACCTCCCTCAATCAGTTAGCAATCTTTACAGCAGCATTGACA
GCCATTATGCTTCCATTCCCTGTGATCCTGCTTCTTATGGTCACATTGGGGTCCACCTCCT
CCAGATTCCCTCTACCAAGGGCATATGCAAAGCCTTGTCCACTTGTGGATCCCACCTCTCA
GTGGTGACTATCTATTATCGGACAATTATTGGTCTCTATTTTCTTCCCCCATCCAGCAACAC
CAATGACAAGAACATAATTGCTTCAGTGATATACACAGCAGTCACTCCCATGTTGAACCCA
50 TTCATTTACAGTCTGAGAAATAAAGACATTAAGGGAGCCCTAAGAAAACCTCTGAGTAGG
TCAGGCGCAGTGGCTCATGCCTGTAATCTCAGCACTTTGGGAGGCTGA (SEQ ID NO: 254)

AOLFR138 sequences:

MLNFTDVTEFILLGLTSRREWQVLFFVFLVYIITVVGNIGMMLLIKVSPQLNSPMYFFLSHLS
55 FVDVWFSSNVTPKMLENLFSDDKKTISYADCLAQCFFFIALVHVEIFILAAIAFDRTYVIGNPLLY
GSKMSRGVCIRLITFPYIYGFLTSLATLWTYGLYFCGKIEINHIFCADPPLIKMACAGTFVKEY

TMLILAGINFTYSLTVIIISYLFILIAILMRSAEGRQKAFSTCGSHPTAVIIFYGTLIFMYLRRPTE
ESVEQGMVAVFYTTVIPMLNPMIYSLRNKDVKKAMMKVISRSC (SEQ ID NO: 255)

5 ATGCTCAATTTACCGATGTGACAGAGTTCATTCTTTTGGGGCTAACGAGCCGTCGGAAT
GGCAAGTTCTCTTCTTCATCGTTTTTCTTGTGGTCTACATTATCACCGTGGTGGCAATATC
GGCATGATGTTGTTAATCAAGGTCAGTCCTCAGCTTAACAGCCCCATGTACTTTTTCTCA
GTCATTGTCAATTGTTGATGTGTGGTTTTCTTCCAATGTCACCCCTAAAATGTTGGaAAAT
CTGTTATCAGATAAAAAACAATTTCTTATGCTGGCTGTTTAGCACAGTGTTCCTTCTTCAT
TGCTCTTGTCCATGTGGAAATTTTATTCTTGTGCTGCGATTGCCTTTGATAGATACACAGTGA
10 TTGGAAATCCTTTGCTTTATGGCAGCAAAATGTCAAGGGATGTCTGTATTGCGACTGATTAC
TTTCCCTTACATTTATGGTTTTCTGACGAGTCTGACAGCAACATTATGGACTTATGGCTTGT
ACTTCTGTGGAAAAATTGAGATCAACCATTCTACTGTGCAGATCCACCTCTCATCAAAAT
GGCCTGTGCCGGGACCTTTGTAAGAATATACAATGCTCATACTTGCCGGCATCAACTTC
ACATATCCCTGACTGTAATTATCATCTCTTACTTATTCATCCTCATTGCCATTCTGCGAAT
15 GCGCTCAGCAGAAGGAAGGCAGAAGGCCTTTTCCACATGTGGGTCCCCTGACAGCTGT
CATCATATTCTATGGTACTCTGATCTTCATGTATCTCAGACGTCCCACAGAGGAGTCTGTG
GAGCAGGGGAAGATGGTGGCTGTGTTCTATACCACAGTGATCCCCATGTTGAATCCCATGA
TCTACAGTCTGAGGAACAAGGATGTGAAAAAGGCCATGATGAAAGTGATCAGCAGATCAT
GTAA (SEQ ID NO: 256)

20

AOLFR139 sequences:

MGFPGIHSWQHWSLPLALLYLLALSANILILHINKEAALHQPMMYFLGILAMADIGLATTIMP
KILAILWFNAKTISLLECFAQMYAIHCFVAMESSTFVCMADRYVAICRPLRYPSTITESFVKAN
GFMALRNSLCLISVPLLAQRHYCSQNQIEHCLCSNLGVTSLSCDDRRINSINQVLLAWTLMGS
25 DLGLILSYALILYSVLKLNPEAASKALSTCTSHLILFFYTVIIVISITRSTGMRVPLIPVLLNVL
HNVIPPALNPMVYALKNKELRQGLYKVLRLGVKGT (SEQ ID NO: 257)

30 ATGGGATTCCTGGCATTACAGTTGGCAGCACTGGCTCTCCCTGCCCCTGGCTCTGCTCT
ACCTCTTAGCTCTCAGTGCCAACATCCTTATCCTGATCATCATCAACAAAGAGGCAGCACT
GCACCAGCCTATGTACTATTTCTGGGCATCTTGGCTATGGCAGACATAGGCCTGGCTACC
ACCATCATGCCTAAGATTTTGGCCATCTTATGGTTCAATGCTAAGACCATCAGTCTCCTGG
AGTGCTTTGCTCAGATGTATGCCATACATTGCTTTGTGGCCATGGAATCAAGTACCTTTGT
CTGCATGGCTATTGATAGATATGTAGCCATTTGTGACCGCTACGATATCCATCAATCATC
ACTGAATCTTTGTTTTCAAAGCAAATGGGTTTCATGGCACTGAGAAACAGCCTGTGTCTCA
35 TCTCAGTGCCTCTGTTGGCTGCCAGAGGCATTACTGCTCCCAGAAATCAAATTGAGCACTG
TCTTTGTTCTAACCTTGGAGTCACTAGCCTATCTTGTGATGATCGAAGAATCAATAGCATT
AACCAGGTCCTTTTGGCTTGGACACTCATGGGAAGTGACCTGGGTTTGATTATTTATCAT
ATGCTCTAATACTTTACTCTGTCTGAAGCTGAAGCTCTCCAGAAGCTGCATCCAAGGCCTT
AAGTACCTGCACCTCCACCTCATCTTAATCCTTTTCTTCTACACAGTCATCATTTGTGATTT
40 CCATTACTCGTAGTACAGGAATGAGAGTTCCCTTATTCCAGTTCTACTTAATGTGTACA
CAATGTCAATTCCCCCTGCCCTGAACCCCATGGTATATGCACTCAAGAACAAGGAAGTCAAG
CAAGGCTTATACAAGGTAAGTACTTAGACTGGGAGTGAAGGGCACCTGA (SEQ ID NO: 258)

AOLFR140 sequences:

45 MLTLNKTDLIPASFILNGVPGLEDLQLWISFPFCSMYVAMVGNCGLLYLIHYEDALHKPMY
FLAMLSFTDLVMCSSTIPKALCIFWFHLKDIFDECLVQMFFIHTFTGMESGVLMLMALDRYV
AICYPLRYSTILNPNVIAKVGATFLRGVLLIIPFTFLTKRLPYCRGNILPHTYCDHMSVAKLSCG
NVKVNAYGLMVALLIGGFDILCITISYTMILRAVVSLSADARQKAFNTCTAHICAIVFSYTPAF
FSFFSHRFGEHIIPPSCHIIIVANIYLLLPPTMNPVYGVKTKQIRDCVIRILSGSKDTKSYSM (SEQ
50 ID NO: 259)

55 ATGCTAACACTGAATAAAACAGACCTAATACCAGCTTCATTTATTCTGAATGGAGTCCAG
GACTGGAAGACACACAACCTCTGGATTTCTTCCCATTCTGCTCTATGTATGTTGTGGCTAT
GGTAGGGAATTGTGGACTCCTCTACCTCATTCACTATGAGGATGCCCTGCACAAACCCATG
TACTACTTCTTGGCCATGCTTTCTTTACTGACCTTGTTATGTGCTCTAGTACAATCCCTAA
AGCCCTCTGCATCTTCTGGTTTCATCTCAAGGACATTGGATTTGATGAATGCCTTGTCCAG

ATGTTCTTCATCCACACCTTCACAGGGGATGGAGTCTGGGGTGCTTATGCTTATGGCCCTGG
 ATCGCTATGTGGCCATCTGCTACCCCTTACGCTATTCAACTATCCTCACCAATCCTGTAATT
 GCAAAGGTTGGGACTGCCACCTTCCTGAGAGGGGTATTACTCATTATTCCCTTTACTTTCCT
 CACCAAGCGCCTGCCCTACTGCAGAGGCAATATACTTCCCCATACCTACTGTGACCACATG
 5 TCTGTAGCCAAATTGTCCTGTGGTAATGTCAAGGTCAATGCCATCTATGGTCTGATGGTTG
 CCCTCCTGATTGGGGGCTTTGACATACTGTGTATCACCATCTCCTATACCATGATTCTCCGG
 GCAGTGGTCAGCCTCTCCTCAGCAGATGCTCGGCAGAAGGCCTTTAATACCTGCACTGCCC
 ACATTTGTGCCATTGTTTTCTCCTATACTCCAGCTTTCTTCTCCTTCTTTTCCCACCGCTTTG
 GGAACACATAATCCCCCTTCTTGCCACATCATTGTAGCCAATATTATCTGCTCCTACCA
 10 CCCACTATGAACCTATTGTCTATGGGGTGAAAACCAACAGATACGAGACTGTGTCATAA
 GGATCCTTTCAGGTTCTAAGGATACCAAATCCTACAGCATGTGA (SEQ ID NO: 260)

AOLFR141 sequences:

MSSTLGHNMESPNHTDVPDPSVFLLGIPGLEQFHLWLSLPVCGLGTATIVGNITILVVVATEPVL
 15 HKPVYFLCMLSTIDLAASVSTVPKLLAIFWCGAGHISASACLAQMFFIHAFCMMESTVLLAM
 AFDRYVAICHPLRYATILDTIIAHIGVAAVVRGSLMLPCPFLIGRLNFCQSHVILHTYCEHMA
 VVKLACGDTRPNRVYGLTAALLVIGVDLFCIGLSYALSAQAVLRLSSHEARSKALGTCGSHVC
 VILISYTPALFSFFTHRFGHHVPVHIHILLANVYLLPPLNPNVYGVKTKQIRKRVVRVFSQSGQ
 GMGIKASE (SEQ ID NO: 261)

20 ATGTCCAGCACTCTTGGCCACAACATGGAATCTCCTAATCACACTGATGTTGACCCTTCTG
 TCTTCTCTCCTGGGCATCCCAGGTCTGGAACAATTCATTGTGGCTCTCACTCCCTGTG
 TGTGGCTTAGGCACAGCCACAATTGTGGGCAATATAACTATTCTGGTTGTTGTTGCCACTG
 AACCAGTCTTGACAAGCCTGTGTACCTTTTTCTGTGCATGCTCTCAACCATCGACTTGGCT
 25 GCCTCTGTCTCCACAGTTCCCAAGCTACTGGCTATCTTCTGGTGTGGAGCCGGACATATAT
 CTGCCTCTGCCTGCCTGGCACAGATGTTCTTCATTCATGCCTTCTGCATGATGGAGTCCACT
 GTGCTACTGGCCATGGCCTTTGATCGCTACGTGGCCATCTGCCACCCACTCCGCTATGCCA
 CAATCCTCACTGACACCATCATTGCCACATAGGGGTGGCAGCTGTAGTGCGAGGCTCCCT
 GCTCATGCTCCCATGTCCCTTCCTTATTGGGCGTTTGAACCTCTGCCAAAGCCATGTGATCC
 30 TACACACGTACTGTGAGCACATGGCTGTGGTGAAGCTGGCCTGTGGAGACACCAGGCCTA
 ACCGTGTGTATGGGCTGACAGCTGCACTGTTGGTCATTGGGGTTGACTTGTTTTGCATTGG
 TCTCTCCTATGCCCTAAGTGACAAGCTGTCTTCTGCCTCTCATCCCATGAAGCTCGGTCCA
 AGGCCCTAGGGACCTGTGGTTCCCATGTCTGTGTCATCCTCATCTCTTATACACCAGCCCTC
 TTCTCCTTTTTTACACACCGCTTTGGCCATCACGTTCCAGTCCATATTACATTCTTTTGGC
 35 CAATGTTTATCTGCTTTTGCCACCTGCTCTTAATCCTGTGGTATATGGAGTTAAGACCAAAAC
 AGATCCGTAAAAGAGTTGTGAGGGTGTTCAAAGTGGGCAGGGAATGGGCATCAAGGCAT
 CTGAGTGA (SEQ ID NO: 262)

AOLFR143 sequences:

40 MLGLNGTPFPATLQLTGIPGIQTGLTWVALIFCILYMISIVGNLSILTLVFWEPALHQPMMYYFL
 SMLALNDLGVSFSTLPTVISTFCFNYNHVAFNACLVQMFFIHTFSFMESGILLAMSLDRFVAICY
 PLRYVTVLTHNRILAMGLGILTKSFTTLFPFPFVKRLPFCKGNVLHHSYCLHPDLMKVACGDI
 HVNNIYGLLVIIFTYGMDSFILLSYALILRAMLVISQEQRLKALNTCMSHICAVLAFYVPIIAVS
 MIHRFWKSAPPVVHVMMSNVYLFVPPMLNPIIYSVKTKAIRKGILKFFHKSQA (SEQ ID NO:
 45 263)

ATGCTGGGTCTCAATGGCACCCCTTCCAGCCAGCAACACTCCAGCTGACAGGCATTCCCTG
 GGATACAAACAGGCCTCACCTGGGTTGCCCTGATTTTCTGCATCCTCTACATGATCTCCATT
 GTAGGTAACCTCAGCATCTCACTCTGGTGTGTTTGGGAGCCTGCTCTGCATCAGCCCATGT
 50 ACTACTTCTCTCTATGCTCGCTCTCAATGATCTGGGAGTGTCTTTTCTACACTTCCCACT
 GTGATTTCTACTTTCTGCTTCAACTACAACCATGTTGCGTTAATGCTTGCTGGTCCAGAT
 GTTCTTCATCCACACTTTCTCCTTCATGGAGTCAGGCATACTGCTGGCCATGAGCTTGGATC
 GCTTTGTGGCTATTTGTTATCCATTACGCTATGTCACTGTGCTCACTCACAACCGTATATTG
 GCTATGGGTCTGGGCATCCTTACCAAGAGTTTACCACCTCTCTTCCCTTTCCCTTTTGTGGT
 55 GAAACGACTGCCCTTCTGCAAAGGCAATGTTTTGCATCACTCCTACTGTCTCCATCCAGAT
 CTCATGAAAGTAGCATGTGGAGACATCCATGTTAACAACATTTATGGGCTCTTGGTGATCA

TTTTACCTATGGTATGGACTCAACTTTCATCCTGCTTTCCTACGCATTGATCCTGAGAGCC
 ATGCTGGTCATCATATCCCAGGAACAGCGGCTCAAGGCACTCAACACCTGCATGTCACACA
 TCTGTGCAGTGCTGGCCTTTTATGTGCCATAATTGCTGTCTCCATGATTCACCGCTTCTGG
 AAAAGTGCTCCACCTGTTGTTTCATGTCATGATGTCCAATGTCTACCTGTTTGTACCACCCAT
 5 GCTCAACCTATCATCTACAGTGTGAAAACCAAGGAGATCCGCAAAGGGATTCTCAAGTTC
 TTCCATAAATCCCAGGCCTGA (SEQ ID NO: 264)

AOLFR144 sequences:

MGLFNVTHPAFFLLTGIPGLESSHWSLGPCLVEMYAVALGGNTVLQAVRVEPSLHEPMMYYFL
 10 SMLSFSVDVAISMATLPTVLRTFCLNARNITFDACLIQMFLIHFFSMMESGILLAMSFDYVAICD
 PLRYATVLTTEVIAAMGLGAAARSFITLFLPFLIKRLPICRSNVLSHSYCLHPDMMRLACADISI
 NSIYGLFVLVSTFGMDLFFIFLSYVLILRSVMATASREERLKALNTCVSHILAVLAFYVPMIGVS
 TVHRFGKHVPCYIHLMSNVYLFVPPVLNPLIYSAKTKEIRRAIFRMFHHIKI (SEQ ID NO: 265)

ATGGGGTTGTTCAATGTCACTCACCTGCATTCTTCCTCCTGACTGGTATCCCTGGTCTGGA
 GAGCTCTCACTCCTGGCTGTCAGGGCCCTCTGCGTGATGTATGCTGTGGCCCTTGGGGGA
 AATACAGTGATCCTGCAGGCTGTGCGAGTGGAGCCCAGCCTCCATGAGCCCATGTACTACT
 TCCTGTCCATGTTGTCTTCAGTGATGTGGCCATATCCATGGCCACACTGCCCCTGTACTC
 CGAACCTTCTGCCTCAATGCCCCGAACATCACTTTTGATGCCTGTCTAATTCAGATGTTTCT
 20 TATTCATTCTTCTCCATGATGGAATCAGGTATTCTGCTGGCCATGAGTTTGACCGCTATG
 TGGCCATTTGTGACCCCTTGCCTATGCAACTGTGCTCACCCTGAAGTCATTGCTGCAAT
 GGGTTTAGGTGCAGCTGCTCGAAGCTTCATCACCTTTTCCCTCTTCCCTTTCTTATTAAGA
 GGCTGCCTATCTGCAGATCCAATGTTCTTCTCACTCCTACTGCCTGCACCCAGACATGATG
 AGGCTTGCCTGTGCTGATATCAGTATCAACAGCATCTATGGACTCTTGTCTTGTATCCAC
 25 CTTTGGCATGGACCTGTTTTTATCTTCTCCTCTCCTATGTGCTCATTCTGCGTTCTGTATGG
 CCACTGCTTCCCGTGAGGAACGCCTCAAAGCTCTCAACACATGTGTGTACATATCCTGGC
 TGTACTTGCATTTTATGTGCAATGATTGGGGTCTCCACAGTGCACCGCTTTGGGAAGCAT
 GTCCCATGCTACATACATGTCTCATGTCAAATGTGTACCTATTTGTGCTCCTGTGCTCAA
 CCCTCTCATTTATAGCGCCAAGACAAAGGAAATCCGCCGAGCCATTTCCGCATGTTTCAC
 30 CACATCAAAATATGA (SEQ ID NO: 266)

AOLFR145 sequences:

MSVQYSLSPQFMLLSNITQFSPIFYLTSPGLEGIKHWIFIPFFMYMVAISGNCFILIIKTNPRLH
 35 TPMYYLLSLLALDGLCVSTLPTTMGIFWFNSQSIYFGACQIQMFCIHSFSMESSVLLMMSFD
 RFVAICHPLRYSVIITGQQVVVRAGLIVFRGPVATIPIVLLLKAFPYCGSVVLSHSFCLHQEVIQLA
 CDTTFNPLYGLMVVFTVMLDLVLIALSYGLILHTVAGLASQEEQRRAFQTCTAHLCAVLV
 FVPMMLSLVHRFGKHAPPAIHLMLANVYLFVPPMLNPIIYSIKTKEIHRAIKLLGLKKASK
 (SEQ ID NO: 267)

ATGTCAGTCCAATATTCGCTCAGTCCTCAATTCATGCTGCTATCCAACATTACTCAGTTTAG
 CCCCATATTCTATCTCACCAGCTTTCCTGGATTGGAAGGCATCAAACACTGGATTTTCATCC
 CCTTTTCTTTATGTACATGGTTGCCATCTCAGGCAATTGTTTCATTCTGATCATTATTAAG
 ACCAACCTCGTCTGCACACACCCATGTACTATCTACTATCCTTGCTGGCCCTCACTGACCT
 GGGGCTGTGTGTGTCCACGTTGCCACCACTATGGGGATCTTCTGGTTTAACTCCAGAGT
 45 ATCTACTTTGGAGCGTGTCAAATCCAGATGTTCTGCATCCACTCTTTTCTCTCATGGAGTC
 CTCAGTGCTCCTCATGATGTCTTTGACCGCTTTGTGGCCATCTGCCACCTCTGAGGTATT
 CGGTCAATTATCACTGGCCAGCAAGTGGTCAGAGCAGGCCTAATTGTCATCTTCCGGGGACC
 TGTGGCCACTATCCCTATTGTCCTCCTCCTGAAGGCTTTTCCCTACTGTGGATCTGTGGTCC
 TCTCCCACTCATTTTGCCTGCACCAGGAAGTGATACAGCTGGCCTGCACAGATACCACCTT
 50 CAATAATCTGTATGGACTGATGGTGGTAGTTTTCACTGTGATGCTGGACCTGGTGCTCATC
 GCACTGTCCTATGGACTCATCTGCACACAGTAGCAGGCCTGGCCTCCCAAGAGGAGCAGC
 GCCGTGCCCTTTCAGACATGCACCGCTCATCTCTGTGCTGTGCTAGTATTCTTTGTGCCCATG
 ATGGGGCTGTCCCTGGTGCACCGTTTTTGGGAAGCATGCCCCACCTGCTATTCATCTTCTTAT
 GGCCAATGTCTACCTTTTTGTGCTCCCATGCTTAACCCAATCATATACAGCATTAAAGACC
 55 AAGGAGATCCACCGTGCCATTATCAAACCTCTAGGTCTTAAAAAGGCCAGTAAATGA (SEQ
 ID NO: 268)

AOLFR146 sequences:

MSQVTNNTTQEGIYFILTDPGF EASHIWISIPVCCLYTISIMGNTTILTVIRTEPSVHQRMVYFLSM
LALTDLGLTLTTLPTVMQLLWFNVRRISSEACFAQFFFLHGFSFMESSVLLAMSVDYVAICCP
5 LHYASILTNEVIGRTGLAIICCCVLAVLPSLFLKRLPFCHSHLLSRSYCLHQDMIRLVCADIRLN
SWYGFALALLIIVDPLLVISYTLILKNILGTATWAERLRALNNCLSHILAVLVLYIPMVGVSMT
HRAKHASPLVHVIMANIYLLAPPVMNPIIYSVKNKQIQWGMLNFLSLKNMHSR (SEQ ID NO:
269)

10 ATGTCCCAGGTGACTAACACCACACAAGAAGGCATCTACTTCATCCTCACGGACATCCCTG
GATTTGAGGCCTCCACATCTGGATCTCCATCCCCGTCTGCTGTCTCTACACCATCTCCATC
ATGGGCAATACCACCATCCTCACTGTCTCGCACAGAGCCATCTGTCCACCAGCGCATGT
ATCTGTTTCTCTCCATGCTGGCCCTGACGGACCTGGGTCTCACCTCACCACCCTACCCACA
GTCATGCAGCTTCTCTGGTTCAACGTTCTGATGAATCAGCTCTGAGGCCTGTTTTGCTCAGTT
15 TTTCTTCCTTCATGGATTCTCCTTTATGGAGTCTTCTGTCCTCCTGGCTATGTCCGTTGACT
GCTATGTGGCCATCTGCTGTCCCCCTCCATTATGCCTCCATCCTCACCAATGAAGTCATTGGT
AGAAGTGGGTTAGCCATCATTTGCTGCTGTGTTCTGGCGGTTCTTCCCTCCCTTTTCTTACT
CAAGCGACTGCCTTTCTGCCACTCCCACCTTCTCTCTCGCTCCTATTGCCTCCACCAGGATA
TGATCCGCCTGGTCTGTGCTGACATCAGGCTCAACAGCTGGTATGGATTGCTCTTGCCTT
20 GCTCATTATTATCGTGGATCCTCTGCTCATTGTGATCTCTATACACTTATTCTGAAAAATA
TCTTGGGCACAGCCACCTGGGCTGAGCGACTCCGTGCCCTCAATAACTGCCTGTCCACAT
TCTAGCTGTCTGGTCTCTACATTCCCATGGTTGGTGTATCTATGACTCATCGCTTTGCCA
AGCATGCCTCTCCACTGGTCCATGTTATCATGGCCAATATCTACCTGCTGGCACCCCCGGT
GATGAACCCCATCATTTACAGTGTAAGAACAAGCAGATCCAATGGGGAATGTTAAATTC
25 CTTTCCCTCAAAAATATGCATTCAAGATGA (SEQ ID NO: 270)

AOLFR147 sequences:

MPSASAMIIIFNLSYNPGFILVGIPGLEQFHVWIGIPFCIIYIVAVVGNICILLYLIVVEHSLHEPMPF
FFLSMLAMTDLILSTAGVPKALSIFWLGAAREITFPGLTQMFFLHYNFVLDSAILMAMAFDHVY
30 AICSPLRYTTILTPKTIKSAMGISFRSFCILPDVFLLTCLPFCRTRIIPHTYCEHIGVAQLACADISI
NFWYGFCVPIMTVISDVILIAVSYAHILCAVFLGPSQDACQKALGTGSHVCVILMFYTPAFFSI
LAHRFGHNVSRTFHIMFANLYIVIPPALNPMVYGVKTKQIRDKVILLFSKGTG (SEQ ID NO:
271)

35 ATGCCATCTGCCTCTGCCATGATCATTTTCAACCTGAGCAGTTACAATCCAGGACCCCTTCAT
TCTGGTAGGGATCCCAGGCCTGGAGCAATCCATGTGTGGATTGGAATTCCTTCTGTATC
ATCTACATTGTAGCTGTTGTGGGAACTGCATCCTTCTCTACCTCATTGTGGTGGAGCATA
GTCTTCATGAACCCATGTTCTTCTTCTCTCCATGCTGGCCATGACTGACCTCATCTTGTCC
ACAGCTGGTGTGCCTAAAGCACTCAGTATCTTTGGCTAGGGGCTCGCGAAATCACATTCC
40 CAGGATGCCTTACACAAATGTTCTTCCCTTCACTATAACTTTGTCTGGATTGAGCCATTCTG
ATGGCCATGGCATTGATCACTATGTAGCTATCTGTTCTCCCTTGAGATATACCACCATCTT
GACTCCCAAGACCATCATCAAGAGTGCTATGGGCATCTCCTTTCGAAGCTTCTGCATCATC
CTGCCAGATGTATTCTTGTGCTGACATGCCTGCCTTCTGCAGGACACGCATCATACCCACA
CATACTGTGAGCATATAGGTGTTGCCAGCTCGCCTGTGCTGATATCTCCATCAACTCTG
45 GTATGGCTTTTGTGTTCCCATCATGACGGTCACTCTCAGATGTGATTCTCATTGTCTGTTTCCCT
ACGCACACATCCTCTGTGCTGTCTTTGGCCTTCCCTCCCAAGATGCCTGCCAGAAAGCCCT
CGGCACTTGTGGTTCTCATGTCTGTGTCATCCTCATGTTTATACACCTGCCTTTTCTCCA
TCCTCGCCCATCGCTTTGGACACAATGTCTCTCGACCTTCCACATCATGTTTGCCAATCTC
TACATTGTTATCCCACCTGCACTCAACCCCATGGTTTACGGAGTGAAGACCAAGCAGATCA
50 GAGATAAGGTTATACTTTTGTGTTTCTAAGGGTACAGGATGA (SEQ ID NO: 272)

AOLFR148 sequences:

MPTVNHSGTSHTVFHLGIPGLQDQHMWISIPFFISYVTALLGNSLLIFILTKRSLHEPMYLFLC
MLAGADIVLSTCTIPQALAIWFWRAGDISLDRCTQLFFIHSTFISESGILLVMAFDHYIAICYPLR
55 YTTILTNALIKKICVTVSLRSYGTIFPIIFLLKRLTFCQNNIIPHTFCEHIGLAKYACNDIRINIWYG

FSILMSTVVLDVVLIFISYMLJLHAFVHMPSPDACHKALNTFGSHVCIILFYGSGIFTILTQRFRGR
HIPPCIHIPLANVCILAPPMNLNPIIYGIKTKQIQEQVVQFLFIKQKITLV (SEQ ID NO: 273)

5 ATGCCTACTGTAAACCACAGTGGCACTAGCCACACAGTCTTCCACTTGCTGGGCATCCCTG
GCCTACAGGACCAGCACATGTGGATTTCTATCCCATTCTTCATTTCTATGTCACCGCCCTT
CTTGGGAACAGCCTGCTCATCTTCATTATCCTCACAAAGCGCAGCCTCCATGAACCCATGT
ACCTCTTCTCTGTCATGCTGGCTGGAGCAGACATTGTCCTCTCCACGTGCACCATTCTCAG
GCCTTAGCTATCTTCTGGTTCGGTCTGGGGACATCTCCCTGGATCGTTGCATCACTCAGCT
10 CTTCTTCATCCATTCCACCTTCATCTCTGAGTCAGGGATCTTGCTGGTGATGGCCTTTGACC
ACTATATTGCCATATGCTACCCACTGAGGTACACCACCATTCTTACAAATGCTCTGATCAA
GAAAATTTGTGTGACTGTCTCTCTGAGAAGTTATGGTACAATTTTCCCTATCATATTTCTTT
TAAAAAGATTGACTTTCTGCCAGAATAATATTATCCACACACCTTTTGTGAACACATTGG
CCTAGCCAAATATGCATGTAATGACATTGCAATAAACATTTGGTATGGGTTTCCATTCTA
15 ATGTCGACGGTGGTCTTAGATGTTGTAATAATTTTATTTCTATATGCTGATTCTCCATGC
TGCTTCCACATGCCTTCTCCAGATGCTTGCCACAAAGCTCTCAACACATTGGCTCCCATG
TCTGCATCATCATCCTCTTTTATGGGTCTGGCATCTTCACAATCCTTACCCAGAGGTTTGA
CGCCACATTCCACCTTGTATCCACATCCCCTTGGCTAATGTCTGCATTCTGGCTCCACCTAT
GCTGAATCCCATATTTATGGGATCAAAACCAAGCAAATCCAGGAACAGGTGGTTCAGTTT
20 TTGTTTATAAAACAGAAAATAACTTTGGTTTAA (SEQ ID NO: 274)

AOLFR149 sequences:

MSNASLLTAFILMGLPHAPALDAPLFGVFLVYVLTVLGNLLILLVIRVDSHLHTTMYYFLTNL
SFIDMWFSVTVPKLLMTLVFPSGRAISFHSQMAQLYFFHFLGGTECFLYRVMSCDRYLAISSP
LRYTSMMTGRSCTLLATSTWLSGSLHSAVQAILTFHLPYCGPNWQHLYLADAPPILKLACADTS
25 AIETVIFVTVGIVASGCFVLIVLSYVSIVCSILRIRTSEKHFRAFQTCASHCIVVLCFFGPGFLFIYLR
PGSRKAVDGVVAVFYTVLTPLLNPVVYTLRNKEVKKALLKLKDKVAHSQSK (SEQ ID NO:
275)

30 ATGTCCAACGCCAGCCTACTGACAGCGTTCATCCTCATGGGCCTTCCCCATGCCCCAGCGC
TGGACGCCCCCTCTTTGGAGTCTTCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCACCATGTACTACTTCTCTCA
CCAACCTGTCGTTTATTGACATGTGGTTCTCCACTGTCACGGTGCCCAAATTGCTGATGAC
TTTGGTGTTCCTAAGTGGCAGGGCTATCTCCTTCCACAGCTGCATGGCTCAGCTCTATTTCT
TTCATTCTCTAGGGGGCACCAGTGTTCCTCTACAGGGTCATGTCCTGTGATCGCTACCT
35 GGCCATCAGTTACCCGCTCAGGTACACCAGCATGATGACTGGGCGCTCGTGTACTCTTCTG
GCCACCAGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGGCCATATTGACTTTCC
ATTTGCCCTACTGTGGACCCAACTGGATCCAGCACTATTTGTGTGATGCACCGCCCATCCT
GAAACTGGCCTGTGCAGACACCTCAGCCATAGAGACTGTCATTTTTGTGACTGTTGGAATA
GTGGCCTCGGGCTGCTTTGTCTGTAGTGTCTGCTATGTGTCCATCGTCTGTTCCATCCT
40 GCGGATCCGCACCTCAGAGGGGAAGCAGAGCCTTTCAGACCTGTGCTCCCATGTAATC
GTGGTCTTTGCTTCTTTGGCCCTGGTCTTTTCACTTACCTGAGGCCAGGCTCCAGGAAAGC
TGTGGATGGAGTTGTGGCCGTTTTCTACACTGTGCTGACGCCCCCTTCTCAACCCTGTTGTGT
ACACCCTGAGGAACAAGGAGGTGAAGAAAGCTCTGTTGAAGCTGAAAGACAAAGTAGCAC
ATTCTCAGAGCAAATAG (SEQ ID NO: 276)

AOLFR150 sequences:

MELGNVTRVKEFIFLGLTQSQDQSLVFLFLCLVYMTLLGNLLIMVTVTCESRLHTPMYFLLR
NLAILDICFSSTTAPKVLLDLLSKKKTISYTSMTQIFLHLLGGADIFSLSVMAFDCYMAISKPL
HYVTIMSRGQCTALISASWMGGFVHSIVQISLLPLPFCGPNVLDTFYCDVPQVLKLTCTDTFA
50 LEFLMISNNGLVTTLWFIFLLVSYTVILMTLRSQAGGGRRKAISTCTSPHHCDDPAFCALHCLC
PALHCPPHRKGHLCHLHCHLPSAEPFDLHSEEPGNEVSHEKTEEKTRAF (SEQ ID NO: 277)

55 ATGGAGTTGGGAAATGTCACCAGAGTAAAGAATTTATATTTCTGGGACTTACTCAATCCC
AAGACCAGAGTTTGGTCTTGTTCTTTTTTATGTCTTGTTACATGACGACTCTGCTGGGA
AACCTCCTCATCATGGTCACCGTGACCTGTGAGTCTCGCCTTCACACCCCCATGTACTTCT
GCTCCGCAATCTAGCCATCCTTGACATCTGCTTCTCTCCACAACCTGCTCCTAAAGTCTTGC

TGGACCTTCTGTCAAAGAAAAAGACCATATCCTATACAAGCTGCATGACACAGATATTTCT
 CTTCCACCTCCTTGGTGGGGCAGACATTTTTTCTCTCTGTGATGGCGTTTGAAGTGTACA
 TGGCCATCTCCAAGCCCCTGCACTATGTGACCATCATGAGTAGAGGGCAATGCACTGCCCT
 CATCTCTGCCTCTTGGATGGGGGGCTTTGTCCACTCCATCGTGCAGATCTCCCTGTTGCTGC
 5 CTCTCCCTTTCTGTGGACCCAATGTTCTTGACACTTTCTACTGCGATGTCCCCCAGGTCCTC
 AAACCTCACTTGCACTGACACTTTTGTCTTGAGTTCTTGATGATTTCCAACAATGGCCTGGT
 CACTACCCTGTGGTTTATCTTCCTGCTTGTGTCTACACAGTCATCCTAATGACGCTGAGGT
 CTCAGGCAGGAGGGGGCAGGAGGAAAGCCATCTCCACTTGACCTCCCCACATCACTGTG
 GTGACCCTGCATTTTGTGCCCTGCATCTATGTCTATGCCCCGCCCTTCACTGCCCTCCCCAC
 10 AGAAAAGGCCATCTCTGTACCTTCACTGTATCTCCCTCTGCTGAACCCCTTGATCTACA
 CTCTGAGGAACCAGGAAATGAAGTCAGCCATGAGAAGACTGAAGAGAAGACTCGTGCCTT
 CTGA (SEQ ID NO: 278)

AOLFR151 sequences:

15 MFSPNHTIVTEFILLGLTDDPVLEKILFGVFLAIYLITLAGNLCMILLIRTNSHLQTPMYFFLGHLS
 FVDICYSSNVTPNMLHNLSEKQKISYAGCFTQCLLFIALVITEFYILASMALEDYVAICSPHY
 SRMSKNICVCLVTIPYMYGFLSGFSQSLTFHLSFCGSLEINHFCADPPLIMLACSDTRVKMA
 MFVVAGFNLSSSLFIILLSYLFIFAIFRIRSAEGRHKAFSTCASHLTIVTLFYGTLCMYVRPSE
 KSVEESKITAVFYTFPLSPMLNPLIYSLRNTDVLAMQMQMIRGKSFHKIAV (SEQ ID NO: 279)

20 ATGTTCTCCCCAAACCACACCATAGTGACAGAATTCATTCTCTTGGGACTGACAGACGACC
 CAGTGCTAGAGAAGATCCTGTTTGGGGTATTCCTTGCATCTACCTAATCACACTGGCAGG
 CAACCTGTGCATGATCCTGCTGATCAGGACCAATCCCACCTGCAAACACCCATGTATTTC
 TTCTTGGCCACCTCTCCTTTGTAGACATTTGCTATTCTTCCAATGTACTCCAAATATGCT
 25 GCACAATTTCTCTCAGAACAGAACCATCTCCTACGCTGGATGCTTACACAGTGTCTT
 CTCTTCATCGCCCTGGTGATCACTGAGTTTACATCCTTGTCTCAATGGCATTGGATCGCTA
 TGTAGCCATTTGCAGCCCTTTGCATTACAGTTCCAGGATGTCCAAGAACATCTGTGTCTGT
 CTGGTCACTATCCCTTACATGTATGGGTTTCTTAGTGGGTTCTCTCAGTCACTGCTAACCTT
 TCATTATCCTTCTGTGGCTCCCTTGAAATCAATCATTTCTACTGCGCTGATCCTCCTCTTA
 30 TCATGCTGGCCTGCTCTGACACCCGTGTCAAAAAGATGGCAATGTTTGTAGTTGCAGGCTT
 TAATCTCTCAAGCTCTCTCTTCATCATTCTTCTGTCTATCTTTTCATTTTTGCAGCGATCTT
 CAGGATCCGTTCTGCTGAAGGCAGGCACAAAGCCTTTTCTACGTGTGCTTCCCACCTGACA
 ATAGTCACTTTGTTTTATGGAACCCCTCTCTGCATGTACGTAAGGCCTCCATCAGAGAAGT
 CTGTAGAGGAGTCCAAAATAACTGCAGTCTTTATACTTTTTTGAGCCCAATGCTGAACCC
 35 ATTGATCTATAGCCTACGGAACACAGATGTAATCCTTGCCATGCAACAAATGATTAGGGGA
 AAATCCTTTCATAAAATTGCAGTTTAG (SEQ ID NO: 280)

AOLFR152 sequences:

MDQINHTNVKEFFLELTRSRELEFFLVVFFAVYVATVLGNALIVVTTTCSRHTPMYFLLRN
 40 KSVLDIVFSSITVPKFLVØLLSDRKITISYNDICMAQIFFHFAGGADIFFLSVMAYDRYLAIKPL
 HYVTMMRKEVWVALVVASWVSGGLHSIIQVILMLPFPFCGPNTLDAFYCYVLQVVKLACTDT
 FALELFMISNGLVTLLWFLLLGSYTVILVMLRSHSGEGRNKALSTCTSHMLVVTLHFVPCV
 YIYCRPFMTLPMDTTISINNTVITPMLNPIIYSLRNQEMKSAMQRLQRRLLGPSESRRKWG (SEQ ID
 NO: 281)

45 ATGGACCAGATCAACCACACTAATGTGAAGGAGTTTTTCTTCTGGAACCTTACACGTTCCC
 GAGAGCTGGAGTTTTTCTTGTGTGTGGTCTTCTTGTGTGTATGTAGCAACAGTCCTGGG
 AAATGCACTCATTGTGGTCACTATTACCTGTGAGTCCCGCCTACACACTCCTATGTACTTTC
 TCCTGCGGAACAAATCAGTCCTGGACATCGTTTTTTCATCTATCACCGTCCCCAAGTTCCTG
 50 GTGGATCTTTTATCAGACAGGAAAACCATCTCCTACAATGACTGCATGGCACAGATCTTTT
 TCTTCCACTTTGCTGGTGGGGCAGATATTTTTTCTCTCTGTGATGGCCTATGACAGATAC
 CTGCAATCGCCAAGCCCCTGCACTATGTGACCATGATGAGGAAAGAGGTGTGGGTGGCC
 TTGGTGGTGGCTTCTTGGGTGAGTGGTGGTTGCATTCAATCATCCAGGTAATTCTGATGC
 TTCCATTCCCCTTCTGTGGCCCCAACACACTGGATGCCTTCTACTGTTATGTGCTCCAGGTG
 55 GTAAAACTGGCCTGCACTGACACCTTTGCTTTGGAGCTTTTCATGATCTTAACAACGGAC
 TGGTGACCTGCTCTGGTTCTCTGCTCTGCTGGGCTCCTACACTGTCATTCTGGTGATGCTG

AGATCCCACTCTGGGGAGGGGCGGAACAAGGCCCTCTCCACGTGCACGTCCCACATGCTG
GTGGTGACTCTTCACTTCGTGCCTTGTGTTTACATCTACTGCCGGCCCTTCATGACGCTGCC
CATGGACACAACCATATCCATTAATAACACGGTCAATTACCCCCATGCTGAACCCCCATCATC
TATTCCTGAGAAATCAAGAGATGAAGTCAGCCATGCAGAGGCTGCAGAGGAGACTTGGG
5 CCTCCGAGAGCAGAAAAATGGGGGTGA (SEQ ID NO: 282)

AOLFR153 sequences:

MSKTSLVTAFLTGLPHAPGLDAPLFGIFLVVYVLTVLGNLLILLVIRVDSHLHTPMYYFLTNLS
FIDMWFSTVTVPKMLMTLVSPSGRAISFHSCVAQLYFFHFLGSTECFLYTVMSYDRYLAISYPL
10 RYTSMMMSGSRCALLATSTWLSGSLHSAVQTLTFHLPYCGPNQIQHYLCDAPPILKLACADTSA
NEMVIFVDIGLVASGCFLLVLSYVSIVCSILRIHTSEGRHRAFQTCASHCIVVLCFFVXCVFIYLR
PGSRDVVDGVVAIFYTVLTPLLNPVYTLRNKEVKKAVLKLKRDKVAHSQGE (SEQ ID NO:
283)

15 ATGTCCAAGACCAGCCTCGTGACAGCGTTCATCCTCACGGGCCTTCCCCATGCCCCAGGGC
TGGACGCCCCACTCTTTGGAATCTTCCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCCATGTACTACTTCCTCA
CCAACCTGTCTTCATTGACATGTGGTTCTCCACTGTCACGGTGCCAAAATGCTGATGAC
CTTGGTGTCCCCAAGCGGCAGGGCTATCTCCTTCCACAGCTGCGTGGCTCAGCTCTATTTTT
20 TCCACTTCCTGGGGAGCACCGAGTGTTCCTCTACACAGTCATGTCCTATGATCGCTACTTG
GCCATCAGTTACCCGCTCAGGTACACCAGCATGATGAGTGGGAGCAGATGTGCCCTCCTGG
CCACCAGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTTCCAT
TTGCCCTACTGTGGACCCAACCAGATCCAGCACTATTTGTGTGATGCACCGCCCATCCTGA
AACTGGCCTGTGCAGACACCTCAGCCAACGAGATGGTCATCTTTGTGGACATTGGGCTAGT
25 GGCCTCGGGCTGCTTTCTCCTGATAGTGTCTTATGTGTCCATCGTCTGTTCCATCCTGC
GGATCCACACCTCAGAGGGGAGGCACAGAGCCTTTCAGACCTGTGCCTCCCACTGCATCGT
GGTCTTTTGTCTTTTGTNNCTGTGTTTTCATTTACCTGAGACCAGGCTCCAGGGACGTCTG
TGGATGGAGTTGTGGCCATTTTCTACACTGTGCTGACACCCCTTCTCAACCCTGTTGTGTAC
ACCCTGAGAAACAAGGAGGTGAAGAAAGCTGTGTTGAAACTGAGAGACAAAGTAGCACAT
30 TCTCAGGGAGAATAA (SEQ ID NO: 284)

AOLFR156 sequences:

MCWAMPSPFTGSSTRNMESRNQSTVTEFIFTGFPQLQDGSLLYFFPLLFIYTFHIDNLLIFS AVRL
DTHLGNPMYNFISIFSLEIWTATIPKMLSNLISEKKAISMTGCILQMYFFHSLNSEGILLTT
35 MAIDRYVAICNPLRYQMIMTPRLCAHLSAGSCLFGFLILLPEIVMISTLPFCGPNQIHQIFCDLVP
VLSLACTDTSMLIEDVIHAVTHITFLIALSYVRIVTVILRIPSSEGRQKAXSTCAGHLMVFLIFFG
SVSLMYLRFSNTYPPVLDTAIALMFTVLAPFFNPIIYSLRNKDMNNAIKKLFCLQKVLNKP GG
(SEQ ID NO: 285)

40 ATGTGCTGGGCTATGCCCTCTCCATTTACAGGTAGCTCTACTAGAAATATGGAGAGCAGAA
ACCAATCAACAGTGACTGAATTTATCTTCACTGGATTCCCTCAGCTTCAGGATGGTAGTCT
CCTGTACTTCTTTCTTTACTTTTCATCTATACTTTTATTATCATTGATAACTTATTAATCTT
CTCTGCTGTAAGGCTGGACACCCATCTGGGCAACCCCATGTATAATTTTATCAGTATATTTT
CCTTTCTGGAGATCTGGTACACCACAGCCACCATTCCTCAAGATGCTCTCCAACCTCATCAG
45 TGAAAAGAAGGCCATCTCAATGACTGGCTGCATCTTGCAGATGTATTTCTTCCACTCACTT
GAAAACTCAGAGGGGATCTTGCTGACCACCATGGCCATTGACAGATACGTTGCCATCTGCA
ACCCTCTTCGCTATCAAATGATCATGACCCCCCGGCTCTGTGCTCACCTCTCTGCAGGTTCC
TGCCTCTTCGGTTTCTTATCCTGCTTCCCGAGATTGTGATGATTTCCACACTGCCTTTCTG
TGGGCCCCAACCAATCCATCAGATCTTCTGTGACTTGGTCCCTGTGCTAAGCCTGGCCTGT
50 ACAGACACGTCCATGATTCTGATTGAGGATGTGATTGCTGTGACCATCATCATTACCT
TCCTAATCATTGCCCTGTCTATGTAAGAATTGTCACTGTGATATTGAGGATTCCTCTTCT
GAAGGGAGGCAAAAGGCTNTTCTACCTGTGCAGGCCACCTCATGGTCTTCTGATATTCT
TTGGCAGTGTATCACTCATGTAATTGCGTTTCAGCAACACTTATCCACCAAGTTTGGACAC
AGCCATTGCACTGATGTTTACTGTACTTGCTCCATTCTTCAATCCCATCATTTATAGCCTGA
55 GAAACAAGGACATGAACAATGAATTAATAAACTGTTCTGTCTTCAAAAAGTGTTGAACA
AGCCTGGAGGTAA (SEQ ID NO: 286)

AOLFR157 sequences:

5 MAMDNVTAVFQFLIGISNYPQWRDTFFTLVLIYLSLTLGNGFMIFLIHFDPNLHTPIYFFLSNL
SFLDLCYGTASMPQALVHCFSTHPYLSYPRCLAQTSVSLALATAECLLLAAMAYDRVVAISNP
LRYSVVMNGPVCVCLVATSWGTSLVLTAMLILSLRLHFCGANVINHFACEILSLIKLTCSDTSL
NEFMILITSIFTL LLPFGFVLLSYIRIAMAIIRSLQGR LKAFTTCGSHLT VVTIFYGSAISMYMKT
QSKSSPDQDKFISVFY GALTPMLNPLIYSLRKKDVKRAIRKVMLKRT (SEQ ID NO: 287)

10 ATGGCCATGGACAATGTCACAGCAGTGTTCAGTTTCTCCTTATTGGCATTCTAACTATCC
TCAATGGAGAGACACGTTTTTACATTAGTGCTGATAATTTACCTCAGCACATTGTTGGGG
AATGGATTATGATCTTTCTTATTCACTTTGACCCCAACCTCCACACTCCAATCTACTTCTT
CCTTAGTAACCTGTCTTTCTTAGACCTTTGTTATGGAACAGCTTCCATGCCCCAGGCTTTGG
TGCATTGTTTCTCTACCCATCCCTACCTCTCTTATCCCCGATGTTTGGCTCAAACGAGTGTC
TCCTTGGCTTTGGCCACAGCAGAGTGCTCCTACTGGCTGCCATGGCCTATGACCGTGTGG
15 TTGCTATCAGCAATCCCCTGCGTTATTAGTGTTATGAATGGCCCAGTGTGTGTCTGCTT
GGTTGCTACCTCATGGGGGACATCACTTGTGCTCACTGCCATGCTCATCCTATCCCTGAGG
CTTCACTTCTGTGGGGCTAATGTCAACCAATTTGCCTGTGAGATTCTCTCCCTCATTA
GCTGACCTGTTCTGATACCAGCCTCAATGAATTTATGATCCTCATCACAGTATCTTCAACC
TGCTGCTACCATTTGGGTTGTTCTCCTCTCTACATACGAATTGCTATGGCTATCATAAGG
20 ATTCGCTCACTCCAGGCGAGGCTCAAGGCCTTTACCACATGTGGCTCTCACCTGACCGTGG
TGACAATCTTCTATGGGTGAGCCATCTCCATGTATATGAAAACCTCAGTCCAAGTCTCCCC
TGACACAGGACAAGTTTATCTCAGTGTTTATGGAGCTTTGACACCCATGTTGAACCCCTG
ATATATAGCCTGAGAAAAAAGATGTTAAACGGGCAATAAGGAAAGTTATGTTGAAAAGG
ACATGA (SEQ ID NO: 288)

25

AOLFR158 sequences:

30 MKAGNFSDTPEFFLLGLSGDPELQPIFLFMSMYLATMLGNLLILAVNSDSHLHTPMYFLLSI
LSLVDICFTSTTMPKMLVNIQAQASINYTGCLTQICFVLVFGLENGILVMMAYDRFVAICHP
LRYNVIMNPKLCGLLLLLSFIVSVLDALLHTLMVLQLTFCIDLEIPHFFCELAHILKLACSDVLIN
NILVYLVTSL LGVPLSGIIFSYTRIVSSVMKIPSAGGKYKA FSICGSHLIVVSLFYGTGFGVYLSS
GATHSSRKGAIASVMYTVVTPMLNPLIYSLRNKDMLKALRK LISRIPSFH (SEQ ID NO: 289)

35 ATGAAAGCAGGAAACTTCTCAGACACTCCAGAATTCTTCTCTTGGGATTGTCAGGGGATC
CGGAGCTGCAGCCCACCTCTTCATGCTGTTCTGTCCATGTACCTGGCCACAATGCTGGG
GAACCTGCTCATCATCCTGGCCGTCAACTCTGACTCCCACCTCCACACCCCCATGTA CTTC
TCCTCTCTATCCTGTCTTGGTTCGACATCTGTTTACCTCCACCACGATGCCCAAGATGCTG
GTGAACATCCAGGCACAGGCTCAATCCATCAATTACACAGGCTGCCTACCCAAATCTGCT
TTGTCTGGTTTTTGTGATTGGAAAATGGAATTCTGGTCATGATGGCCTATGATCGATT
TGTTGGCCATCTGTCACCCACTGAGGTACAATGTCATCATGAACCCCAA CTCTGTGGGCTG
40 CTGCTTCTGCTGTCCTTCATCGTTAGTGTCCTGGATGCTCTGCTGCACACGTTGATGGTGCT
ACAGCTGACCTTCTGCATAGACCTGGAAATTCCCCACTTTTTCTGTGA ACTAGCTCATATTC
TCAAGCTCGCCTGTTCTGATGTCCTCATCAATAACATCCTGGTGTATTTGGTGACCA GCT
GTAGGTGTTGTTCTCTCTCTGGGATCATTTTCTCTTACACACGAATTGTCTCCTCTGTCA
TGAAAATTCCATCAGCTGGTGGAAAGTATAAAGCTTTTTCCATCTGCGGGTCACATTTAAT
45 CGTTGTTTCCTTGTTTTATGGAACAGGGTTTGGGGTGTACCTTAGTTCTGGGGCTACCCACT
CCTCCAGGAAGGGTGCAATAGCATCAGTGATGTATACCGTGGTCACCCCATGCTGAACCC
ACTCATTTACAGCCTGAGAAACAAGGACATGTTGAAGGCTTTGAGGAACTAATATCTAG
GATACCATCTTCCATTGA (SEQ ID NO: 290)

50 **AOLFR159 sequences:**

MGPRNQTA VSEFLMKVTEDPELKLIPFSLFMSMYLVTLGNLLILLAVISDSHLHTPMYFLLFN
LSFTDICLTTTTVPKILVNIQAQNSITYTGCLTQICLVLVFAGLESCFLAVMAYDRYVAICHP
RYTVLMNVHFWGLLLSMFMSTMDALVQSLMVLQLSFCKNVEIPLFFCEVVQVIKLACSDTL
INNLIYFASSVFGAIPLSGIIFSYSQIVTSVLRMP SARGKYKA FSTCGCHLSVFSLFYGTAFGVYIS
55 SAVAESSRITAVASVMYTVVPMNPFYSLRNKEMKKALRK LIGRLFPF (SEQ ID NO: 291)

ATGGGACCCAGAAACCAAACAGCTGTTTCAGAAATTTCTTCTCATGAAAGTGACAGAGGAC
 CCAGAACTGAAGTTAATCCCTTTTCAGCCTGTTCTGTCCATGTACCTGGTCACCATCCTGG
 GGAACCTGCTCATTCTCCTGGCTGTCATCTCTGACTCCCACCTCCACACCCCCATGTACTTC
 CTTCTCTTTAATCTCTCCTTTACTGACATCTGTTTAACCACAACCACAGTCCCAAGATCCT
 5 AGTGAACATCCAAGCTCAGAATCAGAGTATCACTTACACAGGCTGCCTCAGGAGATCTGT
 CTTGTCTTGGTTTTTGCTGGCTTGAAAGTTGCTTTCTTGCAAGTCATGGCCTACGACCGCTA
 TGTGGCCATTTGCCACCCACTGAGGTACACAGTCTCATGAATGTCCATTTCTGGGGCTTG
 CTGATTCTTCTCTCCATGTTTCATGAGCACTATGGATGCCCTGGTTCAGAGTCTGATGGTATT
 GCAGCTGTCCCTCTGCAAAAACGTTGAAATCCCTTTGTTCTTCTGTGAAGTCGTTTCAGGTC
 10 ATCAAGCTCGCCTGTTCTGACACCCTCATCAACAACATCCTCATATATTTTGCAAGTAGTGT
 ATTTGGTGCAATTCCTCTCTCTGGAATAATTTTCTCTTATTCTCAAATAGTCACCTCTGTTC
 TGAGAATGCCATCAGCAAGAGGAAAGTATAAAGCGTTTTCCACCTGTGGCTGTACCTCTC
 TGTTTTTTCTTGTCTATGGGACAGCTTTTGGGGTGTACATTAGTTCTGCTGTTGCTGAGT
 CTTCCCGAATTACTGCTGTGGCTTCAGTGATGTACACTGTGGTCCCTCAAATGATGAACCC
 15 CTTTCATCTACAGCCTGAGAAATAAGGAGATGAAGAAAGCTTTGAGGAAACTTATTGGTAG
 GCTGTTTCTTTTAG (SEQ ID NO: 292)

AOLFR160 sequences:

MPMQLLLTDFIIFSIRFIINSMEARNQTAISKFLLGLIEDPELQPVLFSLFSLMYLVLTILGNLLILL
 20 AVISDSHLHTPMYFFLSNLSFLDICLSTTTPKMLVNIQAQNRSTYSGCLTQICFVLFFAGLENC
 LLAAMAYDRYVAICHPLRYTVIMNPRLCGLLILLSLTSVNNALLLSLMVLRSLFCTDLEIPLFF
 CELAQVIQLTCSDTLNNILYFAACIFGGVPLSGIILSYTQITSCVLRMPASGKHKAIVSTCGSHL
 SIVLLFYGAGLGVYISSVVTDSPRKTAVASVMYSVFPQMVNPFYISLRNKDKMGLRKFGRIP
 SLLWCAICFGFRFLE (SEQ ID NO: 293)

25 ATGCCGATGCAGCTGCTGCTTACAGATTTTATTATCTTTTCCATCAGATTCATCATCAACAG
 CATGGAAGCGAGAAACCAAACAGCTATTTCAAATTCCTTCTCCTGGGACTGATAGAGGAT
 CCGGAAGTGCAGCCCGTCTTTTCAGCCTGTTCTGTCCATGTACTTGGTCACCATCCTGGG
 GAACCTGCTCATCCTCTTGGCTGTCATCTCTGACTCTCACCTCCACACCCCCATGTACTTCT
 30 TCCTCTCCAATCTCTCCTTTTGGACATTTGTTTAAGCACAACCACGATCCCAAAGATGCTG
 GTGAACATCCAAGCTCAGAATCGGAGCATCACGTACTCAGGCTGCCTCAGGAGATCTGCT
 TTGTCTTGTTTTTTGCTGGCTTGAAAAATGTCTCCTTGCAAGTGGCCTATGACCGCTAT
 GTGGCCATTTGTACCCCTTAGATACACAGTCATCATGAACCCCGCCTCTGTGGCCTGC
 TGATTCTTCTCTCTCTGTTGACTAGTGTGTGAATGCCCTTCTTCTCAGCCTGATGGTGTG
 35 AGGCTGTCTCTGTCACAGACTGGAAATCCCGCTCTTCTTCTGTGAAGTGGCTCAGGTCA
 TCCCACTCACCTGTTTCAGACACCTCATCAATAACATCCTGATATATTTTGAGCTTGCATA
 TTTGGTGGTGTCTCTGTCTGGAATCATTTTGTCTTACACTCAGATCACCTCCTGTGTTTT
 GAGAATGCCATCAGCAAGTGGAAGCACAAAGCAGTTTCCACCTGTGGGTCTCACCTCTCC
 ATTGTTCTCTTGTCTATGGGGCAGGTTTGGGGTGTACATTAGTTCTGTGGTACTGACTC
 40 ACCTAGGAAGACTGCAGTGGCTTCAGTGATGTATTCTGTGTTCCCTCAAATGGTGAACCCC
 TTTATCTATAGTCTGAGGAATAAGGACATGAAAGGAACCTTGAGGAAGTTCATAGGGAGG
 ATACCTTCTCTTCTGTGGTGTGCCATTTGCTTTGGATTTCAGGTTTCTAGAGTAA (SEQ ID
 NO: 294)

AOLFR161 sequences:

45 MEPRNQTSASQFILLGLSEKPEQETLLFSLFFCMYLVMMVGNLLIILAIIDSIDLHTPMYFFLANL
 SLVDFCLATNTIPKMLVSLQTGSKAISYPCCLIQMYFFHFFGIVDSVIAMMAYDRFVAICHPLH
 YAKIMSLRLCRLLVGALWAFSCFISLTHILLMARLVFCGSHEVPHYFCDLTPILRLSCTDTSVNR
 IFILIVAGMVIATPFVCILASYARILVAIMKVPSAGGRKKAFSTCSSHLSVVALFYGTTIGVYLCF
 50 SSVLTTVKEKASAVMYTAVTPMLNPFYISLRNRDLKGALRKLVRNKITSSS (SEQ ID NO: 295)

ATGGAACCAAGAAACCAAACAGTGTCATCTCAATTCATCCTCCTGGGACTCTCAGAAAAGC
 CAGAGCAGGAGACGCTTCTCTTTTCCCTGTTCTTCTGCATGTACCTGGTCATGGTCGTGGG
 GAACCTGCTCATCATCCTGGCCATCAGCATAGACTCCCACCTCCACACCCCCATGTACTTCT
 55 TCCTGGCCAACCTGTCCCTGGTTGATTTCTGTCTGGCCACCAACACCATCCCTAAGATGCT
 GGTGAGCCTTCAAACCGGGAGCAAGGCCATCTCTTATCCCTGCTGCCTGATCCAGATGTAC

TTCTTCCATTTCTTTGGCATCGTGGACAGCGTCATAATCGCCATGATGGCTTATGACCGGTT
 CGTGGCCATCTGCCACCCATTGCACTACGCCAAGATCATGAGCCTACGCCTCTGTGCGCTG
 CTGGTTCGGCGCCCTCTGGGCGTTTTCTGCTTCATCTCACTCACTCACATCCTCCTGATGGC
 CCGTCTCGTTTTCTGCGGCAGCCATGAGGTGCCTCACTACTTCTGCGACCTCACTCCCATCC
 5 TCCGACTTTCGTGCACGGACACCTCTGTGAATAGGATCTTCATCCTCATTGTGGCAGGGAT
 GGTGATAGCCACGCCCTTTGTCTGCATCCTGGCCTCCTATGCTCGCATCCTTGTGGCCATCA
 TGAAGGTCCCCTCTGCAGGCGGCAGGAAGAAAGCCTTCTCCACCTGCAGCTCCCACCTGTC
 TGTGGTTGCTCTTCTATGGGACCACCATTTGGCGTCTATCTGTGTCCCTCCTCGGTCCTCA
 CCACTGTGAAGGAGAAAGCTTCTGCGGTGATGTACACAGCAGTCACCCCCATGCTGAATCC
 10 CTTCATCTACAGCTTGAGGAACAGAGACCTGAAAGGGGCTCTCAGGAAGCTGGTCAACAG
 AAAGATCACCTCATCTTCCTGA (SEQ ID NO: 296)

AOLFR162 sequences:

15 MMRLMKEVRGRNQTEVTEFLLLGLSDNPDLQGVLFALFLLIYMANMVGNLGMIVLIKIDLCLH
 TPMYFFLSSLFVDASYSSSVTPKMLVNLMAENKAISFHGCAAQFYFFGSFLGTECFLLAMMA
 YDRYAAIWNPLLYPVLVSGRICFLLIATSFAGCGNAAIHTGMTFRLSFCGSNRINHFYCDTPPL
 LKLSCTDTHFNGIVIMAFSSFIVISCMIVLISYLCIFIAVLKMPISLEGRHKAFSTCASYLMAVTIF
 FGTILFMYLRPTSSYSMEQDKVVSVFYTVIIPVLNPLIYSLKNKDVKKALKKILWKHIL (SEQ ID
 NO: 297)

20 ATGATGAGACTTATGAAAGAGGTTTCGAGGCAGAAATCAAACAGAAGTAACAGAATTTCTC
 CTCTTAGGACTTTCCGACAATCCAGATCTACAAGGAGTCCTCTTTGCATTGTTTCTGTTGAT
 CTATATGGCAAACATGGTGGGCAATTTGGGGATGATTGTATTGATTAAAGATTGATCTCTGT
 CTCACATCCCCCATGTATTCTTTCTCAGTAGCCTCTCTTTTGTAGATGCCTCTTACTCTTCT
 25 TCCGTCACTCCCAAGATGCTGGTGAACCTCATGGCTGAGAATAAGGCCATTTCTTTTCATG
 GATGTGCTGCCCAGTTCTACTTCTTTGGCTCCTTCCTGGGGACTGAGTGCTTCCTGTTGGCC
 ATGATGGCATATGACCGCTATGCAGCCATTTGGAACCCCTGCTCTACCCAGTTCTCGTGT
 CTGGGAGAATTTGCTTTTTGCTAATAGCTACCTCCTTCTTAGCAGGTTGTGGAAATGCAGC
 CATAACACAGGGATGACTTTTAGGTTGTCTTTTGTGGTTCTAATAGGATCAACCATTCT
 30 ACTGTGACACCCCGCCACTGCTCAAACCTCTCTTGTCTGATACCCACTTCAATGGCATTGTG
 ATCATGGCATTCTCAAGTTTTATTGTCATCAGCTGTGTATGATTGTCCTCATTTCTACCT
 GTGTATCTTCATTGCCGCTTGAAGATGCCTTCGTTAGAGGGGCAGGCACAAAGCCTTCTCC
 ACCTGTGCCTCTTACCTCATGGCTGTCACCATATTCTTTGGAACAATCCTCTTCATGTACTT
 GCGCCCTACATCTAGCTACTCAATGGAGCAAGACAAGGTTGTCTCTGTCTTTTATACAGTA
 35 ATAATCCCTGTGCTAAATCCCCTCATCTATAGTTTAAAAAATAAGGATGTAAAAAAGGCC
 TAAAGAAGATCTTATGGAAACACATCTTGTAG (SEQ ID NO: 298)

AOLFR163 sequences:

40 MQRSNHTVTEFILLGFTTDPGMQLGLFVFLGVYSLTVVGNSTLIVLICNDSCLHTPMYFFTGN
 LSFLDLWYSSVYTPKILVTCISEDKSISFAGCLCQFFFSAGLAYSECYLLAAVAYDRYVAISKPL
 LYAQAMSIKLCALLVAVSYCGGFINSIIKKTFSFNFCRENIIDFFCDLLPLVELACGEKGGYK
 IMMYFLLASNVICPAVLILASYLFIITSVLRISSSKGYLKAFTSCSSHLTSVTLYYGSILYIYALPRS
 SYSFDMDKIVSTFYTVVFPMLNLMISLRNKDVKEALKKLLP (SEQ ID NO: 299)

45 ATGCAGAGGAGCAATCATACAGTGACTGAGTTTATACTGCTGGGCTTCACCACAGACCCA
 GGAATGCAGCTGGGCCTCTTCGTGGTGTTCCTGGGCGTGTACTCTCTCACTGTGGTAGGAA
 ATAGCACCTCATCGTGTGATCTGTAATGACTCCTGCCTCCACACACCCATGTATTTTTTC
 ACTGGAATCTGTCGTTTCTGGATCTCTGGTATTCTTCTGTCTACACCCCAAAGATCCTAGT
 GACCTGCATCTCTGAAGACAAAAGCATCTCCTTTGCTGGCTGCCTGTGTCAGTTCTTCTCT
 50 CTGCAGGCTGGCCTATAGTGAGTGCTACCTGCTGGCTGCCGTGGCTTCTGACCGCTACGT
 GGCCATCTCCAAGCCCCTGCTTTATGCCAGGCCATGTCCATAAAGCTGTGTGCATTGCTG
 GTAGCAGTCTCATATTGTGGTGGCTTTATTAACCTCTCAATCATCACCAGAAAACGTTTTTC
 CTTTAACTTCTGCCGTGAAAACATCATTGATGACTTTTTCTGTGATTGTCTTCCCTTGGTGG
 AGCTGGCCTGTGGCGAGAAGGGCGGCTATAAAATTATGATGTACTTCTGCTGGCCTCCAA
 55 TGTCTCTGCCCCGAGTGCTCATCCTGGCCTCCTACCTCTTTATCATCACCAGTGTCTTGA
 GGATCTCCTCCTCCAAGGGCTACCTCAAAGCCTTCTCCACATGCTCCTCCACCTGACCTCT

GTCACCTTTATACTATGGCTCCATTCTCTACATCTACGCTCTCCCCAGATCTAGCTATTCTTT
TGATATGGACAAAATAGTTTCTACATTTTACACTGTGGTATTCCCCATGTTGAATCTCATG
ATCTACAGCCTAAGGAATAAGGATGTGAAAGAGGCTCTGAAAAAACTTCTCCATAA (SEQ
ID NO: 300)

5

AOLFR164 sequences:

MFLTERNTTSEATFTLLGFS DYLELQIPLFFVFLAVYGFSVVGNLGMIVIIKINPKLHTPMYFFLN
HLSFVDFCYSSIIAPMMLVNLVVEDRTISFSGCLVQFFFFCTFVVTTELILFAVMAYDHFVAICNP
LLYTVAISQKLCAMLVVVLYAWGVACSLTLACSALKLSFHGFNTINHHFCELSSLISLSYPDSYL
10 SQLLLFTVATFNEISTLLIILTSYAFIIVTTLKMPASGHRKVFSTCASHLTAITIFHGTLFLYCVP
NSKNRHTVKVASVFYTVVIPLLNPLIYSLRNKDVKDAIRKIINTKYFHIKHRHWYPFNFVIEQ
(SEQ ID NO: 301)

15 ATGTTTCTGACAGAGAGAAATACGACATCTGAGGCCACATTCACCTCTCTTGGGCTTCTCAG
ATTACCTGGAAGTCAAATTCCTCTTCTTTGTATTTCTGGCAGTCTACGGCTTCAGTGTG
GTAGGGAATCTTGGGATGATAGTGATCATCAAAATTAACCCAAAATTGCATACCCCCATGT
ATTTTTCTCAACCACCTCTCCTTTGTGGATTTCTGCTATTCTCCATCATTGCTCCCATGA
TGCTGGTGAACCTGGTTGTAGAAGATAGAACCATTTCATTCTCAGGATGTTTGGTGCAATT
CTTTTCTTTTGACCTTTGTAGTGACTGAATTAATTCTATTTGCGGTGATGGCCTATGACC
20 ACTTTGTGGCCATTTGCAATCCTCTGCTCTACACAGTTGCCATCTCCCAGAACTCTGTGCC
ATGCTGGTGGTTGTATTGTATGCATGGGGAGTCGCATGTTCCCTGACACTCGCGTGCTCTG
CTTTAAAGTTATCTTTTCATGGTTTCAACACAATCAATCATTCTTCTGTGAGTTATCCTCC
CTGATATCACTCTCTTACCCTGACTCTTATCTCAGCCAGTTGCTTCTTTTCACTGTTGCCAC
TTTAAATGAGATAAGCACACTACTCATCATTCTGACATCTTATGCATTTCATATTGTACCA
25 CCTGAAGATGCCTTCAGCCAGTGGGCACCGCAAAGTCTTCTCCACCTGTGCCTCCACCT
GACTGCCATCACCATCTTCCATGGCACCATCCTCTTCTCTACTGTGTACCCAACTCCAAAA
ACTCCAGGCACACAGTCAAAGTGGCCTCTGTGTTTTACACCGTGGTGATCCCCTTGTGAA
TCCCCTGATCTACAGTCTGAGAAATAAAGATGTTAAGGATGCAATCCGAAAAATAATCAAT
ACAAAATATTTTCATATTAAACATAGGCATTGGTATCCATTTAATTTGTTATTGAACAATA
30 A (SEQ ID NO: 302)

AOLFR165 sequences:

MAVGRNNTIVTKFILLGLSDHPQMKIFLFLGLYLLTLAWNLSLIALIKMDSHLHMPMYFFL
SNLSFLDICVVSSTAPKMLSDIITEQKTISFVGCATQYFVFCGMGLTECFLLAAMAYDRYAAICN
35 PLYTVLISHTLCLKMVVGAYVGGFLSSFIETYSVYQHDFCGPYMINHFFCDLPPVLALSCSDTF
TSEVVTIFIVSVVVGIVSVLVVLISYGYIVA AVVKISSATGRTKAFSTCASHLTA VTLFYGSGFFM
YMRPSSSYSLNRDKVVSIFYALVIPVNP IISFRNKEIKNAMRKAMERDPGISHGGPFIFMTLG
(SEQ ID NO: 303)

40 ATGGCTGTAGGAAGGAACAACAATTTGTGACAAAATTCATTCTCCTGGGACTTTCAGACC
ATCCTCAAATGAAGATTTTCTTTTCATGTTATTTCTGGGGCTCTACCTCCTGACGTTGGCC
TGGAACCTTAAGCCTCATTGCCCTCATTAAGATGGACTCTCACCTGCACATGCCCATGTACT
TCTTCTCAGTAACCTGTCTTCTGACATCTGCTATGTGTCCTCCACCGCCCCTAAGATG
CTGTCTGACATCATCACAGAGCAGAAAACCATTTCTCTTGTGGCTGTGCCACTCAGTACT
45 TTGTCTTCTGTGGGATGGGGCTGACTGAATGCTTTCTCCTGGCAGCTATGGCCTATGACCG
GTATGCTGCAATCTGCAACCCCTTGCTTTACACAGTCCTCATATCCCATACACTTTGTTAA
AGATGGTGGTTGGCGCCTATGTGGGTGGATTCTTAGTTCTTTCATTGAAACATACTCTGT
CTATCAGCATGATTTCTGTGGGCCCTATATGATCAACCACTTTTCTGTGACCTCCCTCCAG
TCCTGGCTCTGTCTGCTCTGATACCTTACCAGCGAGGTGGTGACCTTCATAGTCAGTGT
50 TCGTGTGGAATAGTGTCTGTGCTAGTGGTCCTCATCTCTTATGTTAGTTAGTTGCTGTGT
TGTGAAGATCAGCTCAGCTACAGGTAGGACAAAGGCCTTCAGCACTTGTGCCTCTCACCTG
ACTGCTGTGACCTCTTCTATGGTTCTGGATTCTTCATGTACATGCGACCCAGTTCAGCTA
CTCCCTAAACAGGGACAAGGTGGTGTCCATATTCTATGCCTTGGTGATCCCCGTGGTGAAT
CCCATCATCTACAGTTTTAGGAATAAGGAGATTAAAAATGCCATGAGGAAAGCCATGGAA
55 AGGGACCCCGGATTTCTCACGGTGGACCATTCAATTTTATGACCTTGGGCTAA (SEQ ID
NO: 304)

AOLFR166 sequences:

MEMENCTRVKEFIFLGLTQNREVSLLVFLFLLLVYVTTLLGNLLIMVTVTCESRLHTPMYFLLH
NLSIADICFSSITVPKVLVDLLSERKTISFNHCFTQMFLFHLIGGVDVFSLSVMALDRYVAISKPL
5 HYATIMSRDHCIGLTVAAWLGGFVHSIVQISLLPLPFCGPNVLDTFYCDVHRVLKLAHTDIFIL
ELLMISNNGLLTTLWFFLLLVSYIVILSLPKSQAGEGRRKAISTCTSHITVVTLHFVPCIYVYARP
FTALPMDKAISVTFTVISPLLNPLIYTLRNHEMKSAMRRLKRRLLVPSDRK (SEQ ID NO: 305)

10 ATGGAGATGGAAAACCTGCACCAGGGTAAAAGAATTTATTTTCCTTGGCCTGACCCAGAATC
GGGAAGTGAGCTTAGTCTTATTTCTTTTCTACTCTTGGTGTATGTGACAACTTTGCTGGGA
AACCTCCTCATCATGGTCACTGTTACCTGTGAATCTCGCCTTCACACGCCCATGTATTTTT
GCTCCATAATTTATCTATTGCCGATATCTGCTTCTCTCCATCACAGTGCCCAAGGTTCTGG
TGGACCTTCTGTCTGAAAGAAAGACCATCTCCTTCAATCATTGCTTCACTCAGATGTTTCTA
15 TTCCACCTTATTGGAGGGGTGGATGTATTTCTCTTTCGGTGTATGGCATTGGATCGATATG
TGGCCATCTCCAAGCCCCTGCACTATGCGACTATCATGAGTAGAGACCATTGCATTGGGCT
CACAGTGGCTGCCTGGTTGGGGGGCTTTGTCCACTCCATCGTGCAGATTTCCCTGTTGCTC
CCACTCCCTTTCTGCGGACCCAATGTTCTTGACACTTTCTACTGTGATGTCCACCGGGTCT
CAAACCTGGCCCATACAGACATTTTCATACCTTGAACCTACTAATGATTCCAACAATGGACTG
CTCACACACTGTGGTTTTCTGCTGCTGGTGTCTACATAGTCATATTATCATTACCCAA
20 GTCTCAGGCAGGAGAGGGCAGGAGAAAGCCATCTCCACCTGCACCTCCCACATCACTGT
GGTGACCTGCATTTCTGTGCCCTGCATCTATGTCTATGCCCGGCCCTTCACTGCCCTCCCCA
TGGATAAGGCCATCTCTGTACCTTCACTGTCTATCTCCCTCTGCTCAACCCCTTGATCTAC
ACTCTGAGGAACCATGAGATGAAGTCAGCCATGAGGAGACTGAAGAGAAGACTTGTGCCT
TCTGATAGAAAATAG *SEQ ID NO: 306)

25

AOLFR167 sequences:

MSITKAWNSSSVTMFILLGFTDHPQLALLFVTFGLGIYLTTLAWNLAFLIRGDTHLHTPMYFF
LSNLSFIDICYSSAVAPNMLTDFWEQKTISFVGCAAQFFFFVGMGLSECLLLTAMAYDRYAAI
SSPLLYPTIMTQGLCTRMVVGAYVGGFLSSLIQASSIFRLHFCGPNIIHHFFCDLPPVLALSCSDT
30 FLSQVVNFLVVVTVGGTSFLQLLISYGYIVSAVLKIPSAEGRWKACNTCASHLMVVTLFGTAL
FVYLRPSSSYLLGRDKVVSFVSLVIPMLNPLIYSLRNKEIKDALWKVLERKKVFS (SEQ ID
NO: 307)

35 ATGTCCATAACCAAAGCCTGGAACAGCTCATCAGTGACCATGTTTCATCCTCCTGGGATTCA
CAGACCATCCAGAACTCCAGGCCCTCCTCTTTGTGACCTTCCTGGGCATCTATCTTACCACC
CTGGCCTGGAACCTGGCCCTCATTTTTCTGATCAGAGGTGACACCCATCTGCACACACCCA
TGTACTTCTTCTAAGCAACTTATCTTTCATTGACATCTGCTACTCTTCTGCTGTGGCTCCC
AATATGCTCACTGACTTCTTCTGGGAGCAGAAGACCATATCATTTGTGGGCTGTGCTGCTC
AGTTTTTTTTCTTTGTGCGGCATGGGTCTGTCTGAGTGCCTCCTCCTGACTGCTATGGCATA
40 GACCGATATGCAGCCATCTCCAGCCCCCTTCTTACCCCACTATCATGACCCAGGGCCTCT
GTACACGCATGGTGGTTGGGGCATATGTTGGTGGCTTCCTGAGCTCCCTGATCCAGGCCAG
CTCCATATTTAGGCTTCACTTTTGCAGACCCAACATCATCAACCACTTCTTCTGCGACCTCC
CACCAGTCCCTGGCTCTGTCTTGCTCTGACACCTTCCTCAGTCAAGTGGTGAATTTCTCGTG
GTGGTCACTGTGCGGAGGAACATCGTTTCTTCAACTCCTTATCTCCTATGGTTACATAGTGT
45 CTGCGGTCCTGAAGATCCCTTCAGCAGAGGGCCGATGGAAAGCCTGCAACACGTGTGCCT
CGCATCTGATGGTGGTGAATCTGCTGTTGGGACAGCCCTTTTCGTGTACTTGGCAGCCAG
CTCCAGCTACTTGCTAGGCAGGGACAAGGTGGTGTCTGTTTTCTATTGATTGGTGATCCCC
ATGCTGAACCTCTCATTTACAGTTTGAAGAACAAAGAGATCAAGGATGCCCTGTGGAAG
GTGTTGGAAGGAAGAAAGTGTTCCTTAG (SEQ ID NO: 308)

50

AOLFR168 sequences:

MEKINNVTETIFWGLSQSPEIEKVCFVVSFFYIIILLGNLLIMLTVCLSNLFKSPMYFFLSFLSFV
DICYSSVTAPKMIVDLLAKDKTISYVGCMLQLLGVHFFGCTEIFILTVMA YDRYVAICKPLHYM
TIMNRETCKMMLLGTWVGFLHSIIQVALVQLPFCGPNIDHYFCDVHPVLKLACTETIYIVG
55 VVVVTANSGTIALGSFVILLISYSIILVSLRKQSAEGRRKALSTCGSHIAMVVIFFGPCTFMYMRPD

TTFSEDKMVAVFYTIITPMLNPLIYTLRNAEVKNAMKKLWGRNVFLEAKGK (SEQ ID NO: 309)

5 ATGGAAAAAATAAACACGTAACCTGAATTCATTTTCTGGGGTCTTTCTCAGAGCCCAGAGA
TTGAGAAAGTTTGTGGTGTCTTTCTTCTTCTACATAATCATTCTTCTGGGAAATCTC
CTCATCATGCTGACAGTTTGCCTGAGCAACCTGTTTAAGTCACCCATGTATTTCTTCTCAG
CTTCTTGTCTTTTGTGGACATTTGTTACTCTTCAGTCACAGCTCCCAAGATGATTGTTGACC
TGTTAGCAAAGGACAAAACCATCTCCT1ATGTGGGGTGCATGTTGCAACTGCTTGGAGTAC
ATTTCTTTGGTTGCACTGAGATCTTCATCCTTACTGTAATGGCCTATGATCGTTATGTGGCT
10 ATCTGTAAACCCCTACATTATATGACCATCATGAACCGGGAGACATGCAATAAAATGTTAT
TAGGGACGTGGGTAGGTGGGTCTTACACTCCATTATCCAAGTGGCTCTGGTAGTCCAAC
ACCCTTTTGTGGACCCAATGAGATAGATCACTACTTTTGTGATGTTACCCTGTGTTGAAA
CTTGCTGCACAGAAACATACATTGTTGGTGTGTTGTGACAGCCAACAGTGGTACCATTG
CTCTGGGGAGTTTGTATCTTGCTAATCTCCTACAGCATCATCCTAGTTTCCCTGAGAAAG
15 CAGTCAGCAGAAGGCGAGGCGCAAAGCCCTCTCCACCTGTGGCTCCACATTGCCATGGTCG
TTATCTTTTTCGGCCCTGTACTTTTATGTACATGCGCCCTGATACGACCTTTTCAGAGGAT
AAGATGGTGGCTGTATTTTACACCATTATCACTCCCATGTTAAATCCTCTGATTTATACACT
GAGAAATGCAGAAGTAAAGAATGCAATGAAGAACTGTGGGGCAGAAATGTTTCTTGA
GGCTAAAGGGAAATAG (SEQ ID NO: 310)

20

AOLFR169 sequences:

MMDNHSSATEFHLLGFPQSGLHHILFAIFFFFYLVTLMGNTVIIIVCVDKRLQSPMYFFLSHL
STLEILVTIIVPMMMLWGLLFLGCRQYLSLHVS LNFSCTMEFALLGVMAVDYVAVCNPLRY
NIIMNSSTCIWVVIVSWVFGFLSEIWPIYATFQFTFRKSNSLDHFYCDRGQLKLSCDNTLLTEFI
25 LFLMAVFILIGSLIPTIVSYTYIISTILKIPSASGRRKAFSTFASHFTCVVIGYGSCLFLYVKPKQTQ
GVEYNKIVSLLVSVLTPFLNPFIFTLRNDKVKEALRDGMKRCCQLKD (SEQ ID NO: 311)

ATGATGGACAACCACTCTAGTGCCACTGAATTCACCTTCTAGGCTTCCCTGGGTCCCAAG
GACTACACCACATTCTTTTGTATATTCTTTTCTTCTATTTAGTGACATTAATGGGAAAC
30 ACGGTCATCATTGTGATTGTCTGTGTGGATAAACGTCTGCAGTCCCCCATGTATTTCTTCTC
CAGCCACCTCTCTACCCTGGAGATCCTGGTCACAACCATAATTGTCCCATGATGCTTTGG
GGATTGCTCTTCTGGGATGCAGACAGTATCTTTCTCTACATGTATCGCTCAACTTTTCTG
TGGGACCATGGAGTTTGCATTACTTGGAGTGATGGCTGTGGACCGTTATGTGGCTGTGTGT
AACCCTTTGAGGTACAACATCATTATGAACAGCAGTACCTGTATTTGGGTGGTAATAGTGT
35 CATGGGTGTTTGGATTTCTTTCTGAAATCTGGCCCATCTATGCCACATTTACGTTTACCTTC
CGCAAATCAAATTCATTAGACCATTTTTACTGTGACCGAGGGCAATTGCTCAAACCTGTCCT
GCGATAACACTCTTCTCACAGAGTTTATCCTTTTCTTAATGGCTGTTTTTATTCTCATTGGT
TCTTTGATCCCTACGATTGTCTCCTACACCTACATTATCTCCACCATCCTCAAGATCCCGTC
AGCCTCTGGCCGGAGGAAAGCCTTCTCCACTTTTGCTCCCACTTCACCTGTGTTGTGATTG
40 GCTATGGCAGCTGCTTGTCTCTACGTGAAACCCAAGCAAACACAGGGAGTTGAGTACAA
TAAGATAGTTTCCCTGTGGTTTCTGTGTTAACCCCTTCCCTGAATCCTTTCATCTTTACTCT
TCGGAATGACAAAGTCAAAGAGGCCCTCCGAGATGGGATGAAACGCTGCTGTCAACTCCT
GAAAGATTAG (SEQ ID NO: 312)

45 **AOLFR170 sequences:**

MSFTSLIPSLCFSLTLPFLFCYLSLLPFLSAFLFITRWLLAFLSLFSVSVPVSSVSSSMVLCLYLSVS
ASPSVFCFSCMQGPILWIMANLSQPSEFVLLGFSSFGELQALLYGPFLMLYLLAFMGNTIIIVMVI
ADTHLHTPMYFFLGNFSLLEILVTMTAVPRMLSLLVPHKVITFTGCMVQFYFHFSLGSTSFLL
TDMALDRFVAICHPLRYGTLMSRAMCVQLAGAAWAAPFLAMVPTVLSRAHLDYCHGDVINH
50 FFDNEPLQLSCSDRLLEFWDLFMALTFVLSSFLVTLISYGYIVTTVLRIPSASSCQKAFSTCG
SHLTLVFIGYSSTIFLYVRPGKAHSVQVRKVVALVTSVLTLPFLNPFILTCNQTVKTVLQGMQ
RLKGLCKAQ (SEQ ID NO: 313)

ATGTCTTTCACCTTCTCTCATACCCTCACTCTGTTTCTCCTTGACTCTCCCATTCCTGTTTGT
55 TATCTTCTTTTATTGCCGTTTCTTCTGCTTTTCTGTTTATCACTCGCTGGCTACTGCTTT
CTCTCTATTCTCTGTCTCTGTCCCTGTTTCTTCTGTTTCAAGTTCATGGTTCTCTGTCTC

TATCTCTCTGTTTCTGCCTCTCCGTCTGTCTTTTGTCTCTTGCAATGCAGGGCCCCATACTG
TGGATCATGGCAAATCTGAGCCAGCCCTCCGAATTTGTCCTCTTGGGCTTCTCCTCCTTTGG
TGAGCTGCAGGCCCCTTCTGTATGGCCCCCTCCTCATGCTTTATCTTCTCGCCTTCATGGGAA
ACACCATCATCATAGTTATGGTCATAGCTGACACCCACCTACATACACCCATGTA CTCTTC
5 CTGGGCAATTTTTCCCTGCTGGAGATCTTGGTAACCATGACTGCAGTGCCAGGATGCTCT
CAGACCTGTTGGTCCCCCACAAGTCATTACCTTCACTGGCTGCATGGTCCAGTTCTACTTC
CACTTTTCCCTGGGGTCCACCTCCTTCCATCATCTGACAGACATGGCCCTTGATCGCTTTGT
GGCCATCTGCCACCCACTGCGCTATGGCACTCTGATGAGCCGGGCTATGTGTGTCCAGCTG
10 GCTGGGGCTGCCTGGGCAGCTCCTTTCCCTAGCCATGGTACCCACTGTCCTCTCCCGAGCTC
ATCTTGATTACTGCCATGGCGACGTCATCAACCACTTCTTCTGTGACAATGAACCTCTCCTG
CAGTTGTCATGCTCTGACACTCGCCTGTTGGAATTCTGGGACTTTCTGATGGCCTTGACCTT
TGTCTCAGCTCCTTCCCTGGTGACCCTCATCTCCTATGGCTACATAGTGACCACTGTGCTGC
GGATCCCCTCTGCCAGCAGCTGCCAGAAGGCTTTCTCCACTTGCGGGTCTCACCTCACACT
GGTCTTCATCGGCTACAGTAGTACCATCTTTCTGTATGTCAGGCCTGGCAAAGCTCACTCT
15 GTGCAAGTCAGGAAGGTGCTGGCCTTGGTGACTTCAGTTCTCACCCCTTTCTCAATCCCT
TTATCCTTACCTTCTGCAATCAGACAGTTAAAACAGTGCTACAGGGGCAGATGCAGAGGCT
GAAAGGCCTTTGCAAGGCACAAATGA (SEQ ID NO: 314)

AOLFR171 sequences:

20 MVGNLLIWVTTIGSPSLGSLMYFFLAYLSLMDAIYSTAMSPKLMIDLLCDKIAISLSACMGQLFI
EHLGGAEVFLVVMAYDRYVAISKPLHYLNIMNRLVCILLVAMIGGFVHSVQIVFLYSLP
ICGNVIDHSVCDMYPLLELLCLDTYFIGLTVVANGGHCVMVFTFLLISCGVILNFKTYSQEER
HKALPTCISHIIVVALVFVPCIFMYVRPVSNFPDKLMTVFYSITLMLNPLIYSLRQSEMKNAM
KNLWCEKLSIVRKRVSPTLNIFIPSSKATNRR (SEQ ID NO: 315)

25 ATGGTGGGAAACCTCCTCATTTGGGTGACTACTATTGGCAGCCCCCTCCTTGGGCTCCCTAA
TGTACTTCTTCTTGCCTACTTGTCACTTATGGATGCCATATATTCCACTGCCATGTCACCC
AAATTGATGATAGACTTACTCTGTGATAAAATCGCTATTTCTTGTGAGCTTGCATGGGTC
30 AGCTCTTCATAGAACACTTACTTGGTGGTGCAGAGGTCTTCTTTTGGTGGTGATGGCCTA
TGATCGCTATGTGGCTATCTCTAAGCCGCTGCACTATTTGAACATCATGAATCGACTGGTT
TGCATCCTTCTGTTGGTGGTGGCCATGATTGGAGGTTTTGTGCACTCTGTGGTTCAAATTGT
CTTCTGTACAGTCTACCAATCTGTGGCCCCAATGTTATTGACCACTCTGTCTGTGACATGT
ACCCATTGTTGGAAGTGTGTGCCTTGACACCTACTTTATAGGACTCACTGTGGTTGCCAA
TGGTGGAAATAATTTGTATGGTCATCTTTACCTTTCTGCTAATCTCCTGTGGAGTCATCTTAA
35 ACTTCCTTAAACTTACAGTCAGGAAGAGAGGCATAAAGCCCTGCCTACCTGCATCTCCCA
CATCATGTGGTTGCCCTCGTTTTTGTTCCTGTATTTTTATGTATGTTAGACCCGTTTCCA
ACTTTCCCTTTGATAAAATTAATGACTGTGTTTTATTCAATTATCACACTCATGTTGAATCCT
TTAATATACTCGTTGAGACAATCAGAGATGAAAAATGCTATGAAAAATCTCTGGTGTGAA
AAGTTAAGTATAGTTAGAAAAAGAGTATCTCCACACTGAACATATTTATCCTAGTTCTA
40 AGGCAACAAATAGGCGGTAA (SEQ ID NO: 316)

AOLFR172 sequences:

MAETLQLNSTFLHPNFFILTGFPGLGSAQTWLTLVFGPIYLLALLGNGALPAVVWIDSTLHQPM
FLLLAILAATDLGLATSIAPGLLAVLWLGPRSVPYAVCLVQMFFVHALTAMESGVLLAMACDR
45 AAAIGRPLHYPVLVTKACVGYAALALALKAVAIVVPFLLVAKFEHFQAKTIGHTYCAHMAV
VELVVGNTQATNLYGLALSIAISGMDILGITGSYGLIAHAVLQLPTREAHAKAFGTCSSHICVIL
AFYIPGLFSYLAHRFGHHTVPKPVHILLSNIYLLPPALNPLIYGARTKQIRDRLLETFTFRKSPL
(SEQ ID NO: 317)

50 ATGGCAGAAACTCTACAACCTCAATTCCACCTTCCACACCCAAACTTCTTCATACTGACTG
GCTTTCCAGGGCTAGGAAGTGCCAGACTTGGCTGACACTGGTCTTTGGGCCATTTATCT
GCTGGCCCTGCTGGGCAATGGAGCACTGCCGGCAGTGGTGTGGATAGACTCCACACTGCA
CCAGCCCATGTTTCTACTGTTGGCCATCCTGGCAGCCACAGACCTGGGCTTAGCCACATCT
ATAGCCCCAGGGTTGCTGGCTGTGCTGTGGCTTGGGCCCCGATCTGTGCCATATGCTGTGT
55 GCCTGGTCCAGATGTTCTTTGTACATGCACTGACTGCCATGGAATCAGGTGTGCTTTTGGC
CATGGCCTGTGATCGTGTGCGCAATAGGGCGTCCACTGCACTACCCTGTCCTGGTCACC

AAAGCCTGTGTGGGTTATGCAGCCTTGGCCCTGGCACTGAAAGCTGTGGCTATTGTTGTAC
 CTTTCCCACTGCTGGTGGCAAAGTTTGGACACTTCCAAGCCAAGACCATAGGCCATACCTA
 TTGTGCACACATGGCAGTGGTAGAACTGGTGGTGGGTAACACACAGGCCACCAACTTATA
 TGGTCTGGCACTTTCACTGGCCATCTCAGGTATGGATATTCTGGGTATCACTGGCTCCTAT
 5 GGACTCATTGCCCATGCTGTGCTGCAGCTACCTACCCGGGAGGCCCATGCCAAGGCCTTTG
 GTACATGTAGTTCTCACATCTGTGTCACTTCTGGCCTTCTACATACCTGGTCTCTTCTCCTAC
 CTCGCACACCGCTTTGGTCATCACACTGTCCCAAAGCCTGTGCACATCCTTCTCTCCAACAT
 CTACTTGCTGCTGCCACCTGCCCTCAACCCCTCATCTATGGGGCCCGCACCAAGCAGATC
 AGAGACCGACTCCTGGAAACCTTCACATTCAAGAAAAGCCCGTTGTAA (SEQ ID NO: 318)

10

AOLFR173 sequences:

MSHTNVTFHPAVFVLPGPGLAEYHIWLSIPLCLIYITAVLGNSILIVVIVMERNLHVPMYFFLS
 MLAVMDILLSTTVPKALAFWLQAHNIAFDACVTQGGFFVHMMFVGESAILLAMAFDRFVAIC
 APLRYTTVLTWPVVGRIALAVITRSFCIFPVIFLLKRLPFCLTNIVPHSYCEHIGVARLACADITV
 15 NIWYGFSVPVIMVILDVILIAVSYSILRAVFRLPQDARHKALSTCGSHLCVILMFYVPSFFTLL
 THHFRNIPQHVHILLANLYVAVPPMLNPIVYGVKTKQIREGVAHRFFDIKTWCCTSPGLS
 (SEQ ID NO: 319)

ATGAGTCACACCAATGTTACCATCTTCCATCCTGCAGTTTTTGTCTTCTTGGCATCCCTGG
 20 GTTGGAGGCTTATCACATTTGGCTGTCAATACCTCTTTGCCTCATTTACATCACTGCAGTCC
 TGGGAAACAGCATCCTGATAGTGGTTATTGTCATGGAACGTAACCTTCATGTGCCCATGTA
 TTTCTTCTCTCAATGCTGGCCGTCATGGACATCCTGCTGTCTACCACCACTGTGCCCAAGG
 CCCTAGCCATCTTTTGGCTTCAAGCAGATAACATTGCTTTTGATGCCTGTGTCAACCAAGGC
 CTCTTTGTCCATATGATGTTTGTGGGGAGTCAGCTATCCTGTTAGCCATGGCCTTTGATCG
 25 CTTTGTGGCCATTTGTGCCCCACTGAGATATACAACAGTGCTAACATGGCCTGTTGTGGGG
 AGGATTGCTCTGGCCGTCATACCCGAAGCTTCTGCATCATCTTCCCAGTCATATTCTTGCT
 GAAGCGGCTGCCCTTCTGCCTAACCAACATTGTTCTCTACTCCTACTGTGAGCATATTGGA
 GTGGCTCGTTTAGCCTGTGCTGACATCACTGTAAACATTGGTATGGCTTCTCAGTGCCCAT
 TGTATGGTCATCTTGGATGTTATCCTCATCGCTGTGTCTTACTCACTGATCCTCCGAGCAG
 30 TGTTTCGTTTGGCCTCCAGGATGCTCGGCACAAGGCCCTCAGCACTTGTGGCTCCACCT
 CTGTGTCATCCTTATGTTTTATGTTCCATCCTTCTTTACCTTATTGACCCATCATTTTGGGCG
 TAATATTCCTCAACATGTCCATATCTTGCTGGCCAATCTTTATGTGGCAGTGCCACCAATGC
 TGAACCCCATTTGTCTATGGTGTGAAGACTAAGCAGATACGTGAGGGTGTAGCCCACCGGTT
 CTTTGACATCAAGACTTGGTGTGTACCTCCCCTCTGGGCTCATGA (SEQ ID NO: 320)

35

AOLFR175 sequences:

MHFLSQNDLNLINLPHLCLHRHSVIAGFTIHRHMKIFNSPNSSTFTGFILLGFPCPREGQILLFV
 LFTVVYLLTLMGNSIICAVHWDQRLHAPMYILLANFSLEICYVTSTVPSMLANFLSDTKIISF
 SGCFLQFYFFSLGSTECFFLAVMAFDRLAICRPLRYPTIMTRRLCTNLVNCWVLGFIWFLPI
 40 VNISQMSFCGSRIDHFLCDPAPLLTLTCKKGPVIELVFSVLSPLPVFMLFLFIVGSYALVVRVL
 RVPSAAGRRAKAFSTCGSHLAVVSLFYGSVLVVMYGSPPSKNEAGKQKTVTLFYSVVTPLLNPVI
 YSLRNKDMRKALKKFWGT (SEQ ID NO: 321)

ATGCATTTTCTTTCCCAAATGATTTAAATATAAATCTGATTCCCCATCTATGTTTGCACCG
 45 TCATTCAAGTAATTGCTGGTGTCTTTACAATTCACAGGCACATGAAAATCTTCAACAGCCCC
 AGCAACTCCAGCACCTTCACTGGCTTCATCCTCCTGGGCTTCCCTTGCCCCAGGGAGGGGC
 AGATCCTCCTCTTTGTGCTCTTCACTGTTGTTACCTCCTGACCTCATGGGCAATGGTTCC
 ATCATCTGTGCTGTGCACTGGGATCAGAGACTCCACGCCCCCATGTACATCCTGCTCGCCA
 ACTTCTCCTTCTTGGAGATATGTTATGTCACCTCCACAGTCCCAGCATGCTGGCCAACTTC
 50 CTCTCTGACACCAAGATCATCTCGTTCTCTGGCTGCTTCTCCAGTTCTACTTTTCTTCTCC
 TTGGGCTCTACAGAAATGCTTTTCTGGCAGTTATGGCATTGATCGATACCTTGCCATCTG
 TCGGCCTCTACGCTATCCAACCATATGACCAGACGTCTCTGTACCAATCTTGTGGTCAATT
 GCTGGGTAATTGGTTTCATCTGGTTCTTGATTCTATCGTCAACATCTCCCAAATGTCCTTC
 TGTGGATCTAGGATTATTGACCACTTCCTATGTGACCCAGCTCCTCTTCTAACTCTCACTTG
 55 CAAAAAAGGCCCTGTGATAGAGCTTGTCTTTTCTGTCTTAAGTCCTCTGCCTGTCTTTATGC
 TCTTTCTCTTCATTGTGGGGTCCTATGCTCTGGTCTGAGAGCTGTGTTGAGGGTCCCTTCA

GCAGCTGGGAGAAGAAAGGCTTTCTCCACCTGTGGGTCTCACCTGGCTGTGGTTTCACTGT
TCTACGGCTCAGTACTGGTCATGTATGGGAGCCCAACCATCTAAGAATGAAGCTGGAAAAGC
AGAAGACTGTGACTCTGTTTTATTCTGTTGTTACCCCACTGCTTAACCCTGTGATATATAGT
CTTAGGAACAAAGATATGAGAAAAGCTCTGAAGAAATTTGGGGAACATAA (SEQ ID NO:
5 322)

AOLFR176 sequences:

MFFIHLVTSVFLTALGPQNRTMHFVTEFVLLGFHGQREMQSCFFSFILVLYLLTLLNGAIVC
AVKLDRLHTPMYILLGNFAFLEIWYISSTVPNMLVNILSEIKTISFSGCFLQFYFFFSLGTTECF
10 LSV MAYDRYLAICRPLHYPSIMTGKFCILVCVCWVGGLCYVPVIVLISQLPFCGPNIIDHLVCD
PGLFALACISAPSTELICYTFNSMIFGPFLSILGSYTLVIRAVLCIPSGAGRRTKAFSTCGSHLMV
VSLFYGTLMVMYVSPTSNGNPMQKIIITLVYTAMTPFLNPLIYSLRNKDMKDALKRVLGLTVS
QN (SEQ ID NO: 323)

15 ATGTTCTTTATTATTCACTCTTTGGTTACTTCTGTTTTCTAACAGCTTTGGGACCCCAGAA
CAGAACAATGCATTTTGTGACTGAGTTTGTCTCTCTGGGTTTCCATGGTCAAAGGGAGATG
CAGAGCTGCTTCTTCTCATTCACTGCTGGTTCTCTATCTCCTGACACTGCTAGGGAATGGAGC
TATTGTCTGTGCAGTGAAATTGGACAGGCGGCTCCACACACCCATGTACATCCTTCTGGGA
AACTTTGCCTTTCTAGAGATCTGGTACATTTCTCTCCACTGTCCCAAACATGCTAGTCAATAT
20 CCTCTCTGAGATTAACCATCTCCTTCTCTGGTTGCTTCTCTGCAATTCTATTTCTTTTTTC
ACTGGGTACAACAGAGTGTTTCTTTTTATCAGTTATGGCTTATGATCGGTACCTGGCCATC
TGTCGTCCATTACACTACCCCTCCATCATGACTGGGAAGTTCTGTATAATTCTGGTCTGTGT
ATGCTGGGTAGGCGGATTTCTCTGCTATCCAGTCCCTATTGTTCTTATCTCCCAACTCCCT
TCTGTGGGCCCAACATCATTGACCACTTGGTGTGTGACCCAGGCCCATTTGTTTGCACCTGGC
25 CTGCATCTCTGCTCCTTCCACTGAGCTTATCTGTTACACCTTCAACTCGATGATTATCTTTG
GGCCTTCTCTCCATCTTGGGATCTTACACTCTGGTCATCAGAGCTGTGCTTTGTATTCCC
TCTGGTGCTGGTCAACTAAAGCTTTCTCCACATGTGGGTCCCACTAATGGTGGTGTCTC
TATTCTATGGAACCTTATGGTGATGTATGTGAGCCCAACATCAGGGAACCCAGCAGGAAT
GCAGAAGATCATCACTCTGGTATACACAGCAATGACTCCATTCTTAAATCCCTTATCTAT
30 AGTCTTCGAAACAAAGACATGAAAGATGCTCTAAAGAGAGTCCTGGGGTTAACAGTTAGC
CAAACTGA (SEQ ID NO: 324)

AOLFR177 sequences:

MSFFFVDLRPMNRSATHIVTEFILLGFGPCWKIQIFLFLVLYVLTLLNGAIYAVRCNPLLH
35 TPMYFLLGNFAFLEIWYVSSTIPNMLVNILSKTKAISFSGCFLQFYFFFSLGTTECLFLAVMAYD
RYLAICHPLQYPAIMTVRFCGKLVSFCWLIGFLGYPIPIFYISQLPFCGPNIIDHFLCDMDPLMAL
SCAPAPITECIFYTQSSLVLFFTSMYILRSYILLTAVFQVPSAAGRRTKAFSTCGSHLVVSLFYG
TVMVMYVSPTYGIPTLLQKILTLVYSVTPLFNPLIYTLRNKDMKLALRNVLFGMRIRQNS
(SEQ ID NO: 325)

40 ATGTCTTTCTTCTTTGTAGACTTAAGACCCATGAACAGGTCAGCAACACACATCGTGACAG
AGTTTATTCTCTGGGATTCCCTGGTTGCTGGAAGATTCAGATTTTCTCTTCTCATTGTTT
TTGGTGATTTATGTCTTGACCTTGCTGGGAAATGGAGCCATCATCTATGCAGTGAGATGCA
ACCCACTACTACACACCCCATGTACTTTCTGCTGGGAAATTTTGCTTCTCTGAGATCTGG
45 TATGTGTCTCCACTATTCCTAACATGCTAGTCAACATTCTCTCCAAGACCAAGGCCATCTC
ATTTTCTGGGTGCTTCTCCAGTTCTATTTCTTCTTTTCACTGGGAACAACCTGAATGTCTCT
TTCTGGCAGTAATGGCTTATGATCGATACCTGGCCATCTGCCACCCACTGCAGTACCCTGC
CATCATGACTGTAAGGTTCTGTGGTAAGCTGGTGTCTTTCTGTTGGCTTATTGGATTCCTTG
GATACCCAATTCCCATTTTCTACATCTCCCAACTCCCCTTCTGTGGTCTTAATATCATTGAT
50 CACTTCTGTGTGACATGGACCACTGATGGCTCTATCCTGTGCCCCAGCTCCCACTAAGT
AATGTATTTTCTATACTCAGAGCTCCCTTGCTCTTTTCTACTAGTATGTACATTCTTCGA
TCCTATATCCTGTTACTAACAGCTGTTTTTCAAGTCCCTTCTGCAGCTGGTTCGGAGAAAAG
CCTTCTCTACCTGTGGTTCTCATTGTTGTGGTATCTCTTTTCTATGGGACAGTCATGGTA
ATGTATGTAAGTCTACATATGGGATCCCAACTTTATTGCAGAAGATCCTCACACTGGTAT
55 ATTCAGTAACGACTCCTCTTTTAACTCTGATCTATACTCTTCGTAATAAGGACATGAAA

CTCGCTCTGAGAAATGTCCTGTTTGAATGAGAATTCGTCAAAATTCGTGA (SEQ ID NO: 326)

AOLFR178 sequences:

5 MVGANHSVVSEFVFLGLTNSWEIRLLLLVFSSMFYMASMMGNSLILLTVTSDPHLHSPMYFLL
ANLSFIDLGVSSVTSFKMIYDLFRKHEVISFGGCIQIFFIHVIGGVEMVLLIAMAFDRYVAICKP
LQYLTIMSPRMCMMFFLVAAWVTGLIHSVVQLVFVNLPFCGPNVSDSFYCDLPRFIKLACTDSY
RLEFMVTANSFISLGSFFILHSYVVILTVLKHSSAGLSKALSTLSAHVSVVVLFFGPLIFVYTW
PSPSTHLDKFLAIFDAVLTPVLNPIIYTFRN (SEQ ID NO: 327)

10 ATGGTTGGGGCAAATCACTCCGTGGTGTGAGAGTTTGTGTTCTGCGGACTCACCAATTCCT
GGGAGATCCGACTTCTCCTCCTTGTGTTCTCCTCCATGTTTACATGGCCAGTATGATGGGA
AACTCTCTCATTTTGTCTACTGTGACTTCTGACCCTCACTTGCCTCCCCATGTATTTTCT
GTTAGCCAACCTCTCCTTCATTGACCTGGGTGTTTCTCTGTCACTTCTCCCAAAATGATTT
15 ATGACCTGTTTACAGAAAGCACGAAGTCATCTCCTTTGGAGGCTGCATCGCTCAAATCTTCTT
CATCCACGTCATTGGCGGTGTGGAGATGGTGCTGCTCATAGCCATGGCCTTTGACAGATAT
GTGGCCATATGTAAGCCCCTCCAGTACCTGACCATTATGAGCCCAAGAATGTGCATGTTCT
TCTTAGTGGCTGCCTGGGTGACCGGCCTTATCCACTCTGTAGTTCAATTGGTTTTTGTAGTA
AACTTGCCCTTCTGTGGTCCTAATGTATCGGACAGCTTTTACTGTGACCTTCCTCGGTTTCT
20 CAACTTGCCCTGCACAGACAGCTACCGACTGGAGTTCATGGTTACAGCCAACAGTGGAATC
ATCTCTCTGGGCTCCTTCTTCACTGATCATTTCCTATGTGGTCATCATTCTCACTGTTCT
GAAACACTCTTCACTGGTTTATCCAAGGCTCTGTCCACCCTTTCAGCTCACGTCAGTGTG
GTAGTTTGTCTTTGGTCTTTGATTTTGTCTATACGTGGCCATCTCCCTCCACACACCT
GGATAAGTTTCTGGCCATCTTTGATGCAGTTCTCACTCCTGTTTTAAATCCTATCATCTACA
25 CATTGAGGAATTGA (SEQ ID NO: 328)

AOLFR179 sequences:

MNGMNHSVVSEFVFMGLTNSREIQLLLFFVSLLFYFASMMGNLVIVFTVTMDAHLHSPMYFLL
ANLSIIDMAFCSITAPKMICDIFKKHKAISFRGCITQIFFSHALGGTEMVLLIAMAFDRYMAICKP
30 LHYLTIMSPRMCCLYFLATSSIIHLHSLVQLVFVVDLPFCGPNIFDSFYCDLPRLLRLACTNTQEL
EFMVTVNLSGLISVGSFVLLVISYIFILFTVWKHSSGGLAKALSTLSAHVTVVILFFGPLMFFYTW
PSPSTHLDKYLAFDAFITPFLNPVIYTFRNKDMKVAMRRLCSRLAHFTKIL (SEQ ID NO: 329)

35 ATGAATGGAATGAATCACTCTGTGGTATCAGAATTTGTATTCATGGGACTCACCAACTCAC
GGGAGATTGAGCTTCTACTTTTTGTTTTCTCTTTGTTGTTCTACTTTGCGAGCATGATGGGA
AACCTTGTCATTGTATTCATGTAACCATGGATGCTCATCTGCCTCCCCATGTATTTCTCT
CCTGGCTAACCTCTCAATCATTGATATGGCATTGTTGCTCAATTACAGCCCCTAAGATGATTT
GTGATATTTTCAAGAAGCACAAAGCCATCTCCTTTGCGGGATGTATTACTCAGATCTTCTT
TAGCCATGCTCTTGGGGGCACTGAGATGGTGCTGCTCATAGCCATGGCCTTTGACAGATAC
40 ATGGCCATATGTAAACCTCTCCACTACCTGACCATCATGAGCCCAAGAATGTGTCTATACT
TTTTAGCCACTTCTCTATCATTGGCCTTATCCACTCATTGGTCCAATTAGTTTTTGTGGTA
GATTTACCTTTTTGTGGTCCTAATATCTTTGACAGTTTTTACTGTGATCTCCCTCGGCTCCT
CAGACTTGCTGTACCAACACCCCAAGAACTGGAGTTCATGGTCACTGTCAATAGTGGACTC
ATTTCTGTGGGCTCCTTTGTCTTGCTGGTAATTTCTACATCTTCATTCTGTTCCTGTTTG
45 GAAACATTCTTCTGGTGGTCTAGCCAAGGCCCTCTTACCCTGTCAGCTCATGTCACTGTG
GTCATCTTGTCTTTGGGCCACTGATGTTTTTCTACACATGGCCTTCTCCACATCACACCT
GGATAAATATCTTGCTATTTTTGATGCATTTATTACTCCTTTTCTGAATCCAGTTATCTACA
CATTGAGGAACAAAGACATGAAAGTGGCAATGAGGAGACTGTGCAGTCGTCTTGCGCATT
TTACAAAGATTTTGTA (SEQ ID NO: 330)

50

AOLFR180 sequences:

MTNKMYAIYIKNLNYFSFLIVQCLQPTMAIFNNTTSSSSNFLTAFPGLECAHVWISIPVCCLYTI
ALLGNSMIFLVITKRRHLKPMYYFLSMLAAVDLCLTITTLPTVLGVLFHAREISFKACFIQMF
FVHAFSLLESSVLVAMAFDRFVAICNPLNYATILTDRMVLVIGLVICIRPAVFLPLLVAINTVSF
55 HGGHELHSHPCYHPEVIKYTYSKPWISSFWGLFLQLYLNGLDVLFILFSYVLILRTVLGIVARKK

QKKALSTCVCHICAVTIFYVPLISLSLAHRLFHSTPRVLCSTLANIYLLLPPVLNPIIYSLKTKTIR
QAMFQLLQSKGSWGFNVRGLRGRWD (SEQ ID NO: 331)

5 ATGACTAATAAAATGTATGCTATATATATAAAGAATCTTAATTATTTTCTTTCCTCATAGT
TCAGTGTCTTCAACCAACCATGGCAATATTCAATAACACCACTTCGTCTTCCTCAAACCTTCC
TCCTCACTGCATTCCCTGGGCTGGAATGTGCTCATGTCTGGATCTCCATTCCAGTCTGCTGT
CTCTACACCATTGCCCTCTTGGGAAACAGTATGATCTTTCTTGTCATCATTACTAAGCGGA
GACTCCACAAACCCATGTATTATTTCTCTCCATGCTGGCAGCTGTTGATCTATGTCTGACC
ATTACGACCCTTCCCCTGTGCTTGGTGTCTCTGGTTTCATGCCCGGGAGATCAGCTTTAA
10 AGCTTGCTTCATTCAAATGTTCTTTGTGCATGCTTTCTCCTTGCTGGAGTCCCTCGGTGCTGG
TAGCCATGGCCTTTGACCGCTTCGTGGCTATCTGTAACCCACTGAACTATGCTACTATCCTC
ACAGACAGGATGGTCCCTGGTGATAGGGCTGGTCATCTGCATTAGACCAGCAGTTTCTTAC
TTCCCCTTCTTGTAGCCATAAACACTGTGTCTTTTCATGGGGGTACAGAGCTTTCCCATCCA
TTTGTCTACCAACCCAGAAGTGATCAAATACACATATTCCAAACCTTGGATCAGCAGTTTTT
15 GGGGACTGTTTCTTTCAGCTCTACCTGAATGGCACTGACGTATTGTTTATTCTTTTCTCTAT
GTCCTGATCCTCCGTACTGTTCTGGGCATTGTGGCCCGAAAGAAGCAACAAAAAGCTCTCA
GCACTTGTGTCTGTACATCTGTGCAGTCACTATTTTCTATGTGCCACTGATCAGCCTCTCT
TTGGCACACCGCCTCTTCCACTCCACCCCAAGGGTGCTCTGTAGCACTTTGGCCAATATTTA
TCTGCTCTTACCACCTGTGCTGAACCTATCATTTACAGCTTGAAGACCAAGACAATCCGC
20 CAGGCTATGTTCCAGCTGCTCCAATCCAAGGGTTCATGGGGTTTTAATGTGAGGGGTCTTA
GGGGAAGATGGGATTGA (SEQ ID NO: 332)

AOLFR181 sequences:

MSVLNNSEVKLFLLLIGIPGLEHAHIWFSIPICLMYLLAIMGNCTILFHKTEPSLHEPMYYFLAML
25 AVSDMGLSLSSLPTMLRVFLFNAMGISPNACFAQEFFIHGFTVMESSVLLIMSLDRFLAIHNPLR
YSSILTSNRVAKMGLILAIRSILLVIPFPFTLRRLKYCQKNLLSHSYCLHQDTMKLACSDNKTNV
IYGFIALCTMLDLALIVLSYVLILKILSIASLAERLKALNTCVSHICAVLTFYVPIITLAAMHFF
AKHKSPVLVILIADMFLVPLMNPVYCVKTRQIWEKILGKLLNVCGR (SEQ ID NO: 333)

30 ATGTCTGTTCTCAATAACTCCGAAGTCAAGCTTTTCTCTGATTGGGATCCCAGGACTGG
AACATGCCCACATTTGGTTCTCCATCCCCATTTGCCTCATGTACCTGCTTGCCATCATGGGC
AACTGCACCATTCTCTTTATTATAAAGACAGAGCCCTCGCTTCATGAGCCCATGTATTATTT
CCTTGCCATGTTGGCTGTCTCTGACATGGGCCTGTCCCTCTCCTCCCTCCTACCATGTTGA
GGGTCTTCTTGTTCATGCCATGGGAATTTACCTAATGCCTGCTTGTCTCAAGAATTCTTC
35 ATTCATGGATTCACTGTGATGGAATCCTCAGTACTTCTAATTATGTCTTTGGACCGCTTCT
TGCCATTCAAAATCCCTTAAGATACAGTTCTATCCTCACTAGCAACAGGGTTGCTAAAATG
GGACTTATTTTAGCCATTAGGAGCATTCTCTTAGTGATTCCATTTCCCTTCACCTAAGGAG
ATAAAATATTGTCAAAAGAATCTTCTTTCTCACTCATACTGTCTTCATCAGGATACCATGA
AGCTGGCCTGCTCTGACAACAAGACCAATGTATCTATGGCTTCTTCATTGCTCTCTGTACT
40 ATGCTGGACTTGGCACTGATTGTTTGTCTTATGTGCTGATCTTGAAGACTATACTCAGCAT
TGCATCTTTGGCAGAGAGGCTTAAGGCCCTAAATACCTGTGTCTCCACATCTGTGCTGTG
CTCACCTTCTATGTGCCCATCATCACCTGGCTGCCATGCATCACTTTGCCAAGCACAAAA
GCCCTCTTGTGTGATCCTTATTGCAGATATGTTCTTGTGTTGGTGCCGCCCTTATGAACCCC
ATTGTGTACTGTGTAAAGACTCGACAAATCTGGGAGAAGATCTTGGGGAAGTTGCTTAAT
45 GTATGTGGGAGATAA (SEQ ID NO: 334)

AOLFR182 sequences:

MTLGS LGNSSSVSATFLLSGIPGLERMHIWISIPCLFMYLVSIPGNCTILFHKTERSLHEPMYLFL
SMLALIDLGLSLCTLPTVLGIFWVGAREISHDACFAQLFFIHCFSFLESSVLLSMAFDRFVAICHP
50 LHYVSILNTVIGRIGLVSLGRSVLIFPLPFMLKRFYCGSPVLSHSYCLHQEVMKLACADMK
ANSIYGMFVIVSTVGIDSLILFSYALILRTVLSIASRAERFKALNTCVSHICAVLLFYTPMIGLSV
IHRFGKQAPHLVQVVMGFMYLLFPPVMNPVYSVKTKQIRDRVTHAFCY (SEQ ID NO: 335)

55 ATGACCCTGGGATCCCTGGGAAACAGCAGCAGCAGCGTTTCTGCTACCTTCTGCTGAGTG
GCATCCCTGGGCTGGAGCGCATGCACATCTGGATCTCCATCCCACTGTGCTTCATGTATCT
GTTTCCATCCCGGGCAACTGCACAATTCTTTTTATCATTAACAGAGCGCTCACTTCAT

GAACCTATGTATCTCTTCTGTCCATGCTGGCTCTGATTGACCTGGGTCTCTCCCTTTGCAC
TCTCCCTACAGTCCTGGGCATCTTTTGGGTTGGAGCACGAGAAATTAGCCATGATGCCTGC
TTTGCTCAGCTCTTTTTCATTCACTGCTTCTCCTTCTCGAGTCCTCTGTGCTACTGTCTATG
5 GCCTTTGACCGCTTTGTGGCTATCTGCCACCCCTTGCACTATGTTTCCATTCTCACCAACAC
AGTCATTGGCAGGATTGGCCTGGTCTCTCTGGGTCGTAGTGTAGCACTCATTTTCCATTA
CCTTTTATGCTCAAAAGATTCCCCTATTGTGGCTCCCCAGTTCTCTCACATTCTTATTGTCT
CCACCAAGAAGTGATGAAATTGGCCTGTGCCGACATGAAGGCCAACAGCATCTACGGCAT
GTTTGTCATCGTCTCTACAGTGGGTATAGACTCACTGCTCATCCTCTTCTCTTATGCTCTGA
10 TCCTGCGCACCGTGTCTGTCCATCGCCTCCAGGGCTGAGAGATTCAAGGCCCTTAACACCTG
TGTTTCCCACATCTGTGCTGTGCTGCTCTTCTACACTCCCATGATTGGCCTCTCTGTCATCC
ATCGCTTTGGAAAGCAGGCACCCACCTGGTCCAGGTGGTCATGGGTTTCATGTATCTTCT
CTTCTCTCTGTGATGAATCCCATTGTCTACAGTGTGAAGACCAAACAGATCCGGGATCGA
GTGACGCATGCCTTTTGTACTAA (SEQ ID NO: 336)

15 **AOLFR183 sequences:**

MTNLNASQANHRNFILTGIPGTPDKNPWLAFPLGFLYTLTLLGNGTILAVIKVEPSLHEPTYFFL
SILALTDVLSMSTLPSMLSIYWFNAPQIVFDACIMQMFFIHVFGIVESGVLVSMADFDRFVAIRN
PLHYVSILTHDVIRKGTGISVLTRAVCVFVPVFLIKCLPFCHSNVLSHSYCLHQNMMLACASTR
10 INSLYGLIVIFTLGLDVLLTLLSYVLTCLKTVLGIVSRGERLKTLSLCLSHMSTVLLFYVPMFGA
ASMIHRFWEHLSPVVMVMADIYLLPPVLNPIVYSVKTKQI (SEQ ID NO: 337)

ATGACGAACCTGAATGCATCACAGGCCAACACCCTAACTTCATTCTGACAGGTATCCCAG
GAACGCCAGACAAGAACCCATGGTTGGCCTTCCCTGGGATTTCTCTACACACTCACACT
25 CCTGGGAAATGGTACCATCCTAGCTGTCTATCAAGGTGGAGCCAAGTCTCCATGAGCCACG
TATTACTTCCTTTCTATCTTGGCTCTCACTGACGTTAGTCTCTCCATGTCCACCTTGCCCTCC
ATGCTCAGCATCTACTGGTTTAATGCCCTCAGATTGTTTTTGATGCATGCATCATGCAGAT
GTTCTTCATCCATGTATTTGGAATAGTAGAATCAGGAGTCCTAGTGTCCATGGCCTTTGAC
AGATTTGTGGCCATCCGAAACCCATTACACTATGTTTCCATCCTCACTCAGATGTTATTG
AAAGACTGGAATATCTGTCTCACCCTGGGAGTCTGTGTGGTATTCCCTGTGCCCTTCCTT
30 ATAAAGTGCCTACCCTTCTGCCATCCAATGTCTTGTCTCATTACACTGTCTTCACCAAAA
CATGATGCGGCTAGCTTGTGCCAGCACCCGCATCAACAGCCTCTACGGCCTCATCGTCGTC
ATCTTCACACTGGGGCTCGATGTTCTCCTCACTCTACTGTCTTATGTACTCACCTGAAGAC
TGTGCTGGGCATTGTCTCCAGAGGTGAAAGGCTGAAAACCCTCAGCACATGCCTCTCTCAC
ATGTCTACCGTGCTCCTCTTCTATGTTCTTTTATGGGTGCTGCCTCCATGATCCACAGATT
35 TTGGGAGCATTTATCACCAGTAGTGCACATGGTTCATGGCTGATATATACCTACTGCTCCCG
CCTGTGCTAAACCCCATTTGTCTACAGTGTGAAGACCAAGCAAATTTGA (SEQ ID NO: 338)

AOLFR184 sequences:

MSTLPTQIAPNSSTSMAPTFLLVGMPGLSGAPSWWTLPLIAVYLLSALGNGTILWIALQPALHR
40 PMHFFLLSVSDIGLVTALMPTLLGIALAGAHTVPASACLLQMVFHVFVSMESSVLLAMSID
RALAICRPLHYPALLTNGVISKISLAISFRCLGLHLPLPFLLAYMPYCLPQVLTHSYCLHPDVARL
ACPEAWGAAAYSLFVVLAMGLDPLLIFFSYGLIGKVLQGVESREDRWKAGQTCAAHLSAVLLF
YIPMILLALINHPPLPITQHTHTLLSYVHFLPLPLINPILYSVKMKEIRKRLNRLQPRKVGAQ
(SEQ ID NO: 339)

45 ATGTCAACATTACCAACTCAGATAGCCCCAATAGCAGCACTTCAATGGCCCCCACCTTCT
TGCTGGTGGGCATGCCAGGCCTATCAGGTGCACCCTCCTGGTGGACATTGCCCTCATTGC
TGCTACCTTCTCTCTGCACTGGGAAATGGCACCATCCTCTGGATCATTGCCCTGAGCCC
GCCCTGCACCGCCCAATGCATTCTTCTCTTCTTCTGCTTAGTGTGTCTGATGATTGGATTGGT
50 CACTGCCCTGATGCCACACTGCTGGGCATCGCCCTTGGTGGTGTCTCACACTGTCCCTGCC
TCAGCCTGCCTTCTACAGATGGTTTTTATCCATGTCTTTTCTGTCTATGGAGTCTCTGTCTT
GCTCGCCATGTCCATTGATCGGGCACTGGCCATCTGCCGACCTCTCCACTACCCAGCGCTC
CTACCAATGGTGTAATTAGCAAAATCAGCCTGGCCATTTCTTTTCGATGCCTGGGTCTCC
ATCTGCCCTGCCATTCCTGCTGGCCTACATGCCCTACTGCCTCCCACAGGTCTTAACCCAT
55 TCTTATTGCTTGCATCCAGATGTGGCTCGTTTGGCCTGCCGAGAAGCTTGGGGTGCAGCCT
ACAGCCTATTTGTGGTTCTTTCAGCCATGGGTTTGGACCCCTGCTTATTTCTTCTCCTAT

GGCCTGATTGGCAAGGTGTTGCAAGGTGTGGAGTCCAGAGAGGATCGCTGGAAGGCTGGT
 CAAACCTGTGCTGCCACCTCTCTGCAGTGCTCCTCTTCTATATCCCTATGATCCTCCTGGC
 ACTGATTAACCATCCTGAGCTGCCAATCACTCAGCATACCCATACTCTTCTATCCTATGTCC
 ATTTCTTCTTCTCCATTGATAAACCTATTCTCTATAGTGTCAAGATGAAGGAGATTAGA
 5 AAGAGAATACTCAACAGGTTGCAGCCCAGGAAGGTGGGTGGTGCTCAGTGA (SEQ ID NO:
 340)

AOLFR185 sequences:

MFYPILNDISTKNNSNIMSCCNILFIKTVEIILVYNQTSQSPWYPIVPSKSLVYNNNTCFDCYHLQR
 10 VDCVPSRDHINQSMVLASGNSSSHPVSFILLGIPGLESFQLWIAFPFCATYAVAVVGNITLLHVIR
 IDHTLHEPMYLFLAMLAITDLVLSSTQPKMLAIFWFHAHEIQYHACLIQVFFIHAFSSVESGVL
 MAMALDCYVATCFPLRHSSILTPSVVIKLGTIVMLRGLLWVSPFCFMVSRMPFCQHQAIPQSYC
 EHMAVLKLVCADTISRGYGLFVAFSVAGFDMIVIGMSYVMILRAVLQLPSGEARLKAFSTRA
 SHICVILALYIPALFSFLTFRFGHDVPRVVHILFANLYLLIPMLNPIHYGVRTKQIGDRVIQGCCG
 15 NIP (SEQ ID NO: 341)

ATGTTCTACCCCATTTTGAATGACATAAGTACGAAAAACAACAGTAACATCATGTGTCATGTT
 GTAACATATTATTTATTTAAACAGTTGAAATTATCTAGTTTATAATCAAACCCAATCACC
 20 CTGGTATCCAATAGTCCCATCCAAAAGCCTTGATATAATAATAACACTTGTTTTGATTGTT
 ATCATCTGCAGAGAGTAGATTGCGTTCCCAGCAGAGACCATATTAACCAAGTCCATGGTGCT
 GGCTTCAGGGAACAGCTCTTCTCATCCTGTGTCTTCTCATCCTGCTTGGAATCCCAGGCCTG
 GAGAGTTTCCAGTTGTGGATTGCCTTTCCGTTCTGTGCCACGTATGCTGTGGCTGTTGTTGG
 AAATATCACTCTCCTCCATGTAATCAGAATTGACCACACCCCTGCATGAGCCCATGTACCTC
 TTTCTGGCCATGCTGGCCATCACTGACCTGGTCTCTCTCCTCCTCCACTCAACCTAAGATGTT
 25 GGCCATATTCTGGTTTCATGCTCATGAGATTCAGTACCATGCCTGCCTCATCCAGGTGTTCT
 TCATCCATGCCTTTTCTTCTGTGGAGTCTGGGGTGCTCATGGCTATGGCCCTGGACTGCTAC
 GTGGCTACCTGCTTCCCACTCCGACACTCTAGCATCCTGACCCCATCGGTGCTGATCAAAC
 TGGGGACCATCGTGATGCTGAGAGGGCTGCTGTGGGTGAGCCCCTTCTGCTTCATGGTGTC
 TAGGATGCCCTTCTGCCAACCAAGCCATTCCCCAGTCATACTGTGAGCACATGGCTGTG
 30 CTGAAGTTGGTGTGTGCTGATACAAGCATAAGTCGTGGGTATGGGCTCTTTGTGGCCTTCT
 CTGTGGCTGGCTTTGATATGATTGTCATTGGTATGTCATACGTGATGATTTTGAGAGCTGT
 GCTTCAGTTGCCCTCAGGTGAAGCCCGCCTCAAAGCTTTTAGCACACGTGCCTCCCATATC
 TGTGTCATCTTGGCTCTTTATATCCCAGCCCTTTTTCTTTCTCCTCACCTACCGCTTTGGCCAT
 35 GATGTGCCCCGAGTTGTACACATCCTGTTTGCTAATCTCTATCTACTGATACCTCCCATGCT
 CAACCCCATCATTTATGGAGTTAGAACCAAACAGATCGGGGACAGGGTTATCCAAGGATG
 TTGTGGAAACATCCCCTGA (SEQ ID NO: 342)

AOLFR186 sequences:

MSNASLVTAFILTGLPHAPGLDALLFGIFLVVYVLTVLGNLILLVIRVDSHLHTPMYYFLTNLS
 40 FIDMWFSTVTVPKMLMTLVSPSGRAISFHSQVAQLYFFHFLGSTECFLYTVMSYDRYLAIYPL
 RYTSMMSGSRCALLATGTWLSGSLHSAVQILTFHLPYCGPNQIQHYFCDAPPILKLACADTSA
 NVMVIFVDIGIVASGCFVLIVLSYVSIVCSILIRTS DGRRRRAFQTCASHCIVLVCFFVPCVVIYLR
 PGSM DAMDGVVAIFYTVLTPLLNPVYTLRNKEVKKAVLKL RDKVAHPQRK (SEQ ID NO:
 343)

ATGTCCAACGCCAGCCTCGTGACAGCATTATCCTCACAGGCCTTCCCCATGCCCCAGGGC
 TGGACGCCCTCCTCTTTGGAATCTTCCTGGTGGTTTACGTGCTCACTGTGCTGGGGAACCT
 CCTCATCCTGCTGGTGATCAGGGTGGATTCTCACCTCCACACCCCCATGTACTACTTCTCA
 CCAACCTGTCTTCAATTGACATGTGGTTCTCCACTGTACGGTGCCCCAAATGCTGATGAC
 50 CTTGGTGTCCCCAAGCGGCAGGGCTATCTCCTTCCACAGCTGCGTGGCTCAGCTCTATTTT
 TCCACTTCTGGGGAGCACCGAGTGTTTCTCTACACAGTCATGTCTTATGATCGCTACTG
 GCCATCAGTTACCCGCTCAGGTACACCAGCATGATGAGTGGGAGCAGGTGTGCCCTCCTGG
 CCACCGGCACTTGGCTCAGTGGCTCTCTGCACTCTGCTGTCCAGACCATATTGACTTTCCAT
 TTGCCCTACTGTGGACCCAACCAGATCCAGCACTACTTCTGTGACGCACCGCCCATCCTGA
 55 AACTGGCCTGTGCAGACACCTCAGCCAACGTGATGGTCATCTTTGTGGACATTGGGATAGT
 GGCCTCAGGCTGCTTTGTCCTGATAGTGCTGTCCTATGTGTCCATCGTCTGTTCCATCCTGC

5 GGATCCGCACCTCAGATGGGAGGCGCAGAGCCTTTCAGACCTGTGCCTCCCACTGTATTGT
GGTCCTTTGCTTCTTTGTTCCCTGTGTTGTCAATTTATCTGAGGCCAGGCTCCATGGATGCCA
TGGATGGAGTTGTGGCCATTTTCTACACTGTGCTGACGCCCCCTTCTCAACCCTGTTGTGTAC
ACCCTGAGAAACAAGGAGGTGAAGAAAGCTGTGTTGAAACTTAGAGACAAAGTAGCACAT
CCTCAGAGGAAATAA (SEQ ID NO: 344)

AOLFR187 sequences:

10 MAQVRALHKIMALFSANSIGAMNNSDTRIAGCFLTGIPGLEQLHIWLSIPFCIMYIAALEGNGLI
CVILSQAILHEPMYIFLSMLASADVLLSTTMPKALANLWLGYSHISFDGCLTQKFFIHFLEHSA
VLLAMAFDRYVAICSPRYVTILTSKVIGKIVTATLSRSFIIMFPSIFLEHLHYCQINIIAHTFCEH
MGIAHLSCSDISINVWYGLAAALLSTGLDIMLITVSYIHILQAVFRLLSQDARSKALSTCGSHICV
ILLFYVPALFSVFAYRFGGRSIPCYVHILLASLYVVIPMLNPVIYGVRTKPILEGAKQMFSLAK
GSK (SEQ ID NO: 345)

15 ATGGCACAGGTGAGGGCGCTGCATAAAATCATGGCCCTTTTTTCTGCTAACAGCATAGGTG
CTATGAACAACCTCTGACACTCGCATAGCAGGCTGCTTCCTCACTGGCATCCCTGGGCTGGA
GCAACTACATATCTGGCTGTCCATCCCCTTCTGCATCATGTACATCGCTGCCCTGGAAGGC
AATGGCATCCTAATTTGTGTCACTCTCCAGGCAATCCTGCATGAGCCCATGTACATAT
TCTTATCTATGCTGGCCAGTGCTGATGTCTTGCTCTCTACCACCACCATGCCTAAGGCCCTG
20 GCCAATTTGTGGCTAGGTTATAGCCACATTTCTTTGATGGCTGCCTCACTCAAAAGTTCTT
CATTCACTTCCTCTTCATTCACTCTGCTGTCTGCTGGCCATGGCCTTTGACCGCTATGTGG
CCATCTGCTCCCCCTGCGATATGTCACAATCCTCACAAAGCAAGGTCATTGGGAAGATCGT
CACTGCCACCCTGAGCCGAGCTTCATCATTATGTTTCCATCCATCTTTCTCCTTGAGCACC
TGCACATTGGCCAGATCAACATCATTGCACACACATTTTGTGAGCACATGGGCATTGCCCA
25 TCTGTCTGTTCTGATATCTCCATCAATGTCTGGTATGGGTGGCAGCTGCTCTTCTCTCCA
CAGGCCTGGACATCATGCTTATTACTGTTTCTACATCCACATCCTCCAAGCAGTCTTCCGC
CTCCTTTCTCAAGATGCCCCGCTCCAAGGCCCTGAGTACCTGTGGATCCCATATCTGTGTCAT
CCTACTCTTCTATGTCCCTGCCCTTTTTTCTGTCTTTGCCTACAGGTTTGGTGGGAGAAGCA
TCCCATGCTATGTCCATATTCTCCTGGCCAGCCTCTACGTTGTCATTCCCTCCTATGCTCAAT
30 CCCGTTATTTATGGAGTGAGGACTAAGCCAATACTGGAAGGGGGCTAAGCAGATGTTTTCA
AATCTTGCCAAAGGATCTAAATAA (SEQ ID NO: 346)

AOLFR188 sequences:

35 MFPSLPCPVLLVQLPLMNENMQCFVFCSDSLLRMMVSRFIHVPFVKMKRIIVGGYSKHFFSN
ELLVCRPWSGKTWSIRHHIFDMELLTNNLKFITDPFVCRLRHLSPTPSEEHMKNKNNVTEFILL
GLTQNPEGQKVLVFTLLIYMVTIMGNLLIIVTIMASQSLGSPMYFFLASLSFIDTVYSTAFAPK
MIVDLLSEKKTISFQGCMAQLFMDHLFAGAEEVILLVVMAYDRYMAICKPLHELITMNNRVCVL
MLLAAWIGGFLHSLVQFLFIYQLPFCGPNVIDNFLCDLYPLLKLACTNTYVTGLSMIANGGAIC
AVTFFITILLSYGVILHSLKTQSLEGRKAFYTCASHVTVVILFFVPCIFLYARPNSTFPIDKSMTV
40 VLTFITPMLNPLIYTLKNAEMKSAMRKLWSKKVSLAGKWLYHS (SEQ ID NO: 347)

45 ATGTTCCCTCCCTGTGTCCATGTGTTCTCCTTGTTCAACTCCCACTTATGAATGAGAACAT
GCAGTGTTTTGTTTTCTGTTCTTGTGATAGTTTGTGAGAAATGATGGTTTCCCGCTTCATCC
ATGTCCCATTGTGAAAAATGAAAAGGATAATTGTGGGAGGATATTCTAAACACTTCTTTTC
TAATGAGCTGCTCTGTGTGAGGCCCTGGTCAGGGAAAACGTGGTCGATAAGGCATCACAT
TTTGACATGGAGCTTCTGACAAATAATCTCAAATTTATCACTGACCCTTTTGTGTAGGC
TCCGACACCTGAGTCCAACACCTTCAGAAAGACACATGAAAAATAAGAACAATGTGACTG
AATTTATCCTCTTAGGGCTCACACAGAACCTGAGGGGCAAAAGGTTTTATTGTACATT
CTTACTAATCTACATGGTGACGATAATGGGCAACCTGCTTATCATAGTGACCATCATGGCC
50 AGCCAGTCCCCTGGGTCCCCCATGACTTTTTCTGGCTTCTTTATCATTATAGATACCGT
CTATTCTACTGCATTTGCTCCCCAAATGATTGTTGACTTGCTCTCTGAGAAAAAGACCATT
CCTTTAGGGTTGTATGGCTCAACTTTTTATGGATCATTTATTTGCTGGTGCTGAAGTCATT
CTTCTGGTGGTAATGGCCTATGATCGATACATGGCCATCTGTAAGCCTCTTCATGAATTGA
TCACCATGAATCGTCGAGTCTGTGTTCTTATGCTGTTGGCGGCCTGGATTGGAGGCTTTCT
55 TCACTCATTGGTTCAATTTCTTTATTTATCAGCTCCCTTTCTGTGGACCCAATGTCATTG
ACAACCTCCTGTGTGATTGTATCCCTTATTGAACTTGCTTGACCAATACCTATGTCACT

GGGCTTTCTATGATAGCTAATGGAGGAGCGATTTGTGCTGTACCTTCTTCACTATCCTGC
 TTTCTATGGGGTCAATTACACTCTCTTAAGACTCAGAGTTTGGAAAGGAAACGAAAAGC
 TTTCTACACCTGTGCATCCACGTCACCTGTGGTCATTTTATTCTTTGTCCCCTGTATCTTCTT
 GTATGCAAGGCCCAATTCTACTTTTCCCATTGATAAATCCATGACTGTAGTTCTAACTTTTA
 5 TAACTCCCATGCTGAACCCACTAATCTATACCCTGAAGAATGCAGAAATGAAAAGTGCCAT
 GAGGAACTTTGGAGTAAAAAGTAAGCTTAGCTGGGAAATGGCTGTATCACTCATGA
 (SEQ ID NO: 348)

AOLFR189 sequences:

10 MQQNNVPEFILLGLTQDPLRQKIVFVIFLYMGTVVGNMLIIVTIKSSRTLGSMPYFFLYLSF
 ADSCFSTSTAPRLIVDALSEKKIITYNECMTQVFALHLFGCMEIFVLILMAVDYVAICKPLRYP
 TIMSQQVCILIVLAWIGSLIHSTAQIILALRLPFCGPYIDHYCCDLQPLLKLACMDTYMINLLL
 VSNNGAICSSSFMIILISYIVILHSLRNHSAKGKKKALSACTSHIIVILFFGPCIFIYTRPPTTFPMD
 KMVAVFYTIGTPFLNPLYTSEECRSEKCHEK (SEQ ID NO: 349)

15 ATGCAGCAAAATAACAGTGTGCCTGAATTCATACTGTTAGGATTAACACAGGATCCCTTGA
 GGCAGAAAATAGTGTGTTGTAACTCTCTTAATTTTCTATATGGGAACTGTGGTGGGGAATAT
 GCTCATTATTGTGACCATCAAGTCCAGCCGGACACTAGGAAGCCCCATGACTTCTTTCTA
 TTTTATTTGTCCCTTGCAGATTCTTGCTTTTCAACTCCACAGCCCCTAGATTAAATTGTGGA
 20 TGCTCTCTCTGAAAAGAAAATTATAACCTACAATGAGTGCATGACACAAGTCTTTCACATA
 CATTTATTTGGCTGCATGGAGATCTTTGTCCCTCATTCTCATGGCTGTTGATCGCTATGTGGC
 CATCTGTAAGCCCTTGCCTTACCCAACCATCATGAGCCAGCAGGTCTGCATCATCTGATT
 GTTCTTGCCTGGATAGGGTCTTTAATACACTCTACAGCTCAGATTATCCTGGCCTTAAGATT
 GCCTTTCTGTGGACCCCTATTGATTGATCATTATTGCTGTGATTGTCAGCCCTTGTGAAAC
 25 TTGCCTGCATGGACACTTACATGATCAACCTGCTGTTGGTGTCTAACAGTGGGGCAATTTG
 CTCAAGTAGTTTCATGATTTTGATAATTTTCATATATTGTCATCTTGCATTCACTGAGAAACC
 ACAGTGCCAAAGGGAAGAAAAAGGCTCTCTCCGCTTGACGTCTCACATAATTGTAGTCAT
 CTTATTCTTTGGCCCATGTATATTTCATATATACACGCCCCCGACCACTTCCCCATGGACA
 AGATGGTGGCAGTATTTTATACTATTGGAACACCCTTTCTCAATCCACTCATCTACACATCT
 30 GAGGAATGCAGAAGTGAAAAATGCCATGAGAAAG (SEQ ID NO: 350)

AOLFR190 sequences:

MQRSNHTVTEFILLGFTTDPGMQLGLFVFLGVYCLTVVGSSTLIVLICNDSRLHTPMYFVIGN
 LSFLDLWYSSVHTPKILVTCISEDKSISFAGCLCQFFSARLAYSECYLLAAMAYDHYVAISKPLL
 35 YAQTMPRRLCICLVLYSYTGGFVNAILTSNTFTLDFCGDNVIDDFCDVPLVLKACSVRESYQ
 AVLHFLLASNVISPTVLILASYSIITILRIHSTQGRJKVFSTCSSHLISVTLYYGSILYNYSRPSSS
 YSLKRDKMVSTFYTMLFPMLNPMIYSLRSKDKMDALKKFFKSA (SEQ ID NO: 351)

ATGCAGAGGAGCAATCACACAGTGACTGAGTTCATCCTGCTGGGCTTCACCACAGATCCAG
 40 GGATGCAACTGGGCCTCTTTGTGGTGTTCCTGGGTGTGTACTGTCTGACTGTGGTAGGAAG
 TAGCACCCTCATCGTGTGATCTGTAATGACTCCCGCCTACACACACCCATGTATTTTGTCA
 TTGGAAATCTGTCATTTCTGGATCTCTGGTATTCTTCTGTCCACACCCCAAAGATCCTAGTG
 ACCTGCATCTCTGAAGACAAAAGCATCTCCTTTGCTGGCTGCCTGTGTGAGTTCTTCTCTGC
 CAGGCTGGCCTATAGTGAGTGCTACCTACTGGCTGCCATGGCTTATGACCACTACGTGGCC
 45 ATCTCCAAGCCCCGCTTTATGCTCAGACCATGCCAAGGAGATTGTGCATCTGTTTGGTTTT
 ATATTCTATACTGGGGGTTTTGTCAATGCAATAATATTAACCAGCAACACATTACATTG
 GATTTTTGTGGTGACAATGTCATTGATGACTTTTTCTGTGATGTTCCACCCCTCGTGAAGCT
 GGCATGCAGTGTGAGAGAGAGCTACCAAGGCTGTGCTGCACTTCCTTCTGGCCTCCAATGTC
 ATCTCCCCTACTGTGCTCATCTTGGCTCTTACCTCTCCATCATCACCACTCTGAGGAT
 50 CCACTCTACCCAGGCCGCATCAAAGTCTTCTCCACATGCTCCTCCCACCTGATCTCCGTTA
 CCTTATACTATGGCTCCATTCTCTACAATACTCCCGGCCAAGTCCAGCTACTCCCTCAAG
 AGGGACAAAATGGTTTCTACCTTTTATACTATGCTGTTCCCATGTTGAATCCCATGATCTA
 CAGTCTGAGGAGTAAAGACATGAAAGACGCTCTGAAAAAATTCTTCAAGTCAGCATAA
 (SEQ ID NO: 352)

55

AOLFR191 sequences:

MTGGGNITEITYFILLGFSDFPRIKVLFTIFLVIYITSLAWNLSLIVLIRMDSHLHTPMYFFLSNLS
FIDVCYISSTVPKMLSNLLQEQQTITFVGCIQYFIFSTMGLSESLMTAMAYDRYAAICNPLLYS
SIMSPTLCVWMVLGAYMTGLTASLFQIGALLQLHFCGSNVIRHFFCDMPQLLILSCTDTFFVQV
5 MTAILTMFFGIASALVIMISYGYIGISIMKITSAGKSPKAFNTCASHLTAVSLFYTSGIFVYLRSSS
GGSSSFDRFASVFYTVVIPMLNPLIYSLRNKEIKDALKRLQKRKCC (SEQ ID NO: 353)

ATGACTGGGGGAGGAAATATTACAGAAATCACCTATTTTCATCCTGCTGGGATTCTCAGATT
TTCCCAGGATCATAAAAAGTGCTCTTCACTATATTCCTGGTGATCTACATTACATCTCTGGCC
10 TGGAACTCTCCCTCATTGTTTAAATAAGGATGGATTCCCACCTCCATACACCCATGTATTT
CTTCCTCAGTAACCTGTCTTCATAGATGTCTGCTATATCAGCTCCACAGTCCCCAAGATGC
TCTCCAACCTCTTACAGGAACAGCAAATCATCTTTTGTGGTTGTATTATTCAGTACTTT
ATCTTTTCAACGATGGGACTGAGTGAGTCTTGTCTCATGACAGCCATGGCTTATGATCGTT
ATGCTGCCATTTGTAACCCCTGCTCTATTCATCCATCATGTACCCACCCTCTGTGTTTGG
15 ATGGTACTGGGAGCCTACATGACTGGCCTCACTGCTTCTTTATTCCAAATTGGTGCTTTGCT
TCAACTCCACTTCTGTGGGTCTAATGTGCATCAGACATTTCTTCTGTGACATGCCCCAAGTGT
TAATCTTGTCTGTACTGACACTTTCTTTGTACAGGTCATGACTGCTATATTAACCATGTTC
TTTGGGATAGCAAGTGCCCTAGTTATCATGATATCCTATGGCTATATTGGCATCTCCATCA
TGAAGATCACTTCAGCTAAAGGCAGTCCAAAGGCATTCAACACCTGTGCTTCTCATCTAAC
20 AGCTGTTTCCCTCTTCTATACATCAGGAATCTTTGTCTATTTGAGGTCCAGCTCTGGAGGTT
CTTCAAGCTTTGACAGATTTGCATCTGTTTCTACACTGTGGTCATTCCCATGTAAATCCC
TTGATTTACAGTTTGAGGAACAAAGAAATTAAGATGCCTTAAAGAGGTTGCAAAAGAGA
AAGTGCTGCTGA (SEQ ID NO: 354)

AOLFR192 sequences:

MENNTEVTEFILVGLTDDPELQIPLFIVFLFIYLITLVGNLGMIELILLDSCLHTPMYFFLSNLSLV
DFGYSSAVTPKVMVGFLTGDKFILYNACATQFFFFVAFITAESFLLASMA YDRYAALCKPLHY
TTTMTTNVCACLAIGSYICGFLNASIHTGNTFRLSFCRSNVVEHFFCDAPLLTLSCSDNYISEM
VIFVVGFNDFLSILVILISYLFIFITIMKMRSPGRQKAFSTCASHLTAVSIFYGTGIFMYLRPNSS
30 HFMGTDKMASVFYAIVIPMLNPLVYSLRNKEVKSAFKKTVGKAKASIGFIF (SEQ ID NO: 355)

ATGGAGAACAACACAGAGGTGACTGAATTCATCCTTGTGGGGTTAACTGATGACCCAGAA
CTGCAGATCCCCTCTTCATAGTCTTCTTTTCATCTACCTCATCACTCTGGTTGGGAACCT
GGGGATGATTGAATTGATTCTACTGGACTCCTGTCTCCACACCCCCATGTACTTCTCCTCA
35 GTAACCTCTCCCTGGTGGACTTTGGTTATTCCTCAGCTGTCACTCCCAAGGTGATGGTGGG
GTTTCTCACAGGAGACAAATTCATATTATATAATGCTTGTGCCACACAATTCTTCTCTTTG
TAGCCTTTATCACTGCAGAAAGTTTCTCCTGGCATCAATGGCCTATGACCGCTATGCAGC
ATTGTGTAACCCCTGCATTACACCACCACCATGACAACAAATGTATGTGCTTGCCTGGCC
ATAGGCTCCTACATCTGTGGTTTCTGAATGCATCCATTCACTGGGAACACTTTCAGGC
40 TCTCCTTCTGTAGATCCAATGTAGTTGAACACTTTTTCTGTGATGCTCCTCCTCTCTTGACT
CTCTCATGTTACAGACAACTACATCAGTGAGATGGTTATTTTTTTTGTGGTGGGATTCAATG
ACCTCTTTTCTATCCTGGTAATCTTGATCTCCTACTTATTTATATTATACCATCATGAAG
ATGCGCTCACCTGAAGGACGCCAGAAGGCCTTTTCTACTTGTGCTTCCCACCTTACTGCAG
TTTCCATCTTTTATGGGACAGGAATCTTTATGTACTTACGACCTAACTCCAGCCATTTCATG
45 GGCACAGACAAAATGGCATCTGTGTTCTATGCCATAGTCATTCCCATGTTGAATCCACTGG
TCTACAGCCTGAGGAACAAAGAGGTTAAGAGTGCCTTTAAAAAGACTGTAGGGAAGGCAA
AGGCCTCTATAGGATTCATATTTTAA (SEQ ID NO: 356)

AOLFR193 sequences:

MENKTEVTQFILLGLTNDSELQVPLFITFPFIYIITLVGNLGIIVLIFWDSCLHNPMYFFLSNLSLV
DFCYSSAVTPIVMAGFLIEDKVISYNACAAQMYIFVAFATVENYLLASMA YDRYAALCKPLHY
TTTMTTNTVCARLAIGSYLCGFLNASIHTGNTFRLSFCRSNVVEHFFCDIPAVMVLSCSDRHISEL
VLIYVVSFNIFIALLVILISYTFIFITILKMHSASVYQKPLSTCASHFIAVGIFYGTIIFMYLQPSSSH
SMDTDKMAPVFYTMVIPMLNPLVYSLRNKEVKSAFKKVVEKAKLSVGWSV (SEQ ID NO:
55 357)

ATGGAAAATAAGACAGAAGTAACACAATTCATTCTTCTAGGACTAACCAATGACTCAGAA
 CTGCAGGTTCCCTCTTTATAACGTTCCCTTCATCTATATTATCACTCTGGTTGGAAACCT
 GGGAATTATTGTATTGATATTCTGGGATTCTGTCTCCACAATCCCATGTACTTTTTTCTCA
 5 GTAACCTTGTCTCTAGTGGACTTTTGCTACTCTTCAGCTGTCACTCCCATCGTCATGGCTGGA
 TTCCTTATAGAAGACAAGGTCATCTCTTACAATGCATGTGCTGCTCAAATGTATATCTTTGT
 AGCTTTTGCCACTGTGGAAAATTACCTCTTGGCCTCAATGGCCTATGACCGCTATGCAGCA
 GTGTGCAAACCCCTACATTACACCACAACCATGACAACAACCTGTGTGTGCTCGTCTGGCCA
 TAGGCTCCTACCTCTGTGGTTTCCCTGAATGCCTCCATCCACACTGGGGACACATTTAGTCTC
 10 TCTTCTGTAAAGTCCAATGAAGTCCATCACTTTTTCTGTGATATTCCAGCAGTCATGGTTCT
 CTCTTGCTCTGATAGACATATTAGCGAGCTTGTCTTATTTATGTTGTGAGCTTCAATATCT
 TTATAGCTCTCCTGGTTATCTTGATATCCTACACATTCACTTTTATCACCATCCTAAAGATG
 CACTCAGCTTCAGTATACCAGAAGCCTTTGTCCACCTGTGCCTCTCATTTTCATGTCAGTCGG
 CATCTTCTATGGGACTATTATCTTCATGTACTTACAACCCAGCTCCAGTCACTCCATGGACA
 CAGACAAAATGGCACCTGTGTTCTATACAATGGTCATCCCCATGCTGAACCTCTGGTCTA
 15 TAGTCTGAGGAACAAGGAAGTGAAGAGTGCATTCAAGAAAGTTGTTGAGAAGGCAAAATT
 GTCTGTAGGATGGTCAGTTTAA (SEQ ID NO: 358)

AOLFR194 sequences:

20 MERQONQSCVVEFILLGFSNYPELQGQLFVAFLVIYLVTLIGNAIIIVIVSLDQSLHVPMYLFLNL
 SVVDLSFSAVIMPEMLVVLSTEKTTISFGGCFAQMYFILLFGGAECFLLGAMAYDRFAAICHPL
 NYQMIMNKGVMFKLIIFSWALGFMLGTVQTSWVSSFPFCGLNEINHISCETPAVLELACADTFL
 FEIYAFTGTFLIILVPFLILLSYIRVLFALIKMPSTTGRQKAFSTCAAHLSVTIFYGTASMTYLQ
 PKSGYSPETKKVMSLSYLLTPLLNLIIYSLRNSEMKRALMKLWRRRVVLHTI (SEQ ID NO:
 359)

25 ATGGAAAGACAAAATCAAAGCTGTGTGGTTGAATTCATCCTCTTGGGCTTTTCTAACTATC
 CTGAGCTCCAGGGGCAGCTCTTTGTGGCTTTCTGGTTATTTATCTGGTGACCCTGATAGG
 AAATGCCATTATTATAGTCATCGTCTCCCTAGACCAGAGCCTCCACGTTCCCATGTACCTGT
 30 TTCTCCTGAACCTATCTGTGGTGGACCTGAGTTTCAGTGCAGTTATTATGCCTGAAATGCT
 GGTGGTCCTCTCTACTGAAAAAACTACAATTTCTTTTGGGGGCTGTTTTGCACAGATGTAT
 TTCATCCTTCTTTTGGTGGGGCTGAATGTTTTCTTCTGGGAGCAATGGCTTATGACCGATT
 TGCTGCAATTTGCCATCCTCTCAACTACCAAATGATTATGAATAAAGGAGTTTTATGAAA
 TTAATTATATTTTCATGGGCCTTAGGTTTTATGTTAGGTACTGTTCAAACATCATGGGTATC
 TAGTTTTCCCTTTTGTGGCCTTAATGAAATTAACCATATATCTTGTGAAACCCAGCAGTGT
 35 TAGAAGTTGCATGTGCAGACACGTTTTTGTGATACTTTGTCTTACATTGAGTTCTGTTTGCCATCCTG
 ATTATTTTGGTTCCTTTCTTGTGATACTTTGTCTTACATTGAGTTCTGTTTGCCATCCTG
 AAGATGCCATCAACCACTGGGAGACAAAAGGCCTTTTCCACCTGTGCCGCTCACCTCACAT
 CTGTGACCCTATTCTATGGCACAGCCAGTATGACTTATTTACAACCCAAATCTGGCTACTC
 ACCGGAAACCAAGAAAGTGATGTCTTACTCACTTCTGACCACTGCTGAATCTG
 40 CTTATCTACAGTTTGCAGAAATAGTGAGATGAAGAGGGCTTTGATGAAATTATGGCGAAGG
 CGAGTGGTTTTACACACAATCTGA (SEQ ID NO: 360)

AOLFR195 sequences:

45 MIVQLICTVCFLAVNTFHVRSSFDLKAADDMEINQTLVSEFLLLGLSGYPKIEIVYFALILVMY
 LVILIGNGVLIASIFDSHFHTPMYFFLGNLSFLDICYTSSSVPTLVSLISKRNISFSGCAVQMFF
 GFAMGSTECLLLGMMAFDTRYVAICNPLRYPIILSKVA YVLMASVSWLSGGINS AVQTLLAMRL
 PFCGNIIINHFACEILAVLKLACADISLNIITMVISNMAFLVPLMVIFFSYMFILY TILQMNSATG
 RRKAFSTCSAHLTVVIIFYGTIFFMYAKPKSQDLIGEELQALDKLISLFYGVVTPMLNPILYSLR
 NKDVKAAVKYLLNKKPIH (SEQ ID NO: 361)

50 ATGATTGTTTCAGTTAATTTGTACTGTTTGTCTTGGCAGTAAATACATTTTCATGTTAGATC
 TTCTTTTGATTTCTGAAAGCAGATGACATGGGTGAGATTAACCAGACACTTGTGTCAGAA
 TTTCTTCTCTGGGTCTTTCTGGATACCCAAAGATTGAGATTGTTTACTTTGCTCTCATTCT
 AGTTATGTACCTAGTGATTCTAATTGGCAATGGTGTCTAATCATAGCCAGCATCTTTGATT
 55 CTCATTTTCACACACCAATGTACTTCTTCTGGGCAACCTCTCTTCTGATATCTGCTAT
 ACATCCTCCTCTGTTCCTCAACATTGGTGAGCTTAATCTCAAAGAAAAGAAACATTTCTCCT

TCTCTGGATGTGCAGTGCAGATGTTCTTTGGGTTTGCAATGGGGTCAACAGAATGTCTGCT
TCTTGGCATGATGGCATTGATCGTTATGTGGCCATCTGCAACCCACTGAGATACCCCATC
ATCCTGAGCAAGGTGGCGTATGTATTGATGGCTTCTGTGTCCTGGCTGTCCGGTGAATAA
ATTCAGCTGTGCAAACATTACTTGCCATGAGACTGCCTTTCTGTGGGAATAATATTATCAA
5 TCATTTTCGCATGTGAAATATTAGCTGTCTCAAGCTGGCCTGTGCTGATATATCCCTCAATA
TTATCACCATGGTGATATCAAATATGGCCTTCCTGGTTCTTCCACTGATGGTCATTTTTTTC
TCCTATATGTTTCATCCTCTACACCATCTTGCAAATGAATTCAGCCACAGGAAGACGCAAGG
CATTTTCCACGTGCTCAGCTCACCTGACTGTGGTGATCATATTTACGGTACCATCTTCTTT
ATGTATGCGAAACCGAAGTCTCAAGACCTGATTGGGGAAGAAAAATTGCAAGCATTAGAC
10 AAGCTCATTTCTCTGTTTATGGGGTAGTGACACCCATGCTGAATCCTATACTCTATAGCTT
GAGAAATAAGGATGAAAAGCTGCTGTAAATATTTGCTGAACAAAAAACCAATTCATA
A (SEQ ID NO: 362)

AOLFR196 sequences:

15 MLESNYTMPTEFLVFGFTDYLPLRVTLFLVFLVYTLTMVGNILLIILVNINSSLQIPMYFSLNL
SFLDISCSTAITPKMLANFLASRKSISPYGCALQMFFFAFADAECILILAAAMAYDRYAAICNPLL
YTTLMSSRRVCVCFIVLAYFSGSTTSLVHVCLTFRLSFCGSNIVNHFFCDIPLLALSCTDTQINQL
LLFALCSFIQTSTFVVFISYFCILITVLSIKSSGGRSKTFSTCASHLIAVTLFYGALLFMYLQPTTS
YSLDTDKVVAVFYTVVFPMPNPIHSFRNKDVKNALKKLLERIGYSNEWYLNRLRIVNI (SEQ
20 ID NO: 363)

ATGTTGGAGAGTAATTACACCATGCCAACTGAGTTCCTATTTGTTGGATTACAGATTATC
TACCTCTCAGAGTCACACTGTTCTTGGTATTCTTCTGGTATATACATTAACATGGTCGGA
AATATACTCTTAATAATTCTAGTTAATATTAATTCAAGCCTTCAAATCCCATGTATTATTT
25 TCTTAGCAACTTATCTTTCTTAGACATCAGCTGTTCTACAGCAATCACTCCTAAAATGCTGG
CAAACCTCTTGGCATCCAGGAAAAGCATCTCTCCTTATGGGTGTGCACTACAAATGTTTTT
CTTCGCTTCTTTTGTGATGCTGAGTGCCTTATCCTGGCAGCAATGGCTTATGACCGCTATG
CAGCCATCTGCAACCCACTGCTCTATACTACACTGATGTCTAGGAGAGTCTGTGTCTGCTT
CATTGTGTTGGCATATTTCAAGTGAAGTACAACATCACTGGTCCATGTGTGCCTCACATTC
30 AGGCTGTCAATTTGTGGCTCCAATATCGTCAATCATTTTTTCTGTGATATCCCACCTCTTCT
GGCTTTATCATGTACAGACACTCAGATCAACCAGCTTCTGCTCTTTGCTTTGTGCAGCTTCA
TCCAGACCAGCACTTTTGTGGTAATATTTATTTCTTACTTCTGCATCCTCATCACTGTGTTG
AGCATCAAGTCCTCAGGTGGCAGAAGCAAAACATTCTCCACTTGTGCTTCCCACCTCATAG
CAGTCACCTTATTCTATGGAGCGCTCCTGTTTATGTACTTACAGCCCACCACCTATTCC
35 CTAGACACTGATAAGGTGGTGGCAGTGTTTTATACTGTTGTATTTCCCATGTTTAATCCAA
TAATTTATAGTTTCAGAAACAAGGATGTGAAAAATGCTCTCAAAAAGCTATTAGAAAGAA
TTGGATATTCAAATGAATGGTATTTAAATCGTTTAAAGAAAGTCAATATCTAA (SEQ ID NO:
364)

AOLFR197 sequences:

40 MCYLSQLCLSLGEHTLHMGMRHTNESNLGFIILLGFSYDYPQLQKVLFLVILILYLLTILGNNTI
ILVSRLEPKLHMPMYFFLSHLSFLYRCFTSSVIPQLLVNLWEPMKTIAYGGCLVHLYNSHALGS
TECVLLALMSCDRYVAVCRPLHYTVLMHIHLCMALASMAWLSGIATTLVQSTLTQLPFCGH
RQVDHFICEVPVLIKACVGTTFNEAELFVASILFLIVPVSVFILVSSGYIAHAVLRIKSATRRQKAF
45 GTCFSLTLTVTIFYGTIIFMYLQPAKSRSDQGKFSVSLFYTVVTRMLNPLIYTLRIKEVKGALKK
VLAKALGVNIL (SEQ ID NO: 365)

ATGTGTTATCTTTCTCAGCTATGCCTCAGCCTTGGGGAACACACTTTACATATGGGGATGG
TGAGACATACCAATGAGAGCAACCTAGCAGGTTTCATCCTTTTAGGGTTTTCTGATTATCC
50 TCAGTTACAGAAGGTTCTATTTGTGCTCATATTGATTCTGTATTTACTAACTATTTTGGGGA
ATACCACCATCATTCTGGTTTCTCGTCTGGAACCCAAGCTTCATATGCCGATGTATTTCTTC
CTTTCTCATCTCTCCTTCTGTACCGCTGCTTCACCAGCAGTGTTATTTCCCGCTCCTGGT
AAACCTGTGGGAACCCATGAAAATATCGCCTATGGTGGCTGTTTGGTTTACCTTTACAAC
TCCCATGCCCTGGGATCCACTGAGTGCCTCTTGGCTCTGATGTCCTGTGACCGCTATGT
55 GGCTGTCTGCCGCTCTCCTTACACTGTCTTAATGCATATCCATCTCTGCATGGCCTTGG
CATCTATGGCATGGCTCAGTGGAATAGCCACCACCCTGGTACAGTCCACCCTCACCCTGCA

5 GCTGCCCTTCTGTGGGCATCGCCAAGTGGATCATTTTCATCTGCGAGGTCCCTGTGCTCATC
AAGCTGGCTTGTGTGGGCACACGTTTAACGAGGCTGAGCTTTTTGTGGCTAGTATCCTTT
TCCTTATAGTGCCTGTCTCATTACCTGGTCTCCTCTGGCTACATTGCCACGCAGTGTTG
AGGATTAAGTCAGCTACCAGGAGACAGAAAGCATTCTGGGACCTGCTTCTCCACCTGACA
GTGGTCACCATCTTTTATGGAACCATCATCTTCATGTATCTGCAGCCAGCCAAGAGTAGAT
CCAGGGACCAGGGCAAGTTTGTCTCTCTTCTACACTGTGGTAACCCGCATGCTTAACCC
TCTTATTTATACCTTGAGGATCAAGGAGGTGAAAGGGGCATTAAAGAAAGTTCTAGCAAA
GGCTCTGGGAGTAAATATTTTATGA (SEQ ID NO: 366)

10 **AOLFR198 sequences:**

MENCTEVTKFILLGLTSVPELQIPLFILFTFIYLLTLCGNLGMMLLILMDSCLHTPMYFFLSNLSL
VDFGYSSAVTPKVMAGFLRGDKVISYNACAVQMFFFVALATVENYLLASMAYDRYAAVCKP
LHYTTTMTASVGACALGSYVCGFLNASFHIGGIFSLSFCKSNLVHHFFCDVPAVMALSCSDKH
TSEVILVFMSSFNIFVLLVIFISYLFIFITILKMHSAGHQKALSTCASHFTAVSVFYGTVIFIYLQ
15 PSSSHSMDTDKMASVIFYAMIIPMLNPVVYSLRNREVQNAFKKVLRRQKFL (SEQ ID NO: 367)

ATGGAGAATTGTACGGAAGTGACAAAGTTCATTCTTCTAGGACTAACCAGTGTCCCAGAAC
TACAGATCCCCCTCTTTATCTTGTTCACCTTCATCTACCTCCTCACTCTGTGTGGGAACCTG
GGGATGATGTTGCTGATCCTGATGGACTCTTGTCTCCACACCCCCATGTACTTTTTCTCAG
20 TAACCTGTCTCTGGTGGACTTTGGATACTCCTCAGCTGTCACTCCCAAGGTCATGGCTGGG
TTCCTTAGAGGAGACAAGGTCATCTCCTACAATGCATGTGCTGTTTCTCAGATGTTCTTCTTGT
AGCCTTGCCACGGTGGAAAATTACTTGTGGCCTCAATGGCCTATGACCGCTATGCAGCA
GTGTGCAAACCCCTACACTACACCACCACCATGACGGCCAGTGTAGGTGCCTGTCTGGCCC
TAGGCTCATATGTCTGTGGCTTCCTAAATGCCTCATTCCACATTGGGGGCATATTCACTCTC
25 TCTTTCTGTAAATCCAATCTGGTACATCACTTTTTCTGTGATGTTCCAGCAGTCATGGCTCT
GTCTTGCTCTGATAAACACACTAGTGAGGTGATTCTGGTTTTTATGTCAAGCTTTAATATCT
TTTTTGTCTTCTAGTTATCTTTATCTCCTACTTGTTCATATTTCATACCATCTTGAAGATGC
ATTCAAGCTAAGGGACACCAAAAAGCATTGTCCACCTGTGCCTCTCACTTCACTGCAGTCTC
CGTCTTCTATGGGACAGTAATCTTCATCTACTTGCAGCCAGCTCCAGCCACTCCATGGAC
30 ACAGACAAAATGGCATCTGTGTTCTATGCTATGATCATCCCCATGCTGAACCCCTGTGGTCT
ACAGCCTGAGGAACAGAGAAGTCCAGAATGCATTCAAGAAAAGTGTTGAGAAGGCAAAAAT
TTCTATAA (SEQ ID NO: 368)

AOLFR199 sequences:

35 MDTGNKTLQPQDFLLLGFPQSQTQLQSLFMLFLVMYILTVSGNVAILMLVSTSHQLHTPMYFFLS
NLSFLEIWYTAAVPAKALAILLGRSQTISFTSCLLQMYFVFSLGCTEYFLAAMAYDRCLAICY
LHYGAIMSSLLSAQLALGWSVCGFVAIAVPTALISGLSFCGPRAINHHFFCDIAPWIALACTNTQA
VELVAFVIAVVVILSSCLITFVSYYIISTILRIPSASGRSKAFSTCSSHLTVVLIWYGSTVFLHVR
TSIKDALDLIAVHVLNTPVLPVLPFIYTLRNKEVRETLKKWKWK (SEQ ID NO: 369)

40 ATGGACACAGGCAACAAAACCTCTGCCCCAGGACTTTCTCTTACTGGGCTTTCTTGGTTCTC
AAACTCTTCAGCTCTCTCTCTTTATGCTTTTCTGGTGATGTACATCCTCACAGTTAGTGGT
AATGTGGCTATCTTGATGTTGGTGAGCACCTCCCATCAGTTGCATACCCCCATGTACTTCTT
TCTGAGCAACCTCTCCTTCTGGAGATTTGGTATACCACAGCAGCAGTGCCCCAAAGCACTG
45 GCCATCCTACTGGGGAGAAGTCAGACCATATCATTTACAAGCTGTCTTTTGCAGATGTACT
TTGTTTTCTCATTAGGCTGCACAGAGTACTTCTCCTGGCAGCCATGGCTTATGACCGCTGT
CTTGCCATCTGCTATCCTTTACACTACGGAGCCATCATGAGTAGCCTGCTCTCAGCGCAGC
TGGCCCTGGGCTCCTGGGTGTGTGGTTTCGTGGCCATTGCAAGTGCCACAGCCCTCATCAG
TGGCCTGTCTTCTGTGGCCCCCGTGCCATCAACCACTTCTTCTGTGACATTGCACCCTGGA
50 TTGCCCTGGCCTGCACCAACACACAGGCAGTAGAGCTTGTGGCCTTTGTGATTGCTGTTGT
GGTTATCCTGAGTTCATGCCTCATCACCTTTGTCTCCTATGTGTACATCATCAGCACCATCC
TCAGGATCCCCCTCTGCCAGTGGCCGGAGCAAAGCCTTCTCCACGTGCTCCTCGCATCTCAC
CGTGGTGTCTCATTTGGTATGGGTCCACAGTTTTCCTTCACGTCCGCACCTCTATCAAAGAT
GCCTTGGATCTGATCAAAGCTGTCCACGTCTGAACACTGTGGTGACTCCAGTTTAAACC
55 CCTTCATCTATACGCTTCGTAATAAGGAAGTAAGAGAGACTCTGCTGAAGAAATGGAAGG
GAAAATAA (SEQ ID NO: 370)

AOLFR200 sequences:

MTRKNYTSLTEFVLLGLADTLELQILFLFFLVYITLTVLGNLGMILLIRIDSQ LHTPMYFFLANL
SFVDVCNSTTITPKMLADLLSEKKTISFAGCFLOMYFFISLATTECILFGLMAYDRYAAICRPLL
5 YSLJMSRTVYVKMAAGAFAGLLNFMVNTSHVSSLSFCDSNVIIHFFCDSPLFLKSCSDTILKE
SISSILAGVNIVGTLVLSSYSYVLFISFMSHSGEGRHRAFSTCASHLTAILFYATCIYTYLRPSS
SYSLNQDKVASVFYTVVIPMLNPLIYSLRSKEVKKALANVISRKRSSFL (SEQ ID NO: 371)

ATGACCAGAAAAAATTATACCTCACTGACTGAGTTCGTCCTATTGGGATTAGCAGACACGC
10 TGGAGCTACAGATTATCCTCTTTTTGTTTTTCTTGTGATTATACACTTACAGTACTGGGA
AATCTCGGGATGATCCTCTTAATCAGGATCGATTCCCAGCTTCACACACCCATGTATTTCTT
CCTGGCTAACCTGTCCTTTGTGGACGTTTGTAACCTCACTACCATCACCCCAAAGATGCTG
GCAGATTTATTATCAGAGAAGAAAACCATCTCTTTGCTGGCTGCTTCCTACAGATGTACT
TCTTTATCTCCCTGGCGACAACCGAATGCATCCTCTTTGGGTAAATGGCCTATGACAGGTA
15 TGCGGCCATATGTCGCCCGCTGCTTTACTCCTTGATCATGTCCAGGACCGTCTACCTAAAA
ATGGCAGCCGGGGCTTTTGTGTCAGGGTGTGCTGAACTTCATGGTCAACACAAGCCATGTCA
GCAGCTTGTCATTCTGTGACTCCAATGTCATCCATCATTCTTCTGTGACAGTCCCCCACTT
TTCAAGCTCTCTTGTTCTGACACAATCCTGAAAGAAAGCATAAGTTCTATTTTGGCTGGTG
TGAATATTGTGGGGACTCTGCTTGTCATCCTCTCCTCCTACTCCTACGTTCTCTTCTCCATT
20 TTTTCTATGCATTGGGGGAGGGGAGGCACAGACGTTTCTCCACGTGTGCCTCTCACCTGA
CAGCCATAATTCTGTCTATGCCACCTGCATCTATACTTACCTGAGACCTAGTTCCAGCTAC
TCCCTGAATCAGGACAAAGTGGCTTCTGTGTTCTACACAGTGGTGATTCCCATGTTGAATC
CTCTGATCTACAGCCTCAGGAGTAAGGAAGTAAAGAAGGCTTTAGCGAATGTAATTAGCA
GGAAAAGGACCTCTTCCTTTCTGTGA (SEQ ID NO: 372)

25

AOLFR201 sequences:

MEWENHTILVEFFLKGLSGHPRELELFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
SFLDICYTTTTSIPSTLVSFLSERKTISLSGCAVQMFLGLAMGTTECVLLGMMAFDRYVAICNPLR
YPIIMSKDAYVPMAAGSWIIGAVNSAVQSVFVQLPFCRNNINHFTCEILAVMKLACADISDN
30 EFIMLVATTLFILPLLLIIVSYTLIIVSIFKISSSEGRSKASSTCSAHLTVVIIFYGTILFMYMKPKS
KETLNSDDLDATDKIISMFGVMTMPMNPLIYSLRNKDVKEAVKHLNRRFFSK (SEQ ID NO:
373)

ATGGAATGGGAAAACCACACCATTTCTGGTGGAATTTTTTCTGAAGGGACTTTCTGGTCACC
35 CAAGACTTGAGTTACTCTTTTTTGTGCTCATCTTCATAATGTATGTGGTCATCCTTCTGGGG
AATGGTACTCTCATTTTAATCAGCATCTTGGACCCTCACCTTCACACCCCTATGTACTTCTT
TCTGGGGAACCTCTCCTTCTTGGACATCTGCTACACCACCACCTCTATTCCCTCCACGCTAG
TGAGCTTCCTTTCAGAAAGAAAGACCATTTCCCTTTCTGGCTGTGCAGTGCAGATGTTCTT
CGGCTTGCCATGGGGACAACAGAGTGTGTGCTTCTGGGCATGATGGCCTTTGACCGCTAT
40 GTGGCTATCTGCAACCCTCTGAGATATCCCATCATCATGAGTAAGGATGCCTATGTACCCA
TGGCAGCTGGGTCCTGGATCATAGGAGCTGTCAATTCTGCAGTACAATCAGTGTGTTGTTGGT
ACAATTGCCTTTCTGCAGGAATAACATCATCAATCATTTTACCTGTGAAATTCTGGCTGTC
ATGAAACTGGCCTGTGCTGACATCTCAGACAATGAGTTCATCATGCTTGTGGCCACAACAT
TGTTTCATATTGACACCTTTGTTATTAATCATTGTCTCTTACACGTTAATCATTGTGAGCATC
45 TTCAAAATTAGCTCTTCCGAGGGGAGAAGCAAAGCTTCCTCTACCTGTTTACGCCCATCTGA
CTGTGGTCATAATATTCTATGGGACCATCCTCTTCATGTACATGAAGCCCAAGTCTAAAGA
GACACTTAATTTCGGATGACTTGGATGCTACCGACAAAATTATATCCATGTTCTATGGGGTG
ATGACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAAGAGGCA
GTAAAACACCTACTGAACAGAAGGTTCTTTAGCAAGTGA (SEQ ID NO: 374)

50

AOLFR202 sequences:

MEWENHTILVEFFLKGLSGHPRELELFFVLIFIMYVVILLGNGTLILISILDPHLHTPMYFFLGNL
SFLDICYTTTTSIPSTLVSFLSERKTISLSGCAVQMFLSLAMGTTECVLLGVMAFDRYVAICNPLR
YPIIMSKDAYVPMAAGSWIIGAVNSAVQTVFVQLPFCRNNINHFTCEILAVMKLACADISGN
55 EFILLVTTTLFLLTPLLIIIVSYTLIISIFKISSSEGRSKPSSTCSARLTVVITFCGTIFLMYMKPKSQ

ETLNSDDLDATDKLIFFYRVMTMMPNPLIYSLRNKDVKEAVKHLLRRKNFNK (SEQ ID NO: 375)

5 ATGGAATGGGAAAACACACCACTTCTGGTGGAATTTTTCTGAAGGGACTTTCTGGTCACC
CAAGACTTGAGTACTCTTTTTGTGCTCATCTTCATAATGTATGTGGTCATCCTTCTGGGG
AATGGTACTCTCATTTTAATCAGCATCTTGGACCCTCACCTTCACACCCCTATGTACTTCTT
TCTGGGGAACCTCTCCTTCTTGGACATCTGCTACACCACCACCTCTATTCCCTCCACGCTAG
TGAGCTTCCTTTCAGAAAGAAAGACCATTTCCCTTTCTGGCTGTGCAGTGCAGATGTTCT
10 CAGCTTGGCCATGGGGACAACAGAGTGTGTGCTTCTGGGCGTGATGGCCTTTGACCGCTAT
GTGGCTATCTGCAACCCTCTGAGATATCCCATCATCATGAGTAAGGATGCCTATGTACCCA
TGGCAGCTGGGTCCTGGATCATAGGAGCTGTCAATTCTGCAGTACAAACAGTGTTTGTGGT
ACAATTGCCTTTCTGCAGGAATAACATCATCAATCATTTACCTGTGAAATTTCTAGCTGTC
ATGAAACTGGCCTGTGCTGACATCTCAGGCAATGAGTTCATCCTGCTTGTGACCACAACAT
15 TGTTCCTATTGACACCTTTGTTATTAATTATTGTCTCTTACACGTTAATCATTTTGAGCATC
TTCAAATTAGCTCTTCGGAGGGGAGAAGCAAACCTTCTCTACCTGCTCAGCTCGTCTGA
CTGTGGTGATAACATTCTGTGGGACCATCTTCCCTCATGTACATGAAGCCCAAGTCTCAAGA
GACACTTAATTCAGATGACTTGGATGCCACTGACAACTTATATTATATTCTACAGGGTG
ATGACTCCCATGATGAATCCTTTAATCTACAGTCTTAGAAACAAGGATGTGAAGGAGGCA
GTAAACACCTACTGAGAAGAAAAAATTTTAACAAGTAA (SEQ ID NO: 376)

20

AOLFR203 sequences:

15 MKRQNQSCVVEFILLGFSNPELQVQLFGVFLVIYVVTLMGNAIITVIISLNQSLHVPMYLFLN
LSVVEVSFAVITPEMLVVLSTKTMISFVGCFQMYFILLFGGTECFLLGAMAYDRFAAICHPL
NYPVIMNRGVFMKL VIFSWISGIMVATVQTTWVFSFPFCGPNEINHLFCETPPVLELVCA DTF L F
25 EIYAFTGTLIVMVPFLLILLSYIRVLFAL KMPSTTGRQKAFSTCASHLTSVTLFYGTANMTYLQ
PKSGYSPETKKLISLAYTLLTPLLNPLIYSLRNSEMKRTLKLRKRVILHTF (SEQ ID NO: 377)

30 ATGAAAAGACAAAATCAAAGCTGTGTGGTTGAATTCATCCTCCTGGGCTTTTCTAACTTTC
CTGAGCTCCAGGTGCAGCTCTTTGGGGTTTTCTAGTTATTTATGTGGTGACCCTGATGGG
AAATGCCATCATTACAGTCATCATCTCCTTAAACCAGAGCCTCCACGTTCCCATGTACCTGT
TCCTCCTGAACCTATCTGTGGTGGAGGTGAGTTTCACTGCAGTCATTACGCCTGAAATGCT
GGTGGTGCTCTCTACTGAGAAAATATGATTTCTTTGTGGGCTGTTTTGCACAGATGTAT
TTCATCCTTCTTTTTGGTGGGACTGAATGTTTTCTCCTGGGAGCGATGGCTTATGACCGATT
TGCTGCAATTTGCCATCCTCTGAACTACCCAGTGATTATGAACAGAGGGGTTTTTATGAAA
35 TTAGTAATATTCTCATGGATCTCAGGGATCATGGTGGCTACTGTGCAGACCACTTGGGTAT
TTAGTTTTCCATTTTGTGGCCCCAATGAAATTAATCATCTCTTCTGTGAGACTCCCCCGTA
CTAGAGCTTGTGTGTGCAGACACCTTCTTATTTGAAATCTATGCCTTCACAGGCACCATTTT
GATTGTTATGGTTCCTTTCTTGTGTGATCCTCTTGTCTTACATTGAGTTCGTTTGGCATCCT
GAAGATGCCATCAACTACTGGGAGACAAAAGGCCCTTTCCACCTGTGCCTCTCACCTCACA
40 TCTGTGACCCTGTTCTATGGCACAGCCAATATGACTTATTTACAACCCAAATCTGGCTACTC
ACCCGAAACCAAGAACTGATCTCATTGGCTTACACGTTGCTTACCCCTCTGCTCAATCCG
CTCATCTATAGCTTACGAAACAGTGAGATGAAGAGGACTTTGATAAACTATGGCGAAGA
AAAGTGATTTTACACACATTCTGA (SEQ ID NO: 378)

45 **AOLFR204 sequences:**

MEKKKNVTEFILGLTQNPIMEKVTFVFLVLYMITLSGNLLIVVTITTSQALSSPMYFFLTHLSL
IDTVYSSSSAPKLIVDSFQEKIISFNGCMAQAYA EHF GATEIILLTVMACDCYVAICKPLNYTT
IMSHSLCILLVAVAWVGFLHATIQILFTVWLPFCGPNVIGHFMCDLYPLLKLVCIDHTLGLFV
AVNSGFICLLNFLILVVS YVILRSLKNSLEGRCKALSTCISHIIVVVLFFVPCIFVYLRSVTTLPI
50 DKAVAVFYTMVVPMLNPVVYTLRNAEVKSAIRKLWRKKVTS DND (SEQ ID NO: 379)

ATGGAGAAGAAAAAGAATGTGACTGAATTCATTTTAATAGGTCTTACACAGAACCCCAT
ATGGAGAAAGTCACGTTTGTAGTATTTTGGTTCTTTACATGATAACACTTTCAGGCAACC
TGCTCATTGTGGTTACCATTACCACCAGCCAGGCTCTGAGCTCCCCCATGTACTTCTTCCTG
55 ACCACCTTTCTTTGATAGACACAGTTTATTCTTCTTCTTCTCAGCTCCTAAGTTGATTGTGGA
TTCTTTCAAGAGAAGAAAATCATCTCCTTTAATGGGTGTATGGCTCAAGCCTATGCAGAA

CACATTTTGGTGCTACTGAGATCATCCTGCTGACAGTGATGGCCTGTGACTGCTATGTGG
 CCATCTGCAAACCTCTGAACTACACAACCATTATGAGCCACAGCCTGTGCATTCTCCTGGT
 GGCAGTGGCCTGGGTGGGAGGATTTCTTCATGCAACTATTCAGATTCTCTTTACAGTATGG
 CTGCCCTTCTGTGGCCCCAATGTCATAGGCCACTTCATGTGTGACTTGTACCCATTGTTAAA
 5 ACTTGTGTTGCATAGACACTCATACCCTTGGTCTCTTTGTTGCTGTGAACAGTGGGTTTATCT
 GCTTATTAAACTTCCTTATCTTGGTGGTATCCTATGTGATCATCTTGAGATCTTTAAAGAAC
 AATAGCTTGGAGGGGAGGTGTAAAGCCCTCTCCACCTGTATTTCTCACATCATAGTAGTTG
 TCTTATTCTTTGTGCCCTGTATATTTGTGTATCTGCGCTCAGTGACCACTCTGCCCATTTGAT
 AAAGCTGTTGCTGTATTTTATACTATGGTGGTCCCAATGTAAATCCCGTGGTCTACACAC
 10 TCAGAAATGCTGAGGTAAAAAGTGCAATAAGGAAGCTTTGGAGAAAAAAGTGACTTCAG
 ATAATGATTAA (SEQ ID NO: 380)

AOLFR205 sequences:

MESENRTVIREFILLGLTQSQDIQLLVFVLVLIFYFIILPGNFIIFTIKSDPGLTAPLYFFLGNLAFL
 15 DASYSFTVAPRMLVDFLSAKKIISYRGCTQLFFLHFLGGEGLLLVVMAFDRIYAIACRPLHYPT
 VMNPRTCYAMMLALWLGGFVHSIIQVVLRLPFCGPNQLDNFFCDVPQVIKLACTDTFVVEL
 LMVFNGLMTLLCFLGLLASYAVILCRIRGSSSEAKNKAMSTCITHIIVIFFMFGPGIFIYTRPFRA
 FPADKVVSLFHTVIFPLLPVIYTLRNQEVKASMKKVFNKHIA (SEQ ID NO: 381)

20 ATGGAAAGCGAGAACAGAACAGTGATAAGAGAATTCATCCTCCTTGGTCTGACCCAGTCT
 CAAGATATTCAGCTCCTGGTCTTTGTGCTAGTTTAAATATTCTACTTCATCATCCTCCCTGG
 AAATTTTCTCATTATTTTACCATAAAGTCAGACCCTGGGCTCACAGCCCCCTCTATTTCT
 TTCTGGGCAACTTGGCCTTCTGGAATGCATCCTACTCCTTCACTGTGGCTCCCCGGATGTTG
 GTGGACTTCTCTGCGAAGAAGATAATCTCCTACAGAGGCTGCATCACTCAGCTCTTTT
 25 TCTTGCACTTCTTGGAGGAGGGGAGGGATTACTCCTTGTGTGATGGCCTTTGACCGCTA
 CATCGCCATCTGCCGGCCTCTGCACTATCCTACTGTCATGAACCCTAGAACCTGCTATGCA
 ATGATGTTGGCTCTGTGGCTTGGGGGTTTTGTCCACTCCATTATCCAGGTGGTCTCATCCT
 CCGCTTGCCTTTTTGTGGCCCAAACCAGCTGGACAACCTCTTCTGTGATGTCCACAGGTC
 ATCAAGCTGGCCTGCACCGACACATTTGTGGTGGAGCTTCTGATGGTCTTCAACAGTGGCC
 30 TGATGACACTCCTGTGCTTTCTGGGGCTTCTGGCCTCCTATGCAGTCATTCTTTGTGCATA
 CGAGGGTCTTCTTCTGAGGCAAAAAACAAGGCCATGTCCACGTGCATCACCCATATCATTG
 TTATATTCTTCATGTTTGGACCTGGCATCTTCATCTACACGCGCCCCTTACAGGGCTTTCCCA
 GCTGACAAGGTGGTTTCTCTCTTCCACACAGTGATTTTCTTTGTTGAATCCTGTCAATTA
 TACCCTTCGCAACCAGGAAGTGAAAGCTTCCATGAAAAAGGTGTTTAATAAGCACATAGC
 35 CTGA (SEQ ID NO: 382)

AOLFR206 sequences:

MANRNNVTEFILLGLTENPKMQKIIFVVFSVIYINAMIGNVLIVVTITASPSLRSPMYFFLAYLSFI
 40 DACYSSVNTPKLITDSLYENKTILFNGCMTQVFGHEFFRGVEVILLTVMAYDHYVAICKPLHYT
 TIMKQHVCSLLVGVSWSVGFLHATIQILFICQLPFCGPNVIDHFMCDLYTLINLACTNTHTLGLF
 IAANSGFICLLNCLLLVSCVVILYSLKTHSLEARHEALSTCVSHITVVILSFIPCIFVYMRPPATL
 PIDKAVAVFYTMITSMLNPLIYTLRNAQMKNAIKRLCSRKAISSVK (SEQ ID NO: 383)

45 ATGGCGAATAGAAACAATGTGACAGAGTTTATTCTATTGGGGCTTACAGAGAATCCAAAA
 ATGCAGAAAATCATATTTGTTGTGTTTCTGTCTATCTACATCAACGCCATGATAGGAAATG
 TGCTCATTGTGGTCAACCATCACTGCCAGCCCATCACTGAGATCCCCCATGTACTTTTCTCTG
 GCCTATCTCTCCTTTATTGATGCCTGCTATTCCTCTGTCAATACCCCTAAGCTGATCACAGA
 TTCACTCTATGAAAAACAAGACTATCTTATTCAATGGATGTATGACTCAAGTCTTTGGAGAA
 50 CATTTTTTCAGAGGTGTTGAGGTACCTACTTACTGTAATGGCCTATGACCACTATGTGG
 CCACTGCAAGCCCTTGCACTATACCACCATCATGAAGCAGCATGTTTGTAGCCTGCTAGT
 GGGAGTGTGATGGGTAGGAGGCTTTCTTCATGCAACCATAACAGATCCTCTTCATCTGTCAA
 TTACCTTTCTGTGGTCTAATGTCTATAGATCACTTTATGTGTGATCTCTACACTTTGATCAA
 TCTTGCTGCACTAATAACCCACACTCTAGGACTCTTCATTGCTGCCAACAGTGGGTTTCATAT
 GCCTGTAAACTGTCTCTTGCTCCTGGTCTCCTGCGTGGTCATACTGTACTCTTAAAGACC
 55 CACAGCTTAGAGGCAAGGCATGAAGCCCTCTCTACCTGTGTCTCCACATCACAGTTGTCA
 TCTTATCCTTTATACCCTGCATATTTGTGTACATGAGACCTCCAGCTACTTTACCCATTGAT

AAAGCAGTTGCTGTATTCTACACTATGATAACTTCTATGTTAAACCCCTTAATCTACACCTT
GAGGAATGCTCAAAATGAAAAATGCCATTAGGAAATTGTGTAGTAGGAAAGCTATTTCAAG
TGTCAAATAA (SEQ ID NO: 384)

5 **AOLFR207 sequences:**

MERTNDSTSTEFFLVGLSAHPKLQTVFFVLILWMYLMILLGNGVLISVIIFDLSHLHTPMYFFLCN
LSFLDVCYTSSSVPLILASFLAVKKKVSFSGCMVQMFISFAMGATECMILGTMALDRYVAICYP
LRYPVIMSKGAYVAMAAGSWVTGLVDSVVQTAFAMQLPFCANNVIKHFVCEILAILKLACADI
SINVISM TGSNLIVLVIPLLVISISYIFIVATILRIPSTEGKHKAFSTCSAHLTVVIIFYGTIFFMYAKP
10 ESKASVDSGNEDIIEALISLFYGVMTPLNPLIYSLRNKDVKA AVKNILCRKNFSDGK (SEQ ID
NO: 385)

ATGGAAAGGACCAACGATTCCACGTCGACAGAATTTTTCCTGGTAGGGCTTTCTGCCACC
CAAAGCTCCAGACAGTTTTCTTCGTTCTAATTTTGTGGATGTACCTGATGATCCTGCTTGGA
15 AATGGAGTCCTTATCTCAGTTATCATCTTTGATTCTCACCTGCACACCCCATGTATTTCTT
CCTCTGTAATCTTTCTTCCTCGACGTTTGCTACACAAGTTCCTCTGTCCCCTAATTCTTG
CCAGCTTTCTGGCAGTAAAGAAAAAGGTTTCTTCTCTGGGTGTATGGTGCAAATGTTTAT
TTCTTTTGCCATGGGGGCCACGGAGTGCATGATCTTAGGCACGATGGCACTGGACCGCTAT
GTGGCCATCTGCTACCCACTGAGATACCCTGTCATCATGAGCAAGGGTGCCTATGTGGCCA
20 TGGCAGCTGGGTCTGGGTCACTGGGCTGTGGACTCAGTAGTGACAGACAGCTTTTGCAAT
GCAGTTACCATTTCTGTGCTAATAATGTCATTAAACATTTTGTCTGTGAAATTTCTGGCTATCT
TGAAACTGGCCTGTGCTGATATTTCAATCAATGTGATTAGTATGACAGGGTCAATCTGAT
TGTTCTGGTTATTCATTGTTAGTAATTTCCATCTCTTACATATTTATTGTTGCCACTATTCT
GAGGATTCCTTCCACTGAAGGAAAAACATAAGGCCTTCTCCACCTGCTCAGCCCACCTGACA
25 GTGGTGATTATATTCTATGGAACCATCTTCTTCATGTACGCAAAGCCTGAGTCTAAAGCCT
CTGTTGATTACAGTAATGAAGACATCATTGAGGCCCTCATCTCCCTTTTCTATGGAGTGAT
GACTCCCATGCTTAATCCTCTCATCTATAGTCTGCGAAACAAGGATGTAAAGGCTGCTGTC
AAAAACATACTGTGTAGGAAAAACTTTTCTGATGGAAAATGA (SEQ ID NO: 386)

30 **AOLFR208 sequences:**

MFPANWTSVKVFFFLGFFHYPKVQVIIFAVCLLMYLITLLGNIFLISITILDSHLHTPMYFLSNL
SFLDIWYSSSALSPMLANFVSGRNTISFSGCATQMYLSLAMGSTECVLLPMMAYDRYVAICNP
LRYPVIMNRRTCVQIAAGSWMTGCLTAMVEMMSVLPLSLCGNSINHFTCEILAILKLVCVDTS
LVQLIMLVISVLLPMPMLLICISYAFILASILRISSVEGRSKAFSTCTAHLMVVVLFGYGTALSMH
35 LKPSAVDSQEIDKFMALVYAGQTPMLNPIIYSLRNKEVKVALKLLIRNHFNTAFISILK (SEQ
ID NO: 387)

ATGTTCCCGGCAAATTGGACATCTGTAAAAGTATTTTCTTCCTGGGATTTTTTCTACTACCC
CAAAGTTCAGGTCATCATATTTGCGGTGTGCTTGCTGATGTACCTGATCACCTTGCTGGGC
40 AACATTTTCTGATCTCCATCACCATTCTAGATTCCCACCTGCACACCCCTATGTACCTCTT
CCTCAGCAATCTCTCCTTTCTGGACATCTGGTACTCCTCTTCTGCCCTCTCTCCAATGCTGG
CAAACCTTTGTTTTCAGGGAGAAACACTATTTCAATTCTCAGGGTGCGCCACTCAGATGTACCT
CTCCCTTGCCATGGGCTCCACTGAGTGTGTGCTCCTGCCCATGATGGCATATGACCGGTAT
GTGGCCATCTGCAACCCCTGAGATACCCTGTCATCATGAATAGGAGAACCTGTGTGCAGA
45 TTGCAGCTGGCTCCTGGATGACAGGCTGTCTCACTGCCATGGTGGAATGATGTCTGTGCT
GCCACTGTCTCTGTGGTAATAGCATCATCAATCATTTCACTTGTGAAATTCTGGCCATCT
TGAAATTGGTTTGTGTGGACACCTCCCTGGTGCAGTTAATCATGCTGGTGATCAGTGTACT
TCTTCTCCCCATGCCAATGCTACTCATTTGTATCTCTTATGCATTTATCCTCGCCAGTATCC
TGAGAATCAGCTCAGTGGAAGGTCGAAGTAAAGCCTTTTCAACGTGCACAGCCACCTGA
50 TGGTGAGTATTTTGTCTATGGGACGGCTCTCTCCATGCACCTGAAGCCCTCCGCTGTAGA
TTCACAGGAAATAGACAAATTTATGGCTTTGGTGTATGCCGGACAAACCCCATGTTGAAT
CCTATCATCTATAGTCTACGGAACAAAGAGGTGAAAGTGGCCTTGAAAAAATTGCTGATTA
GAAATCATTTTAATACTGCCTTCATTTCCATCCTCAAATAA (SEQ ID NO: 388)

AOLFR209 sequences:

MDKINQTFVREFILLGLSGYPKLEIIFLILVMYVVLIGNGVLIASILDSRLHMPMYFFLGNLS
FLDICYTSSIPSTLVSLISKRNISFSGCAVQMFPGFAMGSTECFLLGMMAFDRYVAICNPLRY
5 PIIMNKVVYVLLTSVSWLSGGINSTVQTSLAMRWPF CGNNIINHFLCEILAVLKLACSDISVNIV
TLAVSNIAFLVPLLVIFFSYMFILYTLRTNSATGRHKAFSTCSAHLTVVIIFYGTIFFMYAKPKS
QDLLGKDNLQATEGLVSMFYGVVTPMLNPIIYSLRNKDVKAAIKYLLSRKAINQ (SEQ ID NO:
389)

10 ATGGACAAGATAAACCAGACATTTGTGAGAGAATTCATTCTTCTGGGACTCTCTGGTTACC
CCAAACTTGAGATCATTTTCTTTGCTCTGATTCTAGTTATGTACGTAGTGATTCTAATTGGC
AATGGTGTCTGATCATAGCAAGCATCTTGGATTCTCGTCTTCACATGCCCATGTAATCTT
CCTGGGCAACCTCTCTTCTGGATATCTGCTATACAACCTCCTCCATTCCCTCAACACTGG
TGAGCTTAATCTCAAAGAAAAGAAACATTTCTTCTCTGGATGTGCAGTGCAGATGTTCTT
15 TGGGTTTGCAATGGGGTCAACAGAATGTTTCTCCTTGGCATGATGGCATTGTATCGTTAT
GTGGCCATCTGTAACCCTCTGAGATACCCCATCATCATGAACAAGGTGGTGTATGTACTGC
TGACTTCTGTATCATGGCTTTCTGGTGGAATCAATTCAACTGTGCAAACATCACTTGCCAT
GCGATGGCCTTTCTGTGGGAACAATATTATTAATCATTCTTATGCGAGATCTTAGCTGTCC
TAAAATTAGCTTGTCTGATATATCTGCAATATTGTTACCCTAGCAGTGTCAAATATTGCT
20 TTCTAGTTCTTCTCTGCTCGTGATTTTTTCTCCTATATGTTTCATCCTCTACACCATCTTG
CGAACGAACTCGGCCACAGGAAGACACAAGGCATTTTCTACATGCTCAGCTCACCTGACTG
TGGTGATCATATTTTATGGTACCATCTTCTTATGTATGCAAAACCTAAGTCCCAGGACCTC
CTTGGGAAAGACAACTTGCAAGCTACAGAGGGGCTTGTTCATGTTTATGGGGTTGTGA
CCCCCATGTTAAACCCATAATCTATAGCTTGAGAAATAAAGATGTAAAAGCTGCTATAAA
25 ATATTGCTGAGCAGGAAAGCTATTAACAGTAA (SEQ ID NO: 390)

AOLFR210 sequences:

MMGRRNDTNVADFILTGLSDSEEVQMALFMLFLLIYLTMLGNVGMILLIIRLDLQLHTPMYFFL
THLSFIDLSYSTVVPKTLANLLTSNYISFTGCF AQMFCFVFLGTAECYLLSSMAYDRYAAICSP
30 LH YTVIMPKRLCLALITGPYVIGFMSDFVNVVMSRLHFCD SNIIHHFFCDTSPILALSCTD TDN
TEMLIFIAGSTLMVSLITISASYVSILSTILKINSTSGKQKAFSTCVSHLLGVTFIFYGTMIFTYLPK
RKSYSLGRDQVAPVFYTVIPMLNPLIYSLRNREVKNALIRVMQRRQDSR (SEQ ID NO: 391)

35 ATGATGGGTAGAAAGGAATGACACAAATGTGGCTGACTTCATCCTTACGGGACTGTCAGAC
TCTGAAGAGGTCCAGATGGCTCTGTTTATGCTATTTCTCCTCATATACCTAATTACTATGCT
GGGGAATGTGGGGATGCTATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATGTAT
TTTTTCCTTACTCACCTGTCATTTATTGACCTCAGTTACTCAACTGTCGTCACACCTAAAAC
CTTAGCGAACTTACTGACTTCCAATAATTTCTTACGCGGCTGCTTTGCCAGATGTTCT
40 GTTTTGTCTTCTTGGGTACTGCTGAATGTTATCTTCTCCTCAATGGCCTATGATCGCTAT
GCAGCGATCTGCAGTCTCTACACTACACAGTTATTATGCCCAAAGGCTCTGCCTCGCTC
TCATCACTGGGCCTTATGTGATTGGCTTTATGGACTCCTTTGTCAATGTGGTTTCCATGAGC
AGATTGCATTTCTGTGACTCAAACATAATTCATCACTTTTCTGTGACACTTCCCCAATTTT
AGCTCTGTCTGCTGACTGACACAGACAACACTGAAATGCTGATATTCATTATCGCTGGTTCC
ACCCTGATGGTGTCCCTTATCACAATATCTGCATCCTATGTGTCCATTCTCTCTACCATCCT
45 GAAAATTAATTCACCTTCAGGAAAGCAGAAAGCTTTCTCTACTTGCGTCTCTCATCTCTTG
GGAGTCACCATCTTCTATGGAAGTATGATTTTACTTACTTAAAGCCAAGAAAGTCTTATT
CCTTGGGAAGAGATCAAGTGGCTCCTGTGTTTTATACTATTGTGATTCCCATGCTGAATCC
ACTCATTTATAGTCTTAGAAACAGAGAAAGTGAAAAATGCTCTCATTAGAGTCATGCAGAG
AAGACAGGACTCCAGGTAG (SEQ ID NO: 392)

50

AOLFR211 sequences:

MMGRRNNTNVADFILMGLTLSEEIQMALFMLFLLIYLTMLGNVGMILLIIRLDLQLHTPMYFFL
THLSFIDLSYSTVVPKTLANLLTSNYISFTGCF AQMFFAFLGTAECYLLSSMAH DRYAAICSP
LHYTVIMSKRLCLALITGPYVIGFIDSFVNVVMSRLHFYDSNVIHHFFCDTSPILALSCTD TYNT
55 EILIFIIVGSTLMVSLFTISASYVFILFTILKINSTSGKQKAFSTCVSHLLGVTFYSTLIFTYLPK
SYSLGRDQVASVFYTVIPVLNPLIYSLRNKEVKNAVIRVMQRRQDSR (SEQ ID NO: 393)

ATGATGGGTAGAAGGAATAACACAAATGTGGCTGACTTCATCCTTATGGGACTGACACTTT
 CTGAAGAGATCCAGATGGCTCTGTTTATGCTATTTCTCCTGATATACCTAATTACTATGCTG
 GGGAAATGTGGGGATGATATTGATAATCCGCCTGGACCTCCAGCTTCACACTCCCATGTATT
 5 TTTTCCTTACTCACCTGTCATTTATTGACCTCAGTTACTCAACTGTCGTACACCTAAAACC
 TTAGCGAACTTACTGACTTCCAATAATTTTCCTTTACGGGCTGCTTTGCCAGATGTTCTT
 TTTTGCTTCTTGGGTACTGCTGAATGTTACCTTCTCTCCTCAATGGCCCATGATCGCTATG
 CAGCGATCTGCAGTCCTCTACACTACACAGTTATTATGTCCAAAAGGCTCTGCCTCGCTCT
 CATCACTGGGCCTTATGTGATTGGCTTTATAGACTCCTTTGTCAACGTGGTTTCCATGAGCA
 10 GATTGCATTTCTACGACTCAAACGTAATTCATCACTTTTCTGTGACACTTCCCAATTTTA
 GCTCTGTCTGCACCTGATACATAACAACACCGAAATCCTGATATTCATTATTGTTGGTTCCAC
 CCTGATGGTGTCCCTTTTCACAATATCTGCATCCTATGTGTTCACTTCTCTTTACCATCCTGA
 AAATTAATTCCACTTCAGGAAAGCAGAAAGCTTTCTCTACTTGCGTCTCTCATCTCTTGGG
 AGTCACCATCTTTTATAGCACTCTGATTTTACTTATTTAAAACCAAGAAAGTCTTATTCCT
 15 TGGGAAGAGATCAAGTGGCTTCTGTTTTTATACTATTGTGATTCCCGTGCTGAATCCACT
 CATTTATAGTCTTAGAAACAAAGAGGTGAAAAATGCTGTCATCAGAGTCATGCAGAGAAG
 ACAGGACTCCAGGTAA (SEQ ID NO: 394)

AOLFR212 sequences:

20 MAGNNFTEVTVFILSGFANHPELQVSLFMLFLFIYLFVLGNLGLITLIRMDSQLHTPMYFFLSN
 LAFIDIFYSSTVTPKALVNFQSNRRSISFVGCVFQMYFFVGLVCCCEFLGSMAYNRYIAICNPL
 LYSVMSQKVSNNWLGVMPYVIGFTSSLISVWVISSLAFCDSINHHFCDTTALLALSCVDTFGT
 EMVSFVLGFTLLSLLIITVTYIIISAILRIQSAAGRQKAFSTCASHLMAVTIFYGSLIFTYLPD
 NTSSLTQAQVASVFYTIVIPMLNPLIYSLRNKDVKNALLRVIHRKLFP (SEQ ID NO: 395)

25 ATGGCTGGCAACAATTTCACTGAGGTTACCGTCTTCATCCTCTCTGGATTGCAAATCACC
 CTGAATTACAAGTCAGTCTTTCTTGATGTTTCTCTTCATTTATCTATTCACTGTTTTGGGA
 AACCTGGGACTGATCACGTTAATCAGAATGGATTCTCAGCTTCACACCCCTATGTACTTTT
 TCCTGAGCAATTTAGCATTTATTGACATATTTTACTCCTCTACTGTAACACCTAAGGCATTG
 30 GTGAATTTCCAATCCAATCGGAGATCCATCTCCTTTGTTGGCTGCTTTGTTCAAATGTACTT
 TTTTGTGGATTGGTGTGTTGTGAGTGTTTCTTCTGGGATCAATGGCCTACAATCGCTACA
 TAGCAATCTGCAATCCCTTACTGTATTAGTAGTCATGTCCCAAAAAGTGTCCTCACTGGCT
 GGGAGTAATGCCATATGTGATAGGCTTCACAAGCTCGCTGATATCTGTCTGGGTGATAAGC
 AGTTTGGCGTTCTGTGATTCCAGCATCAATCATTTTTTTTGTGACACCACAGCTCTTTTAGC
 35 ACTCTCCTGTGTAGATACATTCCGGCACAGAAATGGTGAGCTTTGTCTTAGCTGGATTCACT
 CTTCTTAGCTCTCTCCTTATCATCACAGTCACTTATATCATCATCATCTCAGCCATCCTGAG
 GATCCAGTCAGCAGCAGGCAGGCAGAAAGGCCTTCTCCACCTGCGCATCCCACTCATGGCT
 GTAACATCTTTTATGGGTCTCTGATTTTACCTATTGCAACCTGATAACACATCATCGCT
 GACCAGGCGCAGGTGGCATCTGTATTCTATACGATTGTGATTCCCATGCTGAATCCACTC
 40 ATCTACAGTCTGAGGAACAAAGATGTGAAAAATGCTCTTCTGAGAGTCATACATAGAAAA
 CTTTTCCATGA (SEQ ID NO: 396)

AOLFR213 sequences:

45 MNSLGKLVSMILSAHVFCYSKFNCFGCTHSIPALGADPPGGMGLGNESSLMDFILLGFSHPRL
 EAVLFVFFVLFYLLTLVGNFTIIISYLDPLHTPMYFFLSNLSLLDICFTTSLAPQTLVNLQRPKK
 TITYGGCVAQLYISLALGSTECILLADMALDRYIAVCKPLHYVVMNPRLCQQLASISWLSGLA
 SSLIHATFTLQLPLCGNHRLDHFICEVPALLKLACVDTTVNELVLFVSVLFFVIPPALISISYGF
 IQAVLRIKSVEARHKAFTSCSSHLTVVIIFYGTIIYVYLQPSDSYAQDQGKFISLFYTMVPTLNP
 IYTLRNKDMKEALRKLLSGKL (SEQ ID NO: 397)

50 ATGAATAGTTTGGGAAAGTTGGTCTCCATGATCCTCTCAGCTCATGTGTTCTGTTATTCTAA
 ATTTAATTGTTTTGGATGTACCCATTCCATTCTGCCTTAGGTGCGGATCCCCCTGGAGGG
 ATGGGATTGGGCAATGAGAGTTCCCTAATGGATTTCATCCTTCTAGGCTTCTCAGACCACC
 CTCGTCTGGAGGCTGTTCTCTTTGTATTTGTCCTTTTCTTCTACCTCCTGACCCTTGTGGGA
 55 AACTTCACCATAATCATCATCTCATATCTGGATCCCCCTCTTCATACCCCAATGTACTTTTT
 TCTCAGCAACCTCTCTTTACTGGACATCTGCTTCACTACTAGCCTTGCTCCTCAGACCTTAG

TTAACTTGCAAAGACCAAAGAAGACGATCACTTACGGTGGTTGTGTGGCGCAACTCTATAT
 TTCTCTGGCACTGGGCTCCACTGAATGTATCCTCTTGGCTGACATGGCCTTGGATCGGTAC
 ATTGCTGTCTGCAAACCCCTCCACTATGTAGTCATCATGAACCCACGGCTTTGCCAACAGC
 TGGCATCTATCTCCTGGCTCAGTGGTTTGGCTAGTTCCTAATCCATGCAACTTTTACCTTG
 5 CAATTGCCTCTCTGTGGCAACCATAGGCTGGACCATTTTATTTGCGAAGTACCAGCTCTTCT
 CAAGTTGGCTTGTGTGGACACCACTGTCAATGAATTGGTGCTTTTTTGTGTAGTGTCTGT
 TTGTTGTCAATCCACCAGCACTCATCTCCATCTCCTATGGCTTCATAACTCAAGCTGTGCTG
 AGGATCAAATCAGTAGAGGCAAGGCATAAAGCCTTCAGCACCTGCTCCTCCACCTTACAG
 TGGTGATTATATTCTATGGCACCATAATCTACGTGTACCTGCAACCTAGTGACAGCTATGC
 10 CCAGGACCAAGGGAAGTTTATCTCCCTCTTCTACACCATGGTGACCCCCACTTTAAATCCT
 ATCATCTATACTTTAAGGAACAAGGATATGAAAGAGGCTCTGAGGAACTTCTCTCGGGA
 AAATTGTGA (SEQ ID NO: 398)

AOLFR214 sequences:

15 MDKSNSSVSEFVLLGLCSSQKLQLFYFCFFSVLYTVIVLGNLLIILTVTSDTSLHSPMYFLLGN
 LSFVDICQASFTPCKMIADFLSAHETISFSGCIAQIFFIHLFTGGEMVLLVSMAYDRYVAICKPLY
 YVIMSRRCTVLVMISWAVSLVHTLSQLSFTVNLPCGPNVVDSSFFCDLPRVTKLACLDSEIIE
 ILIVVNSGILSLSTFSLVSSYIIILVTWVKSSAAMAKAFSTLASHIAVVILFFGPCIFYVWPFTIS
 PLDKFLAIFYTVFTPVLNPIIYTLNRNRMKAAVRKIVNHYLRPRRISEMSLVVRTSFH (SEQ ID
 20 NO: 399)

ATGGATAAGTCCAATTCTTCAGTGGTGTCTGAATTTGTAAGTGTGGGACTCTGTAGTTCTC
 AAAAAGTCCAGCTTTTCTATTTTTGTTTCTCTCTGTGTGTATACAGTCATTGTGCTGGGA
 AATCTTCTCATTATCCTCACAGTGACTTCTGATACCAGCCTGCACTCCCCTATGTACTTTCT
 25 CTTGGGAAACCTTTCTTTGTTGACATTTGTCAGGCTTCTTTTGCTACCCCTAAAATGATTG
 CAGATTTTCTGAGTGCACACGAGACCATATCTTTCAGTGGCTGCATAGCCCAAATTTTCTT
 ATTCACCTTTTTACTGGAGGGGAGATGGTGCTACTTGTTCGATGGCCTATGACAGGTATG
 TAGCCATATGCAAACCTTATACTATGTGGTCATCATGAGCCGAAGGACATGCACTGTCTT
 GGTAATGATCTCCTGGGCTGTGAGCTTGGTGACACATTAAGCCAGTTATCATTACTGTG
 30 AACCTGCCTTTTTGTGGACCTAATGTAGTAGACAGCTTTTTTGTGATCTTCTCGAGTCAC
 CAAACTTGCTGCCTGGACTCTTACATCATTGAAATACTAATTGTGGTCAATAGTGGAATT
 CTTTCCCTAAGCACTTTCTCTCTCTTGGTCAGCTCCTACATCATTATTCTTGTTACAGTTG
 GCTCAAGTCTTCAGCTGCAATGGCAAAGGCATTTTCTACGCTGGCTTCCCATATTGCAAGTA
 GTAATATTATTCTTTGGACCTTGCATCTTACATCTATGTGTGGCCCTTACCATCTCTCCTTT
 35 GGATAAATTTCTTGCCATATTTTACACTGTTTTACCCCCGTCCTAAACCCCATTTATATA
 CACTAAGGAATAGGGATATGAAGGCTGCCGTAAGGAAAATTGTGAACCATACCTGAGGC
 CAAGGAGAATTTCTGAAATGTCACTAGTAGTGAGAACTTCTTTTCATTAA (SEQ ID NO:
 400)

AOLFR215 sequences:

40 MAHTNESMVSEFVLLGLSNSWGLQLFFFAIFSIVYVTSVLGNVLIIVISFDSHLNSPMYFLLSNL
 SFIDICQSNFATPKMLVDFFIERKTISFEGCMAQIFVLHSFVGSEMMLLVAMAYDRFIAICKPLH
 YSTIMNRRLCVIFVSISWAVGVLHVSFLAFTVDLPFCGPNVVDSSFFCDLPLVIELACMDTYEM
 EIMTLTNSGLISLSCFLALISYTIILIGVRCRSSGSSKALSTLTAHITVVILFFGPCIFYWPFPSRL
 45 PVDKFLSVFYTVCTPLNPIIYSLRNEDVKAAMWKLNRHHVNSWKN (SEQ ID NO: 401)

ATGGCTCACACAAATGAATCGATGGTGTCTGAGTTTGTACTTTTGGGACTCTCTAATTCCT
 GGGGACTTCAACTTTTCTTTTCGCCATCTTCTCTATAGTCTATGTGACATCAGTGCTAGGC
 AATGCTTAATTATTGTCAATTATTCTTTTACTCCCATTTGAACTCTCCTATGTACTTCTTG
 50 CTCAGTAATCTTTCTTTTCAATTGATATCTGTCACTTAACCTTTGCCACCCCCAAGATGCTTGT
 AGACTTTTTTATTGAGCGCAAGACTATCTCCTTTGAGGGTTGCATGGCCAGATATTCTGTT
 CTTACAGTTTTGTTGGGAGTGAGATGATGTTGCTTGTAGCTATGGCATATGACAGATTTA
 TAGCCATATGTAAGCCTCTGCACTACAGTACAATTATGAACCGGAGGCTCTGTGTAATTTT
 TGTGTCTATTTCTGGGCGGTGGGCGTTCTTCAATTCTGTGAGCCACTTGGCTTTTACAGTGG
 55 ACCTGCCATTCTGTGGTCCCAATGAGGTGGATAGCTTCTTTTGTGACCTTCCCTTGGTGATA
 GAGCTGGCTTGCATGGATACATATGAAATGGAAATTATGACCCTAACGAACAGTGGCCTG

ATATCATTGAGCTGTTTCCTGGCTTTAATTATTTCTACACCATCATTTTGATCGGTGTCCG
 ATGCAGGTCCTCCAGTGGGTCATCTAAGGCTCTTTCTACATTAAGTCCCACATCACAGTG
 GTCATTCTTTCTTCGGGCCTTGCATTATTTCTATATATGGCCTTTTAGCAGACTTCCTGT
 5 GGACAAATTTCTTTCTGTGTTCTACACTGTTTGTACTCCCTTGTGAACCCCATCATCTACT
 CTTTGAGGAATGAAGATGTTAAAGCAGCCATGTGGAAGCTGAGAAACCATCATGTGAAC
 CCTGGAAAACTAG (SEQ ID NO: 402)

AOLFR216 sequences:

MDVGNKSTMSEFVLLGLSNSWELQMFFFMVFSLLYVATMVGNLIVITVIVDPHLHSPMYFLL
 10 TNLSIIDMSLASFATPKMITDYLTHGKTISFDGCLTQIFFLHLFTGTEILLMAMSFDRYIAICKPL
 HYASVISPVQVCVALVVASWIMGVMHMSMQVIFALTLPCGPYEVDSPFCDLPVVFQLACVDY
 VLGLFMISTSGIILSCFIVLFSYVIVLVTVKHSSRGSSKALSTCTAHFIVVFLFFGPCIFIYMW
 PLSSFLTDKILSVFYTIPTPLNPIIYTLRNQEVKIAMRKLKNRFLNFKAMPS (SEQ ID NO: 403)

15 ATGGATGTGGGCAATAAGTCTACCATGTCTGAATTTGTTTTGCTGGGGCTCTCTAATTCCT
 GGGAACCTACAGATGTTTTCTTTATGGTGTTCATTGCTTTATGTGGCAACAATGGTGGG
 TAACAGCCTCATAGTCATCACAGTTATAGTGGACCCTCACCTACACTCTCCTATGTATTTCC
 TGCTTACCAATCTTTCAATCATTGATATGTCTCTTGCTTCTTCGCCACCCCAAAGATGATT
 ACAGATTACCTAACAGGTCACAAAACCATCTCTTTTGATGGCTGCCTTACCCAGATATTCT
 20 TTCTCCACCTTTTCACTGGAACCTGAGATCATCTTACTCATGGCCATGTCCTTTGATAGGTAT
 ATTGCAATATGCAAGCCCCTGCACTATGCTTCTGTCTATTAGTCCCCAGGTGTGTGTGCTCT
 CGTGGTGGCTTCTCGGATTATGGGAGTTATGCATTCAATGAGTCAGGTCATATTTGCCCTC
 ACGTTACCATTCTGTGGTCCCTATGAGGTAGACAGCTTTTCTGTGACCTTCTGTGGTGT
 CCAGTTGGCTTGTGTGGATACTTATGTTCTGGGCCTCTTTATGATCTCAACAAGTGGCATA
 25 ATTGCGTTGTCCTGTTTTATTGTTTTATTAAATTCATATGTTATTGTCCTGGTTACTGTGAA
 GCATCATTCTTCCAGAGGATCATCTAAGGCCCTTTCTACTTGTACAGCTCATTTTATTGTTG
 TCTTCTTGTCTTTGGGCCATGCATCTTCATCTACATGTGGCCACTAAGCAGCTTTCTCACA
 GACAAGATTCTGTCTGTGTTTTATAACCATCTTACTCCCACTCTGAACCAATAATCTATAC
 TTTGAGGAATCAAGAAGTAAAGATAGCCATGAGGAACTGAAAAATAGGTTTCTAAATTT
 30 TAATAAGGCAATGCCTTCATAG (SEQ ID NO: 404)

AOLFR217 sequences:

MLESFQKSEQMAWSNQSAVTEFILRGLSSSLELQIFYFLFFSIVYAATVLGNLLIVVTIASEPHLH
 SPTYFLLGNLSFIDMSLASFATPKMIADFLREHKAISFEGCMTQMFFLHLLGGAEIVLLISMSFD
 35 RYVAICKPLHYLTIMSRMCVGLVILSWIVGIFHALSQLAFTVNLPCGPNEVDSPFCDLPVVIK
 LACVDYIILGVFMISTSGMIALVCFILLVISYTHLVTVRQRSSGGSSKALSTCSAHFTVVTLLFFGP
 CTFIYVWFPTNFPIDKVLVSVFYTIYTPLLNPVIYTVRNKDVKYSMRKLSSHIFKSRKTDHTP
 (SEQ ID NO: 405)

40 ATGCTAGAGTCCTTCCAGAAATCAGAGCAAATGGCCTGGAGCAATCAGTCTGCGGTAACC
 GAATTCATACTACGGGGTCTGTCCAGTTCTTTAGAACTCCAGATTTTCTACTTCCTGTTTTT
 CTCCATAGTCTATGCAGCCACTGTGCTGGGGAACCTTCTTATTGTGGTCACCATTGCATCA
 GAGCCACACCTTCATTCCCCCTACGTACTTTCTGCTGGGCAATCTCTCCTTCATTGACATGTC
 CCTGGCCTCATTGTCACCCCAAAATGATTGCAGACTTCCTTAGAGAACACAAAGCCATC
 45 TCTTTTGAAGGCTGCATGACCCAGATGTTCTTCTACATCTCTTAGGGGGTGCTGAGATTG
 TACTGCTGATCTCCATGTCCTTTGATAGGTACGTGGCTATCTGTAAGCCTCTACATTACCTA
 ACAATCATGAGCCGAAGAATGTGTGTTGGGCTTGTGATACTTTCTGATTGTTCGGCATCT
 TCCATGCTCTGAGTCAGTTAGCATTTACAGTGAATCTGCCCTTCTGTGGACCCAATGAAGT
 AGACAGTTTCTTTTGTGACCTCCCTTTGGTGATTAAACTTGCTTGTGTCGACACATATATTC
 50 TGGGGGTGTTTCATGATCTCAACCAGTGGCATGATTGCCCTGGTGTGCTTCATCCTCTTGGT
 GATCTCTTACACTATCATCCTGGTCACCGTTTCGGCAGCGTTCCTCTGGTGGATCCTCCAAA
 GCCCTCTCCACGTGCAGTGCCCACTTTACTGTTGTGACCCCTTTCTTTGGCCCATGCACTTT
 CATTTATGTGTGGCCTTTCACAAATTTCCCAATAGACAAAGTACTCTCAGTATTTTATACCA
 TATACACTCCCCTCTTGAATCCAGTGATCTATACCGTTAGGAATAAAGATGTCAAGTATTC
 55 CATGAGGAACTAAGCAGCCATATCTTTAAATCTAGGAAGACTGATCATACTCCTTAA
 (SEQ ID NO: 406)

AOLFR218 sequences:

METANYTKVTEFVLTGLSQTREVQLVLFVIFLSFYLFILPGNLIICTIRLDPHILTSPMYFLLANLA
LLDIWYSSITAPKMLIDFFVERKIISFGGCIQLFFLHFVGASEMFLLIVMAYDRYAAICRPLHYA
5 TIMNRRLLCCILVALSWMGGFIHSIIQVALIVRLPFCGPNELDSYFCDITQVVRIACANTFPEELVM
ICSSGLISVVCFIALLMSYAFLLALLKKHSGSDENTNRAMSTCYSHITIVLTMFGPSIYIYARPD
SFSLDKVVSVFHTVIFPLNPIIYTLRNKEVKAAMRKVVTKYILCEEK (SEQ ID NO: 407)

10 ATGGAAACTGCAAATTACACCAAGGTGACAGAATTTGTTCTCACTGGCCTATCCCAGACTC
GGGAGGTCCAACTAGTCCTATTTGTTATATTTCTATCCTTCTATTTGTTTCATCCTACCAGGA
AATATCCTTATCATTTGCACCATCAGGCTAGACCCTCATCTGACTTCTCCTATGTATTTCT
GTTGGCTAATCTGGCCCTCCTTGATATTTGGTACTCTTCCATTACAGCCCCTAAATGCTCA
TAGACTTCTTTGTGGAGAGGAAGATAATTTCTTTGGTGGATGCATTGCACAGCTCTTCTT
CTTACACTTTGTTGGGGCTTCGGAGATGTTCTTGCTCATAGTGATGGCCTATGACCGCTAT
15 GCTGCTATCTGCCGACCCCTCCACTATGCTACCATCATGAATCGACGTCTCTGCTGTATCCT
GGTGGCTCTCTCCTGGATGGGGGGCTTCATTCTATAATACAGGTGGCTCTCATTGTT
CGACTTCCTTTCTGTGGGCCCAATGAGTTAGACAGTTACTTCTGTGACATCACACAGGTTG
TCCGGATTGCCTGTGCCAACACCTTCCCAGAGGAGTAGTGATGATCTGTAGTAGTGGTCT
GATCTCTGTGGTGTGTTTCATTGCTCTGTTAATGTCCTATGCCTTCTTCTGGCCTTGCTCA
20 AGAAACATTCAAGCTCAGATGAGAATACCAACAGGGCCATGTCCACCTGCTATCCCACAT
TACCATTGTGGTGCTAATGTTTGGGCCATCCATCTACATTTATGCTCGCCCATTTGACTCAT
TTTCCCTAGATAAAGTGGTGTCTGTGTTTCTACTGTAATATTCCCTTTACTTAATCCCAT
ATTTACACATTGAGAAACAAGGAAGTAAAGGCAGCCATGAGGAAGGTGGTCACCAAATAT
ATTTTGTGTGAAGAGAAGTGA (SEQ ID NO: 408).

25

AOLFR219 sequences:

MLTSLTDLCSPIQVAEIKSLPKSMNETNHSRVTEFVLLGLSSSRELQPFLFLTFSLLYLAILLGNF
LIILTIVTSDSRLHTPMYFLLANLSFIDVCVASFATPKMIADFLVERKTISFDACLAQIFFVHLFTGS
EMVLLVSMAYDRYVAICKPLHYMTVMSRRVCVVLVLISWVFGFIHTTSQLAFTVNLFPFCGPN
30 KVDSFFCDLPLVTKLACIDTYVVSLLIVADSGFLSLSSFLLLVSYSYTVILVTVNRNSSASMAKAR
STLTAHITVTVLFFGPCIFIYVWPSSYSVDKVLAVFYTIFTLILNPVIYTLRNKEVKAAMSKLKS
RYLKPSQVSVVIRNVLFLETK (SEQ ID NO: 409).

35 ATGCTCACTTCATTAAGTATGATCTCTGTTTCTCTCCTATTCAGGTAGCTGAAATTAAGTCCCT
TCCAAAATCGATGAATGAGACAAATCATTCTCGGGTGACAGAATTTGTGTTGCTGGGACTG
TCTAGTTCAAGGGAGCTCCAACCTTTCTTGTTTCTTACATTTTCACTACTTTATCTAGCAAT
TCTGTTGGGCAACTTTCTCATCATCCTCACTGTGACCTCAGATTCCCGCCTTCACACCCCCA
TGTACTTTCTGCTTGCAAACCTGTCATTTATAGACGTATGTGTTGCCTCTTTTGCTACCCCT
AAAATGATTGCAGACTTTCTGGTTGAGCGCAAGACTATTTCTTTTGATGCCTGCCTGGCCC
40 AGATTTTCTTTGTTTCATCTCTTCACTGGCAGTGAAATGGTGCTCCTAGTTTCCATGGCCTAT
GACCGTTATGTTGCTATATGCAAACCTCTCCACTACATGACAGTCATGAGCCGTCGTGTAT
GTGTTGTGCTCGTCTCATTTCATGGTTTGTGGGCTTCATCCATACTACCAGCCAGTTGGCA
TTCAGTGTTAATCTGCCATTTGTGGTCTTAATAAGGTAGACAGTTTTTTCTGTGACCTTCC
TCTAGTGACCAAGTTAGCCTGCATAGACACTTATGTTGTCAGCTTACTAATAGTTGCAGAT
45 AGTGGCTTTCTTTCTCTGAGTTCCTTTCTCCTCTTGTTGTCTCCTACACTGTAATACTTGT
ACAGTTAGGAATCGTCTCTGCAAGCATGGCGAAGGCCCGCTCCACATTGACTGCTCACA
TCACTGTGGTCACTTTATTCTTTGGACCATGCATTTTCATCTATGTGTGGCCCTTCAGCAGT
TACTCAGTTGACAAAGTCCTTGCTGTATTCTACACCATCTTCACGCTTATTTTAAACCCTGT
AATCTACACGCTAAGAAACAAAGAAGTGAAGGCAGCTATGTCAAACTGAAGAGTCGGTA
50 TCTGAAGCCTAGTCAGGTTTCTGTAGTCATAAGAAATGTTCTTTTCTAGAAACAAAGTAA
(SEQ ID NO: 410).

AOLFR220 sequences:

MKQYSVGNQHSNYRSLFPFLCSQMTQLTASGNQTMVTEFLFSMPHAHRGGLLFFIPLLLIYG
55 FILTGNLIMFIVIQVGMALHTPLYFFISVLSFLEICYTTTTIPKMLSCLISEQKSISVAGCLLQMYFF
HSLGITESCULTAMAIDRYAICNPLRYPTIMIPKLCIQLTVGSCFCGFLVLPEIAWISTLPFCGS

NQIHQIFCDFTPVLSLACTDTFLVVIVDAIHAAEIVASFLVIALSYIRIIIVILGMHSAEGHHKAFST
CAAH LAVFLFFGSAVMYLRFSATYSVFWDTAIAVTFVILAPFFNPIIYSLKNKDMKEAIGRLF
HYQKRAGWAGK (SEQ ID NO: 411).

5 ATGAAGCAATATTCAGTGGGTAATCAACATTCCAATTATAGGAGTCTCTTGTTCCTTTTCT
GTGTTACAGATGACACAGTTGACGGCCAGTGGGAATCAGACAATGGTGACTGAGTTCCT
CTTCTCTATGTTCCCGCATGCGCACAGAGGTGGCCTCTTATTCTTTATTCCCTTGCTTCTCA
TCTACGGATTTATCCTAACTGGAAACCTAATAATGTTCAATTGTCATCCAGGTGGGCATGGC
CCTGCACACCCCTTTGTATTTCTTTATCAGTGTCTCTCCTTCCTGGAGATCTGCTATACCA
10 CAACCACCATCCCCAAGATGCTGTCTGCCTAATCAGTGAGCAGAAGAGCATTTCCTGGGC
TGGCTGCCTCCTGCAGATGTACTTTTTCCACTCACTTGGTATCACAGAAAGCTGTGTCCTG
ACAGCAATGGCCATTGACAGGTACATAGCTATCTGCAATCCACTCCGTTACCCAACCATCA
TGATTCCCAAACCTTTGTATCCAGCTGACAGTTGGATCCTGCTTTTGTGGCTTCCTCCTTGTG
CTTCTGAGATTGCATGGATTTCCACCTTGCTTTCTGTGGCTCCAACCAGATCCACCAGAT
15 ATTCTGTGATTTACACCTGTGCTGAGCTTGGCCTGCACAGATACATTCCATAGTGGTCATT
GTGGATGCCATCCATGCAGCGGAAATTGTAGCCTCCTTCCTGGTCATTGCTCTATCCTACA
TCCGGATTATTATAGTGATTCTGGGAATGCACTCAGCTGAAGGTCATCACAAGGCCTTTTC
CACCTGTGCTGCTCACCTTGCTGTGTTCTTGCTATTTTTTGGCAGTGTGGCTGTCATGTATT
TGAGATTCTCAGCCACCTACTCAGTGTGTTGGGACACAGCAATTGCTGTCACTTTTGTATC
20 CTTGCTCCCTTTTTCAACCCCATCATCTATAGCCTGAAAAACAAGGACATGAAAGAGGCTA
TTGGAAGGCTTTTCCACTATCAGAAGAGGGCTGGTTGGGCTGGGAAATAG (SEQ ID NO:
412).

AOLFR221 sequences:

25 MRNLSGGHVEFVLVGFPPTPPLQLLFVLFFAIYLLTLENALIVFTIWLAPSLHRPMYFFLGH
LSFLELWYINVTIPRLAAFLTQDGRVSYVGCMTQLYFFIALACTECVLLAVMAYDRYLAICGP
LLYPSLMPSSLATRLAAASWGSFSSMMKLLFISQLSYCGPNIIHFFCDISPLNLTCSDEKEA
ELVDFLLALVMILLPLLAVSSYTAIIAAILRIPTSRGRHKAFSTCAHLAVVVIYSSLTFTYAR
PRAMYTFNHNKIISVLYTIIVPFFNPAIYCLRNKEVKEAFRKTVMGRCHYPRDVQD (SEQ ID
30 NO: 413).

ATGAGAAATTTGAGTGGAGGCCATGTGCGAGGAGTTTGTCTTGGTGGGTTTCCCTACCACGC
CTCCCCTCCAGCTGCTCCTCTTTGTCTTTTTTTTGCAATTTACCTTCTGACATTGTTGGAGA
ATGCACTTATTGTCTTCACAATATGGCTTGCTCCAAGCCTTCATCGTCCCATGTACTTTTTC
35 CTGGCCATCTCTCTTTCTGGAGCTATGGTACATCAATGTCAACCATTCCTCGGCTCTTGGC
AGCCTTTCTTACCCAGGATGGTAGAGTCTCCTACGTAGGTTGCATGACCCAACTGTACTTC
TTTATTGCCTTAGCCTGTACTGAATGTGTGCTGTTGGCAGTTATGGCCTATGATCGCTACCT
GGCCATCTGTGGACCCCTCCTTTACCCTAGTCTCATGCCTTCCAGTCTGGCCACTCGCCTTG
CTGCTGCCTCTTGGGCGAGTGGCTTCTTCAGCTCCATGATGAAGCTTCTTTTATTTCCCAA
40 TTGTCTACTGTGGACCCAACATTATCAACCCTTTTTCTGTGATATTCCCCACTACTCAA
CCTCACCTGCTCTGACAAGGAGCAAGCAGAGCTAGTAGACTTCTTCTGGCCCTGGTGATG
ATTCTACTCCCTCTATTGGCTGTGGTTTCATCATACTGCCATCATTGCAGCCATCCTGAG
GATCCCTACGTCCAGGGGACGCCACAAAGCCTTTTCCACTTGTGCCGCTCATCTGGCAGTG
GTTGTTATCTACTACTCCTCCACTCTCTTACCTATGCACGGCCCCGGCCATGTACACCTT
45 CAACCACAACAAGATTATCTCTGTGCTCTACACTATCATTGTACCATTCTTCAACCCAGCCA
TCTACTGCCTGAGGAACAAGGAGGTGAAGGAGGCCTTCAAGGAAGACAGTGATGGGCAGAT
GTCATATCCTAGGGATGTTTCAAGACTGA (SEQ ID NO: 414).

AOLFR222 sequences:

50 MGQTNVTSWRDFVFLGFSSSGELQLLFALFLSLYLVTLTNSVFIIAIRLDSHLHTPMYFLSFL
SFSETCYTLGIIPRMLSLAGGDQAISYVGCAAQMFFSASWACTNCFLLAAMGFDRYVAICAPL
HYASHMNPTLCAQLVITSFLTGYLFGGLMTLVIFHLSFCSSHEIQHFFCDTPPVLSLACGDTGPS
ELRIFILSLLVLLVSFFFITISYAYILAILRIPSAEGQKKAFSTCASHLTVVIIHYGCASFVYLRPK
ASYSLERDQLIAMTYTVVTPLNPIVYSLRTRAIQTALRNAFRGRLLGKG (SEQ ID NO: 415).
55

ATGGGGCAGACCAACGTAACCTCCTGGAGGGATTTTGTCTTCTGGGCTTCTCCAGTTCTG
 GGGAGTTGCAGCTCCTTCTCTTTGCCTTGTTCCTCTCTGTATCTAGTCACTCTGACCAGC
 AATGTCTTCATTATCATAGCCATCAGGCTGGATAGCCATCTGCACACCCCCATGTACCTCTT
 CTTTCCCTTCTATCCTTCTCTGAGACCTGCTACACTTTGGGCATCATCCCTAGAAATGCTCT
 5 CTGGCCTGGCTGGGGGGGACCAGGCTATCTCCTATGTGGGCTGTGCTGCCCAGATGTTCTT
 TTCTGCCTCATGGGCTGTACTAACTGCTTCCTTCTGGCTGCCATGGGCTTTGACAGATATG
 TGGCCATCTGTGCTCCACTCCACTATGCCAGCCACATGAATCCTACCCTCTGTGCCCAGCT
 GGTCATTACTTCCTTCTGACTGGATACCTCTTTGGACTGGGAATGACACTAGTTATTTTCC
 ACCTCTCATTCTGCAGCTCCCATGAAATCCAGCACTTTTTTTGTGACACGCCACCTGTGCTG
 10 AGCCTAGCCTGTGGAGATACAGGCCCGAGTGAGCTGAGGATCTTTATCCTCAGTCTTTTG
 TCCTCTTGGTCTCCTTCTTCTTCATCACCATCTCCTACGCCTACATCTTGGCAGCAATACTG
 AGGATCCCCCTCTGCTGAGGGGCAGAAGAAGGCCTTCTCCACTTGTGCCTCGCACCTTACAG
 TGGTCATTATTATTATGGCTGTGCTTCTTCTGTACCTGAGGCCCAAAGCCAGCTACTCT
 CTTGAGAGAGATCAGCTTATTGCCATGACCTATACTGTAGTGACCCCCCTCCTTAATCCCA
 15 TTGTTTATAGTCTAAGGACTAGGGCTATACAGACAGCTCTGAGGAATGCTTTCAGAGGGAG
 ATTGCTGGGTAAAGGATGA (SEQ ID NO: 416).

AOLFR223 sequences:

20 MEAANESSEGISFVLLGLTTPGQQRPLFVLFLLLYVASLLGNGLIVAAIQASPALHAPMYFLLA
 HLSFADLCFASVTPKMLANLLAHDHSISLAGCLTQMYFFALGVTDSCLLAAMAYDCYVAIR
 HPLPYATRMSRAMCAALVGMWLVSHVHSLLYLLMARLSFCASHQVPHFFCDHQPLRLSL
 SDTHHIQLLIFTEGAADVTPFLILASYGAIAAAVLQLPSASGRRLRAVSTCGSHLAVVSLFYGT
 VIAVYFQATSRREAEGWRVATVMYTVVTPMLNPIIYSLWNRDVQALRALLIGRRISASDS
 (SEQ ID NO: 417).

25 ATGGAGGCTGCCAATGAGTCTTCAGAGGGAATCTCATTCGTTTTATTGGGACTGACAACAA
 GTCCTGGACAGCAGCGCCTCTCTTTGTGCTGTTCTTGTCTTGTATGTGGCCAGCCTCCTG
 GGTAATGGACTCATTGTGGCTGCCATCCAGGCCAGTCCAGCCCTTCATGCACCCATGTACT
 TCCTGCTGGCCCACTGTCTTTGCTGACCTCTGTTTCGCCTCCGTCACTGTGCCAAAGATG
 30 TTGGCCAACTTGTGGCCCATGACCACTCCATCTCGCTGGCTGGCTGCCTGACCCAAATGT
 ACTTCTTCTTTGCCCTGGGGGTAAGTATAGCTGTCTTCTGGCGGCCATGGCCTATGACTG
 CTACGTGGCCATCCGGCACCCCCCTCCCTATGCCACGAGGATGTCCCGGGCCATGTGCGCA
 GCCCTGGTGGGAATGGCATGGCTGGTGTCCACGTCCACTCCCTCCTGTATATCCTGTCTCA
 TGGCTCGCTTGTCTTCTGTGCTTCCACCAAGTGCCCCACTTCTTCTGTGACCACCAGCCT
 35 CTCTTAAGGCTCTCGTGCTCTGACACCCACCACATCCAGCTGCTCATCTTACCGAGGGCG
 CCGCAGTGGTGGTCACTCCCTTCTGCTCATCCTCGCCTCCTATGGGGCCATCGCAGCTGC
 CGTGCTCCAGCTGCCCTCAGCCTCTGGGAGGCTCCGGGCTGTGTCCACCTGTGGCTCCCAC
 CTGGCTGTGGTGAACCTCTTCTATGGGACAGTCATTGCAGTCTACTTCCAGGCCACATCCC
 GACGCGAGGCAGAGTGGGGCCGTGTGGCCACTGTCATGTACACTGTAGTCACCCCATGC
 40 TGAACCCCATCATCTACAGCCTCTGGAATCGCGATGTACAGGGGGCACTCCGAGCCCTTCT
 CATTGGGCGAAGGATCTCAGCTAGTGACTCCTGA (SEQ ID NO: 418).

AOLFR224 sequences:

45 MGSFNTSFEDGFILVGFSDWPQLEPILVFIFIFYSLLTFLGNTIIHALSWLDLRLHTPMYFFLSHL
 LDLCFTTSTVPQLLINLCGVDRITTRGGCVQAQLFIYLALGSTECVLLVVMADFDRYAACVCRPLHY
 MAIMHPHLCQTLAIASWGAGFVNSLIQTGLAMAMPLCGHRLNHFFCEMPVFLKLACADTEGT
 EAKMFVARVIVVAVPAALILGSYVHIAHAVLRVKSTAGRRKAFGTGSHLLVVFLFYGSAIYT
 YLQSIHNYSEREGKFVALFYTIITPILNPLIYTLRNDVKALWKVLWRGRDSG (SEQ ID NO:
 419).

50 ATGGGAAGTTTCAACACCAGTTTGAAGATGGCTTCATTTTGGTGGGATTCTCAGATTGGC
 CGCAACTGGAGCCCATCCTGTTTGTCTTTATTTTATTTTCTACTCCCTAACTCTCTTTGGC
 AACACCATCATCATCGCTCTCTCCTGGCTAGACCTTCGGCTGCACACACCTATGTACTTCTT
 TCTCTCTCATCTGTCCCTCCTGGACCTCTGCTTACCACCAGCACCGTGCCCCAGCTCCTGA
 55 TCAACCTTTGCGGGGTGGACCGACCATCACCCGTGGAGGGTGTGTGGCTCAGCTCTTCAT
 CTACCTAGCCCTGGGCTCCACAGAGTGTGTGCTCCTGGTGGTGATGGCCTTTGACCGCTAT

GCTGCTGTCTGTCGTCCACTCCACTACATGGCCATCATGCACCCCCATCTCTGCCAGACCCCT
 GGCTATCGCCTCCTGGGGTGC GG GTTTCGTGAACTCTCTGATCCAGACAGGTCTCGCAATG
 GCCATGCCTCTCTGTGGCCATCGACTGAATCACTTCTTCTGTGAGATGCCTGTATTTCTGAA
 GTTGGCTTGTGCGGACACAGAAGGAACAGAGGCCAAGATGTTTGTGGCCCGAGTCATAGT
 5 CGTGGCTGTTCCCTGCAGCACTTATTCTAGGCTCCTATGTGCACATTGCTCATGCAGTGCTG
 AGGGTGAAGTCAACGGCTGGGCGCAGAAAGGCTTTTGGGACTTGTGGGTCCACCTCCTA
 GTAGTTTTCCTTTTTTATGGCTCAGCCATCTACACATATCTCCAATCCATCCACAATTATTC
 TGAGCGTGAGGGAAAATTTGTTGCCCTTTTTTATACTATAATTACCCCATCTCAATCCTC
 TCATTTATACACTAAGAAACAAGGACGTGAAGGGGGCTCTGTGGAAGTACTATGGAGGG
 10 GCAGGGACTCAGGGTAG (SEQ ID NO: 420).

AOLFR225 sequences:

MENYNQTSTDFILLGLFPPSIIDLFFFILIVFIFLMALIGNLSMILLIFLDTHLHTPMYFLLSQLSLID
 LNYISTIVPKMASDFLHGKNSISFTGCGIQSFFFLALGGAEALLASMA YDRYIAICFPLHYLIRM
 15 SKRVCVLMITGSWIIGSINACAHTVYVLHIPYCRSRAINHFFCDVPAMVTLACMDTWVYEGTV
 FLSATIFLVFPFIGISCSYGQVLFVYHMKSAEGRKKA YLTCSTHLTVVTFYYAPFVYTYLRPRS
 LRSPTEDKVLAVFYTILTPMLNPIIYSLRNKEVMGALTRVSQRICSVKM (SEQ ID NO: 421).

ATGGAAAATTACAATCAAACATCAACTGATTTTCATCTTATTGGGGCTGTTTCCACCATCAA
 20 TAATTGACCTTTTCTTCTTCATTCTCATTGTTTTCATTTTCCTGATGGCTCTAATTGGAAACC
 TGTCCATGATTCTTCTCATCTTCTTGGACACCCATCTCCACACACCCATGTATTTCTACTG
 AGTCAGCTCTCCCTCATTGACCTAAATTACATCTCCACCATTTGTTCTAAGATGGCATCTGA
 TTTTCTGCATGGAAACAAGTCTATCTCCTTCACTGGGTGTGGGATTCAGAGTTTCTTCTCT
 TGGCATTAGGAGGTGCAGAAGCACTACTTTTGGCATCTATGGCCTATGATCGTTACATTGC
 25 TATTTGCTTTCTCTCCACTATCTCATCCGCATGAGCAAAAGAGTGTGTGTGCTGATGATA
 ACAGGGTCTTGGATCATAGGCTCGATCAATGCTTGTGCTCACACTGTATATGTACTCCATA
 TTCCTTATTGCCGATCCAGGGCCATCAATCATTTCTTCTGTGATGTCCCAGCAATGGTGACT
 CTGGCCTGCATGGACACCTGGGTCTATGAGGGGCACAGTGTTTTTGAGTGCCACCATCTTTC
 TCGTGTITCCCTTCATTGGTATTTTCATGTTCCTATGGCCAGGTTCTCTTTGCTGTCTACCAC
 30 ATGAAATCTGCAGAAGGGAGGAAGAAAGCCTATTTGACCTGCAGCACCCACCTCACTGTA
 GTAACCTTCTACTATGCACCTTTTGTCTACACTTATCTACGTCCAAGATCCCTGCGATCTCC
 AACAGAGGACAAGGTTCTGGCTGTCTTCTACACCATCCTCACCCCAATGCTCAACCCCATC
 ATCTATAGCCTGAGGAACAAGGAGGTGATGGGGGCCCTGACACGAGTGAGTCAGAGAATC
 TGCTCTGTGAAAATGTAG (SEQ ID NO: 422).

AOLFR226 sequences:

MEWRNHSGRVSEFVLLGFPAPAPLQVLLFALLLLAYVLVTENTLIIMAIRNHSTLHKPMYFFL
 ANMSFLEIYWYVTVTIPKMLAGFVGSQDHGQLISFEGCMTQLYFFLGLGCTECVLLAVMAYD
 RYMAICYPLHYVIVSGRLCVQMAAGSWAGGFGISMVKVFLISGLSYCGPNIINHFFCDVSPLL
 40 NLSCTDMSTAELTDFILAIFILLGPLSVTGASYVAITGAVMHISAAAGRYKAFSTCASHLTVVIIF
 YAASIFIYARPKALSAFDTNKLVSVLYAVIVPLLNPIIYCLRNQEVKRALCCTLHLYQHQPDP
 KKASRVN (SEQ ID NO: 423).

ATGGAGTGGCGGAACCATAGTGGGAGAGTGAGTGAGTTTGTGTTGCTGGGCTTCCCTGCT
 45 CCTGCGCCACTACAGGTACTATTGTTTGCCCTTTTGTGCTGGCCTATGTGTTGGTGCTGAC
 TGAGAACACACTCATCATTATGGCAATTAGGAACCATCTACCCTCCACAAACCCATGTAC
 TTTTTCTAGCTAATATGTCTTTCTGGAGATCTGGTATGTCACTGTCACTATTTCCCAAGAT
 GCTTGCTGGCTTTGTTGGATCCAAACAGGATCATGGACAGCTAATCTCCTTTGAGGGATGC
 ATGACACAGCTCTACTTTTTCTTGGCTTGGGCTGCACTGAGTGTGCTCTCTCGTGTAT
 50 GGCTATGATCGCTATATGGCCATCTGCTATCCTCTCCACTACCCAGTCATTGTCAAGTGGCC
 GGCTGTGTGTGCAGATGGCTGCTGGCTCTTGGGCTGGAGGTTTGGCATCTCCATGGTCAA
 AGTTTTTCTTATTTCTGGCCTCTCTTACTGTGGCCCCAACATCATCAACCACTTTTCTGTG
 ATGTCTCTCCATTGCTCAACCTCTCATGCACTGATATGTCCACAGCAGAGCTTACAGATTTC
 ATCCTGGCCATTTTTATTCTTCTAGGGCCACTCTCTGTCACTGGGGCCTCCTATGTGGCCAT
 55 TACTGGTGCTGTGATGCACATATCTTCGGCTGCTGGACGCTATAAGGCCTTTTCCACCTGT
 GCCTCTCATCTCACTGTTGTGATAATCTTCTATGCAGCCAGTATCTTCATCTATGCTCGGCC

AAAGGCACTCTCAGCTTTTGACACCAACAAGTTGGTCTCTGTACTGTATGCTGTCATTGTA
CCATTGCTCAATCCCATCATTTACTGCCTGCGCAATCAAGAGGTCAAGAGAGCCCTATGCT
GTACTCTGCACCTGTACCAGCACCAGGATCCTGACCCCAAGAAAGCTAGCAGAAATGTATA
G (SEQ ID NO: 424).

5

AOLFR227 sequences:

MEPQNTSTVTNFQLLGFQNLLEWQALLFVIFLLIYCLTIIGNVVIITVVSQGLRLHSPMYMFLQH
LSFLEVWYTSTTVPLLLANLLSWGQAISFSACMAQLYFFVFLGATECFLLAFMAYDRYLAICSP
LRYPFMLMRGLCARLVVVSCTGVSTGFLHSMMSRDLFCGRNQINHFFCDLPLMLQLSCSRV
10 YITEVTIFILSIAVLCICFFLTLPYVFIVSSILRIPSTSGRRKTFSTCGSHLAVVTLYYGTMISMIV
CPSPHLLPEINKIISVFYTVVTPLLNPVIYSLRNKDFKEAVRKVMRRKCGILWSTSKRKF
LY (SEQ ID NO: 425).

ATGGAGCCCCAAAATACCTCCACTGTGACTAACTTTCAGCTGTTAGGATTCCAGAACCTTC
15 TTGAATGGCAGGCCCTGCTCTTTGTCAATTTTCTGCTCATCTACTGCCTGACCATTATAGGG
AATGTTGTCATCATCACCGTGGTGAGCCAGGGCCTGCGACTGCACTCCCTATGTACATGT
TCCTCCAGCATCTCTCCTTTCTGGAGGTCTGGTACACGTCCACCACTGTGCCCCCTTCTCCTA
GCCAACCTGCTGTCTGCGGCCAACCCATCTCCTTCTCTGCCTGCATGGCACAGCTCTACT
TCTTCGTATTCTCGGCGCCACCGAGTGCTTTCTCCTGGCCTTCATGGCCTATGACCGTTAC
20 CTGGCCATCTGCAGCCCACTCCGCTACCCCTTTCTCATGCATCGTGGGCTATGTGCCAGGTT
GGTGGTGGTCTCATGGTGCACAGGGGTCAGCACAGGCTTTCTGCATTCCATGATGATTTCC
AGGTTGGACTTCTGTGGGCGCAATCAGATTAACCATTTCTTCTGCGACCTCCCGCCACTCA
TGCAGCTCTCCTGTTCCAGAGTTTATATCACCGAGGTGACCATCTTCATCCTGTCAATTGCC
GTGCTGTGCATTTGTTTTTCTGACACTGGGGCCCTATGTTTTCAATTGTGCTCCTCCATATT
25 GAGAATCCCTTCCACCTCTGGCCGGAGAAAGACCTTTTCCACATGTGGCTCCCACTGGCT
GTTGTCACTCTCTACTACGGGACCATGATCTCCATGTATGTGTGTCCAGTCCCCACCTGTT
GCCTGAAATCAACAAGATCATTTCTGTCTTCTACACTGTGGTACACCACTGCTGAACCCA
GTTATCTACAGCTTGAGGAACAAAGACTTCAAAGAAGCTGTTAGAAAGGTCATGAGAAGG
AAATGTGGTATTCTATGGAGTACAAGTAAAGGAAGTTCCTTTATTAG (SEQ ID NO: 426).

30

AOLFR229 sequences:

MFYVNQIPFQLYHISFVYPTELWSRAIIPCMPTLSFWVCSATPVSPGFFALILLVFVTSIASNVVK
IILIHDSRLHTPMYFLLSQLSLRDILYISTIVPKMLVDQVMSQRAISFAGCTAQHFLYLTLAGAE
FFLLGLMSCDRYVAICNPLHYPDLMSRKICWLIVAAA WLGGSIDGFLLTPVTMQFPFCASREIN
35 HFFCEVPALLKLSCTDTSAYETAMYVCCIMMLLPFSVISGSYTRILITVYRMSEAEGRRKAVAT
CSSHMVVVSLFYGAAMYTYVLPHSYHTPEQDKAVSAFYTILTPMLNPLIYSLRNKDVTGALQK
VVGRCVSSGKVTTT (SEQ ID NO: 427).

ATGTTTTATGTAAATCAGATACCTTTCCAACCTTTATCATATCTCTTTCGTGTACCCTACAGA
40 GCTATGGAGCAGAGCAATTATTCCGTGTATGCCGACTTTATCCTTCTGGGTTTGTTACGA
ACGCCCCGTTTCCCCTGGCTTCTTTGCCCTCATTCTCCTGGTCTTTGTGACCTCCATAGCCAG
CAACGTGGTCAAGATCATTCTCATCCACATAGACTCCCGCCTCCACACCCCCATGTACTTC
CTGCTCAGCCAGCTCTCCCTCAGGGACATCCTGTATATTTCCACCATTGTGCCCAAAATGCT
GGTGCAGCCAGGTGATGAGCCAGAGAGCCATTTCTTTGCTGGATGCACTGCCCAACACTTC
45 CTCTACTTGACCTTAGCAGGGGCTGAGTTCTTCTCCTAGGACTCATGTCTGTGATCGCTA
CGTAGCCATCTGCAACCCTCTGCACTATCCTGACCTCATGAGCCGCAAGATCTGCTGGTTG
ATTGTGGCGGCAGCCTGGCTGGGAGGGTCTATCGATGGTTTCTTGCTCACCCCGTCACCA
TGCAGTTCCCCTTCTGTGCCTCTCGGGAGATCAACCACTTCTTCTGCGAGGTGCCTGCCCTT
CTGAAGCTCTCCTGCACGGACACATCAGCCTACGAGACAGCCATGTATGTCTGTGATTA
50 TGATGCTCCTCATCCCTTTCTCTGTGATCTCGGGCTCTTACACAAGAATTCTCATTACTGTT
TATAGGATGAGCGAGGCAGAGGGGAGGCGAAAGGCTGTGGCCACCTGCTCCTCACACATG
GTGGTTGTACAGCTCTTCTATGGGGCTGCCATGTACACATACGTGCTGCCTCATTCTTACCA
CACCCCTGAGCAGGACAAAGCTGTATCTGCCTTCTACACCATCCTCACTCCCATGCTCAAT
CCTCATTTACAGCCTTAGGAACAAGGATGTCACGGGGGCCCTACAGAAGGTTGTTGGG
55 AGGTGTGTGCTCCTCAGGAAAGGTAACCACTTTCTAA (SEQ ID NO: 428).

AOLFR230 sequences:

MGMEGLLQNSTNFVLTGLITHPAFPGLLFAIVFSIFVVAITANLVMILLIHMD SRLHTPMYFLLS
QLSIMDTIYICITVPKMLQDLLSKDKTISFLGCAVQIFLYLTLIGGEFFLLGLMAYDRYVAVCNP
5 LRYPLL MNRRVCLFMVVG SWVGGSLDGFMLTPVTMSFPFCRSREINHFFCEIPAVLKL SCDTDS
LYETLMYACCVLM LLIPLSVISVSYTHILLTVHRMNSAEGRRKAFATCSSHIMVVS VFYGAIFY
TNVLPHSYHTPEKDKVVS AFYTILTPMLNPLIYSLRNKDVAALRKVLGRCGSSQSIRVATVIR
KG (SEQ ID NO: 429).

10 ATGGGCATGGAGGGTCTTCTCCAGAACTCCACTAACTTCGTCCTCACAGGCCTCATCACCC
ATCCTGCCTTCCCCGGGCTTCTCTTTGCAATAGTCTTCTCCATCTTTGTGGTGGCTATAACA
GCCAACTTGGTCATGATTCTGCTCATCCACATGGACTCCCGCTCCACACACCCATGTACTT
CTTGCTCAGCCAGCTCTCCATCATGGATACCATCTACATCTGTATCACTGTCCCAAGATGC
TCCAGGACCTCCTGTCCAAGGACAAGACCATTTCCTTCCTGGGCTGTGCAGTTCAGATCTT
15 CCTCTACCTGACCCTGATTGGAGGGGAATTCCTTCCTGCTGGGTCTCATGGCCTATGACCGC
TATGTGGCTGTGTGCAACCCTCTACGGTACCCTCTCCTCATGAACCGCAGGGTTTGCTTATT
CATGGTGGTCCGGCTCCTGGGTGGTGGTTCCTTGGATGGGTTCATGCTGACTCCTGTCACT
ATGAGTTTCCCTTCTGTAGATCCCGAGAGATCAATCACTTTTTCTGTGAGATCCCAGCCGT
GCTGAAGTTGTCTTGCACAGACACGTCACCTATGAGACCCTGATGTATGCCTGCTGCGTG
CTGATGCTGCTTATCCCTCTATCTGTCTCTGTCTCCTACACGCACATCCTCCTGACTGT
20 CCACAGGATGAACTCTGCTGAGGGCCGGCGCAAAGCCTTTGCTACGTGTTCTCCACATT
ATGGTGGTGAGCGTTTTCTACGGGGCAGCCTTCTACACCAACGTGCTGCCCCACTCCTACC
ACACTCCAGAGAAAGATAAAGTGGTGTCTGCCTTCTACACCATCCTACCCCCATGCTCAA
CCCACTCATCTACAGCTTGAGGAATAAAGATGTGGCTGCAGCTCTGAGGAAAGTACTAGG
GAGATGTGGTTCCTCCCAGAGCATCAGGTGGCGACTGTGATCAGGAAGGGCTAG (SEQ ID
25 NO: 430).

AOLFR231 sequences:

MERANHSVVSEFILLGLSKSQNLQILFFLGFSVVFVGIVLGNLLILVTVTFDSLHHTPMYFLLSNL
SCIDMILASFATPKMIVDFLRERKTISWWGCYSQMFFMHLLGGSEMMLLVAMAI DRYVAICKP
30 LHYMTIMSPRVL TGLLLSSYAVGVFHSSSQMAFMLTLPFCGPNVIDSFFCDLPLVIKLACKDTYI
LQLLVIADSGLLSLVCFLLLVSYGVII FSVRYRAASRSSKAFSTLSAHITVTLFFAPCVFIYVW
PFSRYSVDKILSVFYTI FTPLNPIIYTLRNQEVKAAIKRLCI (SEQ ID NO: 431).

35 ATGGAAAGAGCAAACCATT CAGTGGTATCGGAATTTATTTTGTGGGACTTTCCAAATCTC
AAAATCTTCAGATTTTATTCTTCTTGGGATTCTCTGTGGTCTTCGTGGGGATTGTGTTAGGA
AACCTGCTCATCTTGGTGACTGTGACCTTTGATTGCTCCTTCACACACCAATGTATTTTCT
GCTTAGCAACCTCTCCTGCATTGATATGATCCTGGCTTCTTTTGCTACCCCTAAGATGATTG
TAGATTTCTCCGAGAACGTAAGACCATCTCATGGTGGGGATGTTATTTCCAGATGTTCTT
TATGCACCTCCTGGGTGGGAGTGAGATGATGTTGCTTGTAGCCATGGCAATAGACAGGTAT
40 GTTGCCATATGCAAACCCCTCCATTACATGACCATCATGAGCCACGGGTGCTCACTGGGC
TACTGTTATCCTCCTATGCAGTTGGATTTGTGCACTCATCTAGTCAAATGGCTTTCATGTTG
ACTTTGCCCTTCTGTGGTCCCAATGTTATAGACAGCTTTTTCTGTGACCTTCCCTTGTGAT
TAAACTTGCCTGCAAGGACACCTACATCTACAGCTCCTGGTCATTGCTGACAGTGGGCTC
CTGTCACTGGTCTGCTTCTCCTCTTGCTTGTCTCCTATGGAGTCATAATATTCTCAGTTAG
45 GTACCGTGCTGCTAGTCGATCCTCTAAGGCTTTCTCCACTCTCTCAGCTCACATCACAGTTG
TGACTCTGTTCTTTGCTCCGTGTGTCTTATCTACGTCTGGCCCTTCAGCAGATACTCGGTA
GATAAAATTCTTTCTGTGTTTTACACAATTTTCACACCTCTCTTAAATCCTATTATTTATAC
ATTAAGAAATCAAGAGGTAAGAGCAGCCATTAAAAAAGACTCTGCATATAA (SEQ ID NO:
432).

AOLFR232 sequences:

MDNITWMASHTGWSDFILMGLFRQSKHPMANITWMANHTGWSDFILLGLFRQSKHPALLCV
VIFVFLMALSGNAVILLIHCD AHLHTPMYFFISQLSLMDMAYISVTVPKMLLDQVMGVNKIS
APEGCMQMFFYVTLAGSEFFLLATMAYDRYVAICHPLRYPVLMNHRVCLFLSSGCWFLGSVD
55 GFTFTPTMTFPFRGSREIHHFFCEVPAVLNLSCSDTSLYEIFMYLCCVLM LLI PVVIISSSYLLILL

TIHGMNSAEGRKKAFATCSSHLTVVILFYGAAIYTYMLPSSYHTPEKDMMVSVFYTILTPVVNP
LIYSLRNKDVIMGALKKMLTVEPAFQKAME (SEQ ID NO: 433).

5 ATGGACAACATCACCTGGATGGCCAGCCACACTGGATGGTCGGATTTCATCCTGATGGGAC
TCTTCAGACAATCCAAACATCCAATGGCCAATATCACCTGGATGGCCAACCACACTGGATG
GTCGGATTTCATCCTGTTGGGACTCTTCAGACAATCCAAACATCCAGCACTACTTTGTGTG
GTCATTTTTTGTGGTTTTCTGATGGCGTTGTCTGGAAATGCTGTCCTGATCCTTCTGATACA
CTGTGACGCCCCACCTCCACACCCCCATGTACTTTTTCATCAGTCAATTGTCTCTCATGGACA
TGGCGTACATTTCTGTCACTGTGCCAAAGATGCTCCTGGACCAGGTCATGGGTGTGAATAA
10 GATCTCAGCCCCTGAGTGTGGGATGCAGATGTTCTTCTACGTGACACTAGCAGGTTTCAGAA
TTTTTCCTTCTAGCCACCATGGCCTATGACCGCTACGTGGCCATCTGCCATCCTCTCCGTTA
CCCTGTCTCATGAACCATAGGGTGTGTCTCTTCTGTCTCATCAGGCTGCTGGTTCCTGGGCT
CAGTGGATGGCTTCACATTCACCTCCCATCACCATGACCTTCCCCTTCCGTGGATCCCGGA
GATTCATCATTTCTTCTGTGAAGTTCCTGCTGTATTGAATCTCTCCTGCTCAGACACCTCAC
15 TCTATGAGATTTTTCATGTACTTGTGCTGTCTCATGCTCCTCATCCCTGTGGTGTATCAT
TCAAGCTCCTATTTACTCATCCTCTCCATCCACCGGATGAAGTCAAGAGAGGCGCGGA
AAAAGGCCTTTGCCACCTGCTCCTCCACCTGACTGTGGTCATCCTCTTCTATGGGGCTGCC
ATCTACACCTACATGCTCCCCAGCTCCTACCACACCCCTGAGAAGGACATGATGGTATCTG
TCTTCTATACCATCCTCACTCCAGTGGTGAACCTTTAATCTATAGTCTTAGGAATAAGGAT
20 GTCATGGGGGCTCTGAAGAAAATGTAAACAGTGGAACCTGCCTTTCAAAAAGCTATGGAG
TAG (SEQ ID NO: 434).

AOLFR233 sequences:

25 MANITRMANHTGKLDIFILMGLFRRSKHPALLSVVIFVFLKALSGNAVLILLIHCD AHLHSPMY
FFISQLSLMDMAYISVTVPKMLLDQVMGVNKVSAPECGMQMFLYLTLAGSEFFLLATMAYDR
YVAICHPLRYPVLMNHRVCLFLASGCWFLGSVDGFMLTPITMSFPFCRSWEIHFFCEVPAVTI
LSCSDTSLYETLMYLCCVLMLLIPVTIISSSYLLILLTVHRMNSAEGRKKAFATCSSHLTVVILFY
GAAVYTYMLPSSYHTPEKDMMVSVFYTILTPVLNPLIYSLRNKDVIMGALKKMLTVRFVL
(SEQ ID NO: 435).

30 ATGGCCAACATCACAGGATGGCCAACCACACTGGAAAGTTGGATTTCATCCTCATGGGAC
TCTTCAGACGATCCAAACATCCAGCTCTACTAGTGTGGTCATCTTTGTGGTTTTCTGAAG
GCGTTGTCTGGAAATGCTGTCCTGATCCTTCTGATACTGTGACGCCCCACCTCCACAGCC
CCATGTACTTTTTCATCAGTCAATTGTCTCTCATGGACATGGCGTACATTTCTGTCACTGTG
35 CCAAGATGCTCCTGGACCAGGTCATGGGTGTGAATAAGGTCTCAGCCCCCTGAGTGTGGG
ATGCAGATGTTCTCTATCTGACACTAGCAGGTTTCGGAATTTTTCTTCTAGCCACCATGGC
CTATGACCGCTACGTGGCCATCTGCCATCCTCTCCGTTACCCTGTCTCATGAACCATAGG
GTCTGTCTTTTCTGGCATCGGGCTGCTGGTTCCTGGGCTCAGTGGATGGCTTCATGCTCAC
TCCCACCATGAGCTTCCCCTTCTGCAGATCCTGGGAGATTTCATCATTCTTCTGTGAAG
40 TCCCTGCTGTAACGATCCTGTCTGCTCAGACACCTCACTCTATGAGACCCCTCATGTACCTA
TGCTGTGTCCTCATGCTCCTCATCCCTGTGACGATCATTTCAAGCTCCTATTTACTCATCCT
CCTCACCGTCCACAGGATGAAGTCAAGAGAGGGCCGAAAAAGGCCTTTGCCACCTGCTC
CTCCCACCTGACTGTGGTCATCCTCTTCTATGGGGCTGCCGTCTACACCTACATGCTCCCCA
GCTCCTACCACACCCCTGAGAAGGACATGATGGTATCTGTCTTCTATACCATCCTCACTCC
45 GGTGCTGAACCTTTAATCTATAGTCTTAGGAATAAGGATGTCATGGGGGCTCTGAAGAAA
ATGTTAACTGTGAGATTCGTCTTTAG (SEQ ID NO: 436).

AOLFR234 sequences:

50 MPNSTTVMEFLMRFSVDVWTLQILHSASFFMLYLVTLMGNILIVTVTCDSSLHMPMYFFLRN
LSILDACYISVTVPTSCVNSLLDSTTISKAGCVAQVFLVFFVYVELLFLTIMAHDYVAVCQPL
HYPVIVNSRICIQMTLASLLSGLVYAGMHTGSTFQLPFCRSNVIHQFFCDIPSLKLSCSDTFSNE
VMIVVSALGVGGGCFIFIRSYIHIFSTVLGFPRGADRTKAFSTCIPHILVSVFLSSCSSVYLRPP
AIPAATQDLILSGFYSIMPLFNPIYSLRNKQIKVAIKKIMKRIFYSENV (SEQ ID NO: 437).

55 ATGCCCAATTCAACCACCGTGATGGAATTTCTCCTCATGAGGTTTTCTGATGTGTGGACAC
TACAGATTTTACATTCTGCATCCTTCTTTATGTTGTATTTGGTAACTCTAATGGGAAACATC

CTCATTGTGACCGTCACCACCTGTGACAGCAGCCTTCACATGCCCATGTACTTCTTCCTCAG
 GAATCTGTCTATCTTGGATGCCTGCTACATTTCTGTTACAGTCCCTACCTCATGTGTCAATT
 CCCTACTGGACAGCACCACCATTCTAAGGCGGGATGTGTAGCTCAGGTCTTCTCGTGGT
 TTTTTTGTATATGTGGAGCTTCTGTTTCTCACCATTATGGCTCATGACCGCTATGTGGCTG
 5 TCTGCCAGCCACTTCACTACCCTGTGATCGTGAACCTCTCGAATCTGCATCCAGATGACACT
 GGCTCCCTACTCAGTGGTCTTGTCTATGCAGGCATGCACACTGGCAGCACATTCCAGCTG
 CCCTTCTGTGCGTCCAACGTTATTCATCAATTCTTCTGTGACATCCCCTCTCTGCTGAAGCT
 CTCTTGCTCTGACACCTTCAGCAATGAGGTCATGATTGTTGTCTCTGCTCTGGGGGTAGGT
 GGCGGCTGTTTCATCTTTATCATCAGGTCTTACATTACATCTTTTCGACCGCTGCTCGGGTT
 10 TCCAAGAGGAGCAGACAGAACAAGGCCTTTTCCACCTGCATCCCTCACATCCTGGTGGTG
 TCAGTCTTCTCAGTTCATGCTCTTCTGTGTACCTCAGGCCACCTGCGATACCTGCAGCCAC
 CCAGGATCTGATCCTTTCTGGTTTTTATTCCATAATGCCTCCCCTCTTTAACCTATTATTTA
 CAGTCTTAGAAATAAGCAAATAAAGGTGGCCATCAAGAAAATCATGAAGAGAATTTTTTA
 TTCAGAAAATGTGTAA (SEQ ID NO: 438).

15

AOLFR235 sequences:

MDGVNDSSLQGFVLMGISDHPQLEMIFFIALLFSYLLTLLGNSTHLLSRLEARLHTPMYFFLSNL
 SSLLAFATSSVPQMLINLWGPCKTISYGGCITQLYVFLWLGATECILLVMAFDTRYVAVCRPL
 RYTAIMNPQLCWLLAVIACLGGLGNSVIQSTFTLQLPLCGHRRVEGFLCEVPAMIKLACGDTSL
 20 NQAVLNGVCTFFTAVPLSIHVISYCLIAQAVLKIRSAEGRRKAFNTCLSHLLVFLFYGSASYGY
 LLPAKNSKQDQGFISLFYSLVTPMVNPLIYTLRNMEVKGALRRLGKGREVG (SEQ ID NO:
 439).

ATGGACGGGGTGAATGATAGCTCCTTGCAGGGCTTTGTTCTGATGGGCATATCAGACCATC
 25 CCCAGCTGGAGATGATCTTTTTATAGCCATCCTCTTCTCCTATTTGCTGACCCTACTTGGG
 AACTCAACCATCATCTTGCTTTCCCGCTGGAGGCCGGCTCCATACACCCATGTACTTCTT
 CCTCAGCAACCTCTCCTCCTTGGACCTTGCTTTTCGCTACTAGTTCAGTCCCCCAAATGCTGA
 TCAATTTATGGGGACCAGGCAAGACCATCAGCTATGGTGGCTGCATAACCCAGCTCTATGT
 CTTCTTTTGGCTGGGGGCCACCGAGTGCATCCTGCTGGTGGTGATGGCATTGACCGCTAC
 30 GTGGCAGTGTGCCGGCCCCCTCCGCTACACCGCCATCATGAACCCCCAGCTCTGCTGGCTGC
 TGGCTGTGATTGCCTGCCTGGGTGGCTTGGGCAACTCTGTGATCCAGTCAACATTCACCTCT
 GCAGTCCCATTGTGTGGGCACCGGAGGGTGGAGGGATTCTCTGCGAGGTGCCTGCCAT
 GATCAAACTGGCCTGTGGCGACACAAGTCTCAACCAGGCTGTGCTCAATGGTGTCTGCACC
 TTCTTCACTGCAGTCCCCTAAGCATCATCGTGATCTCCTACTGCCTCATTGCTCAGGCAGT
 35 GCTGAAAATCCGCTCTGCAGAGGGGAGGCGAAAGGCGTTCAATACGTGCCTCTCCCATCT
 GCTGGTGGTGTTCCTCTTCTATGGCTCAGCCAGCTATGGGTATCTGCTTCCGGCCAAGAAC
 AGCAAACAGGACCAGGGCAAGTTCATTTCCCTGTTCTACTCGTTGGTCACACCCATGGTGA
 ATCCCCATCTACACGCTGCGGAACATGGAAGTGAAGGGCGCACTGAGGAGGTTGCTGG
 GGAAAGGAAGAGAAGTTGGCTGA (SEQ ID NO: 440).

40

AOLFR236 sequences:

MTSQERDTAIYSINVSFVAKGMTSRVCEKMTMTTENPNQTVVSHFFLEGLRYTAKHSSLFFL
 LFLLIYSITVAGNLLILLTVGSDSHLSLPMYHFLGHLSDACLSTVTPKVMAGLLTLDGKVIS
 FEGCAVQLYCFHFLASTECFLYTVMAYDRYLAICQPLHYPVAMNRRMCAEMAGITWAIGATH
 45 AAIHTSLTFRLLYCGPCHIAFFCDIPPVLKLACTDTTINELVMLASIGIVAAGCLILIVISYIFIVA
 AVLIRTAQGRQRAFPCTAQLTGVLLYYVPPVCTYLQPRSSEAGAGAPAVFYTIVTPMLNPFYI
 TLRNKEVKHALQRLLCSSSFRESTAGSPPP (SEQ ID NO: 441).

ATGACATCTCAGGAAAGGGATACAGCTATTTATTCCATTAATGTCAGTTTTGTTGCAAAGG
 50 GGATGACTAGCCGCTCTGTGTGTGAGAAGATGACCATGACAACGGAGAACCCCAACCAGA
 CTGTGGTGAGCCACTTCTTCTGGAGGGTTGAGGTACACCGCTAAACATTCTAGCCTCTT
 CTTCTCTCTTCTCCTCATCTACAGCATCACTGTGGCTGGGAATCTCCTCATCCTCCTAA
 CTGTGGGCTCTGACTCTCACCTCAGCTTACCCATGTACCACTTCTGGGGCACCTCTCCTTC
 CTGGATGCCTGTTTGTCTACAGTGACAGTGCCCAAGGTGATGGCAGGCCTGCTGACTCTGG
 55 ATGGGAAGGTGATCTCCTTTGAGGGCTGTGCCGTACAGCTTTATTGCTTCCACTTTCTGGC
 CAGCACTGAGTGCTTCTGTACACAGTCATGGCCTATGACCGCTATCTGGCTATCTGTCAA

5 CCCCTGCACTACCCAGTGGCCATGAACAGAAGGATGTGTGCAGAAATGGCTGGAATCACC
 TGGGCCATAGGTGCCACGCACGCTGCAATCCACACCTCCCTCACCTTCCGCCTGCTCTACT
 GTGGGCCCTTGCCACATTGCCTACTTCTTCTGCGACATAACCCCTGTCTAAAGCTCGCCTGT
 ACAGACACCACCATTAATGAGCTAGTCATGCTTGCCAGCATTGGCATCGTGGCTGCAGGCT
 10 GCCTCATCCTCATCGTTATTTCTACATCTTCATCGTGGCAGCTGTGTTGCGCATCCGCACA
 GCCCAGGGCCGGCAGCGGGCCTTCTCCCCCTGCACTGCCAGCTCACTGGGGTGCTCCTGT
 ACTACGTGCCACCTGTCTGTATCTACCTGCAGCCTCGCTCCAGTGAGGCAGGAGCTGGGGC
 CCCTGCTGTCTTCTACACAATCGTAACTCCAATGCTCAACCCATTCAATTTACACTTTGCGGA
 ACAAGGAGGTGAAGCATGCTCTGCAAAGGCTTTTGTGCAGCAGCTTCCGAGAGTCTACAG
 15 CAGGCAGCCACCCCATAG (SEQ ID NO: 442).

AOLFR237 sequences:

MDQRNYTRVKEFTFLGITQSRELSQVLFTFLFLVYMTTLMGNFLIMVTVTCESHLHTPMYFLL
 15 RNLSILDICFSSITAPKVLIDLSETKTISFSGCVTQMFFHLLGGADVFSLSVMAFDRIAISKPL
 HYMTIMSRGRCTGLIVGFLGGGLVHSIAQISLLPLPVCNVLDTFYCDVPQVLKLACTDFT
 LELLMISNGLVSWFVFFLLISYTVILMLRSHTEGRRKAISTCTSHITVTLHFVPCIYVYA
 RPF TALPTDTAISVTFTVISPLLNPIIYTLRNQEMKLAMRKLKRRLLGQSERILIQ (SEQ ID NO:
 443).

20 ATGGATCAGAGAAATTACACCAGAGTGAAAGAATTTACCTTCCTGGGAATTACTCAGTCCC
 GAGAACTGAGCCAGGTCTTATTTACCTTCCTGTTTTTGGTGTACATGACAACTCTAATGGG
 AAACCTTCCTCATCATGGTTACAGTTACCTGTGAATCTACCTTCATACGCCCCATGTACTTCC
 TGCTCCGCAACCTGTCTATTCTTGACATCTGCTTTTCTCCATCACAGCTCCTAAGGTCCTG
 ATAGATCTTCTATCAGAGACAAAAACCATCTCCTTCAGTGGCTGTGTCACTCAAATGTTCT
 25 TCTTCCACCTTCTGGGGGGAGCAGACGTTTTTCTCTCTGTGATGGCGTTTGACCGCTAT
 ATAGCCATCTCCAAGCCCCTGCACTATATGACCATCATGAGTAGGGGGCGATGCACAGGCC
 TCATCGTGGGCTTCTGGGTGGGGGGCTTGTCCTACTCCATAGCGCAGATTTCTCTATTGCT
 CCCACTCCCTGTCTGTGGACCAATGTTCTTGACACTTTCTACTGCGATGTCCCCCAGGTCC
 TCAAACCTGCCTGCACTGACACCTTCACTCTGGAGCTCCTGATGATTTCAAATAATGGGTT
 30 AGTCAGTTGGTTTGTATTCTTCTTCTCCTCATATCTTACACGGTCATCTTGATGATGCTGA
 GGCTCACACTGGGGAAGGCAGGAGGAAAGCCATCTCCACCTGCACCTCCCACATCACCG
 TGGTGACCCTGCATTTCTGTCCTGCATCTATGTCTATGCCCCGGCCCTTCACTGCCCTCCCC
 ACAGACACTGCCATCTCTGTACCTTCACTGTCTATCTCCCCTTTGCTCAATCCTATAATTTA
 CACGCTGAGGAATCAGGAAATGAAGTTGGCCATGAGGAACTGAAGAGACGGCTAGGAC
 35 AATCAGAAAGGATTTTAATTCAATAA (SEQ ID NO: 444).

AOLFR238 sequences:

MAPENFTRVTEFILTGVSSPELQIPLFLVFLVLYVLTMAGNLGIITLTSVDSRLQTPMYFFLRHL
 40 AIINLGNSTVIAPKMLMFLVKKKTTSFYECATQLGGFLFFIVSEVMMLAVMA YDRYVAICNP
 LLYMVVVSRRCLLLVSLTYLYGFSTAIVVSPCIFSVSYCSSNIINH FYCDIAPLLALSCSDTYPE
 TIVFISAATNLFMSMITVLVSYFNIVLSILRIRSPGRKKAFTCASHMIAVTVFYGTMLFMYLQP
 QTNHSLDTDKMASVFYTLVIPMLNPLIYSLRNNDVNVALKKFMENPCYSFKSM (SEQ ID NO:
 445).

45 ATGGCTCCTGAAAATTTACCAGGGTCACTGAGTTTATTCTCACAGGTGTCTCTAGCTGTC
 CAGAGCTCCAGATTCCCCTCTTCTGGTCTTCTAGTGCTCTATGTGCTGACCATGGCAGG
 GAACCTGGGCATCATCACCTCACAGTGTGACTCTCGACTTCAAACCCCATGTACTTTT
 TCCTGAGACATCTAGCTATCATCAATCTTGCAACTCTACTGTCATTGCCCTAAAATGCTG
 ATGAACTTTTTAGTAAAGAAGAAAACTACCTCATTCTATGAATGTGCCACCAACTGGGAG
 50 GGTCTTGTCTTTATTGTATCGGAGGTAATGATGCTGGCTGTGATGGCCTATGACCGCTA
 TGTGGCCATTTGTAACCTCTGCTCTACATGGTGGTGTCTCGGCGGCTCTGCCTCCTGC
 TGGTGTCCCTCACGTACCTCTATGGCTTTTCTACAGCTATTGTGGTTTACCTTGTATATTC
 TCTGTGCTTATTGCTCTTCTAATAATCAATCATTTTTACTGTGATATTGCACCTCTGTT
 AGCATTATCTTGCTCTGATACTTACATAACAGAAACAATAGTCTTTATATCTGCAGCAACA
 55 AATTTGTTTTTTCCATGATTACAGTTCTAGTATCTTATTTCAATATTGTTTTGTCCATTCTA
 AGGATACGTTTACCAGAAGGAAGGAAAAAGCCTTTTCCACCTGCGCTTCGCATATGATA

GCAGTCACGGTTTTCTATGGGACAATGCTATTTATGTATTTGCAGCCCCAAACCAACCACT
 CACTGGATACTGATAAGATGGCTTCTGTGTTTTACACATTGGTGATTCCTATGCTGAATCC
 CTTGATCTACAGCCTGAGGAATAATGATGTAAATGTTGCCTTAAAGAAATTCATGGAAAAT
 CCATGTTACTCCTTTAAATCAATGTAA (SEQ ID NO: 446).

5

AOLFR239 sequences:

MDPQNYSLVSEFVLHGLCTSRHLQNFFFIFFGVYVAIMLGNLLILVTVISDPCLHSSPMYFLLG
 NLAFLDMWLASFATPKMIRDFLSDQKLISFGGCMQIFLHFTGGAEMVLLVSMAYDRYVAIC
 KPLHYMTLMSWQTCIRLVLASWVVG FVHSISQVAFTVNLPHYCGPNEVDSFFCDLPLVIKLACM
 10 DTYVLGHIMISDSGLLSLSCFLLLLISYTVILLAIRQRAAGSTSKALSTCSAHIMVVTLFFGPCIFV
 YVRPFSRFSVDKLLSVFYTIFTPLLNPIIYTLRNEEMKAAMKKLQNRRTVFQ (SEQ ID NO: 447).

ATGGACCCACAGAACTATTCCTTGGTGTCAGAATTTGTGTTGCATGGACTCTGCACTTCAC
 GACATCTTCAAAATTTTTCTTTATATTTTTCTTTGGGGTCTATGTGGCCATTATGCTGGGT
 15 AACCTTCTCATTTTGGTCACTGTAATTTCTGATCCCTGCCTGCACTCCTCCCTATGTA
 CCTGCTGGGGAACCTAGCTTTCCTGGACATGTGGCTGGCCTCATTTGCCACTCCCAAGATG
 ATCAGGGATTTCCTTAGTGATCAAAACTCATCTCCTTTGGAGGATGTATGGCTCAAATCT
 TCTTCTGCACTTACTGGTGGGGCTGAGATGGTGCTCCTGGTTTCCATGGCCTATGACAG
 ATATGTGGCCATATGCAAAACCCTTGCAATTACATGACTTTGATGAGTTGGCAGACTTGCATC
 20 AGGCTGGTGCTGGCTTCATGGGTCGTTGGATTTGTGCACTCCATCAGTCAAGTGGCTTTCA
 CTGTAAATTTGCCTTACTGTGGCCCCAATGAGGTAGACAGCTTCTTCTGTGACCTCCCTCTG
 GTGATCAAACTTGCCCTGCATGGACACCTATGTCTTGGGTATAATTATGATCTCAGACAGTG
 GGTGCTTTCTTGGAGCTGTTTTCTGCTCCTCCTGATCTCCTACACCGTGATCCTCCTCGCT
 ATCAGACAGCGTGCTGCCGGTAGCACATCCAAAGCACTCTCCACTTGCTCTGCACATATCA
 25 TGGTAGTGACGCTGTTCTTTGGCCCTTGCAATTTTGTGTTATGTGCGGCCTTTTCA
 GTAGGTTTCTGTGGACAAGCTGCTGTCTGTGTTTTATACCATTTTTACTCCACTCCTGAACCCCAT
 CTACACATTGAGAAATGAGGAGATGAAAGCAGCTATGAAGAACTGCAAAACCGACGGGT
 GACTTTTCAATGA (SEQ ID NO: 448).

AOLFR240 sequences:

MAGENHTTLPEFLLLGFSDLKALQGPLFWVVLVYLVTLLGNSLIILLTQVSPALHSPMYFFLR
 QLSVVELFYTTDIVPRTLNLGSPHPQAISFQGCAAQMYVFIVLGISECCLLTAMAYDRYVAIC
 QPLRYSTLLSPRACLAMVGSSWLTGIITATTHASLIFSLPFRSHPIPHFLCDILPVLRLASAGKHR
 SEISVMTATIVFIMIPFSLIVTSYIRILGAILAMASTQSRKVFSTCSSHLLVVSFFGTASITYIRPQ
 35 AGSSVTTDRVLSLFYTVITPMLNPIIYTLRNKDVRRLRHLVKRQRPS (SEQ ID NO: 449).

ATGGCTGGGGAAAACCACTACTACACTGCCTGAATTCCTCCTTCTGGGATTCTCTGACCTCA
 AGGCCCTGCAGGGCCCCCTGTTCTGGGTGGTGCTTCTGGTCTACCTGGTCACCTTGCTGGG
 40 TAACTCCCTGATCATCCTCCTCACACAGGTCAGCCCTGCCCTGCACTCCCCCATGTA
 CCTTCTCTGCGCCAACTCTCAGTGGTGGAGCTCTTCTACACCACTGACATCGTGCCAGGACCT
 GGCCAATCTGGGCTCCCCGCATCCCCAGGCCATCTCTTCCAGGGCTGTGCAGCCAGATG
 TACGTCTTCATTGTCTGGGCATCTCGGAGTGCTGCCTGCTCACGGCCATGGCCTATGACC
 GATATGTTGCCATCTGCCAGCCCCCTACGCTATTCCACCCTCTTGAGCCACGGGCCTGCTT
 45 GGCCATGGTGGGGTCTCCTGGCTCACAGGCATCATCACGGCCACCAACCATGCCTCCCTC
 ATCTTCTCTACCTTTTCGAGCCACCCGATCATCCCGCACTTTCTCTGTGACATCCTGCC
 AGTACTGAGGCTGGCAAGTGCTGGGAAGCACAGGAGCGAGATCTCCGTGATGACAGCCAC
 CATAGTCTTCATTATGATCCCCTTCTCTGATTGTACCTCTTACATCCGCATCCTGGGTG
 CCATCCTAGCAATGGCCTCCACCCAGAGCCGCCGCAAGGTCTTCTCCACCTGCTCCTCCCA
 50 TCTGCTCGTGGTCTCTCTCTTTTGAACAGCCAGCATCACCTACATCCGGCCGCGAGGCA
 GGCTCCTCTGTTACCACAGACCGCGTCTCAGTCTCTTCTACACAGTCATCACACCCATGCT
 CAACCCCATCATCTACACCCTTCGGAACAAGGACGTGAGGAGGGCCCTGCGACACTTGGT
 GAAGAGGCAGCGCCCCCTCACCTGA (SEQ ID NO: 450).

AOLFR241 sequences:

MPQILIFTYLNMFYFFPPLQILAENLTMVTEFLLGFSSSLGEIQLALFVVFLLYLVILSGNVTHS
 VIHLKSLHTPMYFFLGILSTSETFYTFVILPKMLINLLSVARTISFNCCALQMFFFLGFAITNCLL

LGVMGYDRYAAICHPLHYPTLMSWQVCGKLAACAIGGFLASLTVVNLVFSLPFCSANKVNH
YFCDISAVILLACTNTDVNEFVIFICGVLVLVVPFLFICVSYLCILRTILKIPSAEGRRKAFSTCAS
HLSVVIVHYGCASFIYLRPTANYVSNKDRLVTVTYITVTPLLNPMVYSLRNKDVQLAIRKVLG
KKGSLKLYN (SEQ ID NO: 451).

5

ATGCCCCAAATTCTTATATTACATACCTGAATATGTTTACTTCTTTCCCCCTTTGCAGAT
CTTGGCAGAAAACCTCACCATGGTCACCGAATCCTGTTGCTGGGTTTTTCCAGCCTTGGT
GAAATTCAGCTGGCCCTCTTTGTAGTTTTTCTTTTTCTGTATCTAGTCATTCTTAGTGGCAA
TGTCACCATTATCAGTGTCCACCTGGATAAAAGCCTCCACACACCAATGTACTTCTTCC
10 TTGGCATTCTCTCAACATCTGAGACCTTCTACACCTTTGTCAATCTACCCAAGATGCTCATC
AATCTACTTTCTGTGGCCAGGACAATCTCCTTCAACTGTTGTGCTCTTCAAATGTTCTTCTT
CCTTGGTTTTGCCATTACCAACTGCCTGCTATTGGGTGTGATGGGTATGATCGCTATGCTG
CCATTTGTCAACCTCTGCATTACCCCACTCTTATGAGCTGGCAGGTGTGTGGAAGAACTGGC
AGCTGCCTGTGCAATTGGTGGCTTCTTGGCCTCTCTTACAGTAGTAAATTTAGTTTTACGCC
15 TCCCTTTTTGTAGCGCCAACAAAGTCAATCATTACTTCTGTGACATCTCAGCAGTCATTCTT
CTGGCTTGACCAACACAGATGTTAACGAATTTGTGATATTCAATTTGTGGAGTTCTTGTAC
TTGTGGTTCCCTTTCTGTTTATCTGTGTTTCTTATCTCTGCATTCTGAGGACTATCCTGAAG
ATTCCCTCAGCTGAGGGCAGACGGAAGCGTTTTCCACCTGCGCCTCTCACCTCAGTGTG
TTATTGTTTATTATGGCTGTGCTTCTTCTATCTACCTGAGGCCTACAGCAAACTATGTGTCC
20 AACAAAGACAGGCTGGTGACGGTGACATACAGATTGTCACTCCATTACTAAACCCCATG
GTTTATAGCCTCAGAAACAAGGATGTCCAACCTGCTATCAGAAAAGTGTGGGCAAGAAA
GGTCTCTAAAACTATATAATTGA (SEQ ID NO: 452).

AOLFR242 sequences:

25 MNTTLFHPYSFLLLGPGLSMHLWVGPFPAVFLTAVLGNITLFIQTDSLLHHPMFYFLAILS
SIDPGLSTSTIPKMLGTFWFTLREISFEGCLTQMFFIHLCTGMESAVLVAMAYDCYVAICDPLCY
TLVLTNKKVSVMLAIFLRPLVFVFPVLFILRLPFCGHQIIPHTYGEHMGRIARLSCASIRVNIYG
LCAISILVFDIIAIVISYVQILCAVFLSSHDARLKAFTSCGSHVCVMLTFYMPAFFSFMTHRFGR
NIPHFHILLANFYVIPPALNSVIYGVRTKQIRAVLKMFFNK (SEQ ID NO: 453).

30

ATGAATACCACTCTATTTTCATCCTTACTCTTTCTTCTTCTGGAATTCCTGGGCTGGAAG
TATGCATCTCTGGGTGGTTTTCTTTCTTTGCTGTGTTCTGACAGCTGTCCTTGGGAATA
TCACCATCCTTTTTGTGATTGAGACTGACAGTAGTCTCCATCATCCCATGTTCTACTTCTG
GCCATTCTGTCTATCTATTGACCCGGGCTGTCTACATCCACCATCCCTAAAATGCTTGGCAC
35 CTCTGTTTTACCTGAGAGAAATCTCCTTTGAAGGATGCCTTACCCAGATGTTCTTCTATCC
ACCTGTGCACTGGCATGGAATCAGCTGTGCTTGTGGCCATGGCCTATGATTGCTATGTGGC
CATCTGTGACCTCTTTGCTACACGTTGGTGCTGACAAACAAGGTGGTGTGAGTTATGGCA
CTGGCCATCTTTCTGAGACCTTAGTCTTTGTGCTATACCTTTGTTCTATTTATCTAAGGCT
TCCATTTTGTGGACACCAAAATTATCTCTATCTATGTTGAGCAGATGGGCAATTGCCCCG
40 CTGTCTTGTGCCAGCATCAGGGTTAACATCATCTATGGCTTATGTGCCATCTCTATCTGGT
CTTTGACATCATAGCAATTGTCAATTCCTATGTACAGATCCTTTGTGCTGTATTCTACTCT
CTTCACATGATGCACGACTCAAGGCATTGACACCTGTGGCTCTCATGTGTGTGTCATGTT
GACTTTCTATATGCCTGCATTTTTCTCATTATGACCCATAGGTTTGGTCGGAATATACCTC
ACTTTATCCACATTCTTCTGGCTAATTTCTATGTAGTCATTCCACCTGCTCTCAACTCTGTA
45 ATTTATGGTGTGAGAACCAACAGATTAGAGCACAAGTGCTGAAAATGTTTTCAATAAAT
AA (SEQ ID NO: 454).

AOLFR243 sequences:

50 MEQVNTVTVREFVVLGFSSSLARLQQLLFVIFLLLYLFTLGTNAIIISTIVLDRALHTPMYFFLAAIL
SCSEICYTFVIVPKMLVDLLSQKKTISFLGCAIQMFSFLFFGSSHSFLLAAMGYDRYMAICNPLR
YSVLMGHGVCMLMAAACACGFTVSLVTTSLVFHLPFHSSNQLHHFFCDISPVLKLASQHSFG
SQLVIFMLGVFALVIPLLLLVSYIRIISAILKIPSSVGRYKTFSTCASHLIVTVHYSCASFIYLRPK
TNYTSSQDTLISVSYTILTPLFNPMIYSLRNKEFKSALRRITIGQTFYPLS (SEQ ID NO: 455).

55 ATGGAGCAAGTCAATAAGACTGTGGTGAGAGAGTTCGTCGTCCTCGGCTTCTCATCCCTGG
CCAGGCTGCAGCAGCTGCTCTTTGTTATCTTCTGCTCCTCTACCTGTTCACTCTGGGCACC

AATGCAATCATCATTTCCACCATTGTGCTGGACAGAGCCCTTCATACTCCCATGTACTTCTT
 CCTTGCCATCCTTTCTTGCTCTGAGATTTGCTATACCTTTGTCATTGTACCCAAGATGCTGG
 TTGACCTGCTGTCCCAGAAGAAGACCATTCTTTCCCTGGGCTGTGCCATCCAAATGTTTTCC
 TTCCTCTTCTTTGGCTCCTCTCACTCCTTCCTGCTGGCAGCCATGGGCTATGATCGCTATAT
 5 GGCCATCTGTAACCCACTGCGCTACTCAGTGCTCATGGGACATGGGGTGTGTATGGGACTA
 ATGGCTGCTGCCTGTGCCTGTGGCTTCACTGTCTCCCTGGTCACCACTCCCTAGTATTTCA
 TCTGCCCTTCCACTCCTCCAACCAGCTCCATCACTTCTTCTGTGACATCTCCCCTGTCCTTA
 AACTGGCATCTCAGCACTCCGGCTTCAGTCAGCTGGTCATATTCATGCTTGGTGTATTGTC
 CTTGGTCATTCTCTGCTACTTATCCTAGTCTCCTACATCCGCATCATCTCTGCCATTCTAA
 10 AAATCCCTTCCTCCGTTGGAAGATACAAGACCTTCTCCACCTGTGCCTCCCCTCATTGTG
 GTAACCTGTTCACTACAGTTGTGCCTCTTTCATCTACTTAAGGCCCAAGACTAATTACACTTC
 AAGCCAAGACACCCTAATATCTGTGTACATACCCATCCTTACCCCATTTGTTCAATCCAATG
 ATTTATAGTCTGAGAAATAAGGAATTCAAATCAGCCCTACGAAGAACAATCGGCCAACT
 TTCTATCCTCTTAGTTAA (SEQ ID NO: 456).

15

AOLFR244 sequences:

MWQEYYFLNVFFPLLKVCCLTINSHVVILLPWECYHLIWKILPYIGTTVGSMEBYNTSSTDFTF
 MGLFNKETSGLIFAIHSIFFTALMANGVMIFLIQTDLRLHTPMYFLLSHLSLIDMMYISTIVPKM
 LVNYLLDQRTISFVGCTAQHFLYTLVGAFFLLGLMAYDRYVAICNPLRYPVLMSSRVCWMI
 20 IAGSWFGGSLDGFLLPITMSFPFCNSREINHFFCEAPAVLKLACADTALYETVMYVCCVLMML
 IPFSVVLASYARILTTVQCMSSVEGRKKAFATCSSHMTTVVSLFYGAAMYTYMLPHSYHKPAQ
 DKVLSVFYITLTPMLNPLIYSLRNKDV TGALKRALGRFKGPQRVSGGVF (SEQ ID NO: 457).

ATGTGGCAAGAATACTATTTTTTAAATGTTTTCTTCCCACTTTTAAAAGTTTGCTGCCTAAC
 25 AATTAATTCACATGTTGTTATTTTACTGCCCTGGGAATGCTATCATCTTATTTGGAAGATAT
 TACCTTATATCGGCACAACGTAGGATCAATGGAAGAGTACAACACATCCTCTACAGACTT
 CACTTTTCATGGGGCTGTTCAACAGAAAGGAAACCTCAGGTCTTATTTTTGCCATCATCTCT
 ATCATCTTCTTACCAGCACTGATGGCCAATGGGGTTATGATCTTCTGATCCAAACAGATT
 TGCGCCTTCATACACCCATGTACTTCTCCTCAGCCACCTTTCCTTAATTGACATGATGTAT
 30 ATTTCCACTATTGTGCCTAAGATGCTGGTTAATTACCTGCTGGATCAAAGGACCATTTCCCT
 TGTGGGGTGACAGCTCAACACTTCTCTACCTTACCCTTGTGGGAGCTGAATTCTTCCCTG
 CTGGGCCTCATGGCCTATGACCGCTATGTGGCCATTGCAACCCTCTGAGATACCCTGTCC
 TCATGAGCCGCCGGGTCTGTTGGATGATTATAGCAGGTTCCTGGTTTGGGGGCTCTTTGGA
 TGGCTTCTCTCCTAACCCCATCACCATGAGCTTTCCTTCTGCAATTCCCGGGAGATTAACC
 35 ACTTCTTCTGTGAGGCACCAGCAGTCCTGAAGTTGGCATGTGCAGACACAGCCCTCTACGA
 GACAGTGATGTATGTGTGCTGTGTTTTGATGCTGCTGATTCTTTCTCTGTAGTCCTTGCTT
 CCTATGCCCGAATCCTGACTACAGTTCAGTGCATGAGCTCAGTGGAGGGCAGGAAGAAGG
 CATTTGCCACTGTCTCATCCCATGACTGTGGTGTCTTGTCTACGGGGCTGCCATGTAC
 ACCTACATGCTGCCACATTCTTACCACAAGCCAGCCAGGACAAAGTCCTCTCTGTGTTTT
 40 ACACCATTCCTACACCCATGCTGAACCCCTCATCTACAGCCTTAGAAACAAGGATGTGAC
 TGGAGCTCTGAAGAGGGCCTTGGGGAGGTTCAAGGGTCCTCAAAGGGTGTGAGGAGGTGT
 CTTTTGA (SEQ ID NO: 458).

AOLFR245 sequences:

MDLKNGLVTEFILLGFFGRWELQIFFVTFSLIYGATVMGNILIMVTVTCRSTLHSPLYFLLGN
 45 LSFLDMCLSTATTPKMIIDLLTDHKTISVWGCVTQMFFMHFFGGAEMTLIIMAFDRYVAICKP
 LHYRTIMSHKLLKGFAILSWIIGFLHSISQIVLTMNLPFCGHNVINNIFCDLPLVIKLACIETYTLE
 LFVIADSGLLSFTCFILLVSYIVILVSVPKSSHGLSKALSTLSAHIIIVTLFFGPCIFIYVWPFSSL
 ASNKTALAVFYTVITPLLNPSIYTLRNKKMQEAIKRLRFQYVSSAQNF (SEQ ID NO: 459).

50

ATGGATCTTAAAAATGGATCTCTAGTGACCGAGTTTATTTTACTAGGATTTTTTGGACGAT
 GGGAACTTCAAATTTTCTTCTTGTGACATTTTCCCTGATCTACGGTGCTACTGTGATGGGA
 AACATTCTCATTATGGTCACAGTGACATGTAGGTCAACCCTTCATTCTCCCTGTACTTTCT
 CCTTGGAAATCTCTCTTTTTTGGACATGTGTCTCTCCACTGCCACAACACCCAAGATGATCA
 55 TAGATTTGCTCACTGACCACAAGACCATCTCTGTGTGGGGCTGCGTGACCCAGATGTTCTT
 CATGCACTTCTTTGGGGGTGCTGAGATGACTCTTCTGATAATCATGGCCTTTGACAGGTAT

GTAGCCATATGTAAACCCCTGCACTATAGGACAATCATGAGCCACAAGCTGCTAAAGGGG
 TTTGCGATACTTTTCATGGATAATTGGTTTTTTTACACTCCATAAGCCAGATAGTTTTAAACAAT
 GAACTTGCCCTTTCTGTGGCCACAATGTCATAAACAACATATTTTGTGATCTTCCCCTTGTGA
 TCAAGCTTGCTTGCATTGAAACATACACCCTGGAATTATTTGTCAATTGCTGACAGCGGGCT
 5 GCTCTCTTTACCTGTTTCATCCTCTTGCTTGTTCCTTACATTGTCATCCTGGTCAGTGTACC
 AAAAAAATCATCACATGGGCTCTCCAAGGCGCTGTCCACATTGCTGCCCCACATCATTGTG
 GTCACCTCTGTTCTTTGGACCTTGATTTTTATCTATGTTTGGCCATTGAGTAGTTTGGCAAG
 CAATAAAACTCTTGCCGTATTTTATACAGTTATCACACCCTTACTGAATCCGAGTATTTATA
 CCCTGAGAAATAAGAAAATGCAAGAGGCCATAAGAAAATTACGGTTCGAATATGTTAGTT
 10 CTGCACAGAATTTCTAG (SEQ ID NO: 460).

AOLFR246 sequences:

MSPENQSSVSEFLLLGLPIRPEQQAVFFTLFLGMYLTTVLGNLLIMLLIQLDSHLHTPMYFFLSH
 LALTDISFSSVTPKMLMDMRTKYKSILYEECISQMYFFIFFTDLDSFLITSMAYDRYVAICHPL
 15 HYTVIMREELCVFLVAVSWILSCASSLHTLLRLSFCFAANTIPHVFCDLAALLKLSGSDIFLNE
 LVMFTVGVVITLPMFCILVSYGYIGATILRVPSTKGIHKALSTCGSHLSVSVSLYYGSIFGQYLF
 PTVSSSIDKDVIVALMYTVVTPMLNPFYISLRNRDMKEALGKLFSRATFFSW (SEQ ID NO:
 461).

20 ATGAGCCCTGAGAACCAGAGCAGCGTGTCCGAGTTCCTCCTTCTGGGCCTCCCCATCCGGC
 CAGAGCAGCAGGCTGTGTTCTTCACCCTGTTCTCTGGGCATGTACCTGACCACGGTGTCTGGG
 GAACCTGCTCATCATGCTGCTCATCCAGCTGGACTCTCACCTTCACACCCCCATGTACTTCT
 TCCTCAGCCACTTGGCTCTCACTGACATCTCCTTTTCATCTGTCACTGTCCCTAAGATGCTG
 ATGGACATGCGGACTAAGTACAAATCGATCCTCTATGAGGAATGCATTTCTCAGATGTATT
 25 TTTTTATAATTTTTACTGACCTGGACAGCTTCCTTATTACATCAATGGCATATGACCGATAT
 GTTGCCATATGTCACCCTCTCCACTACACTGTCATCATGAGGGAAGAGCTCTGTGTCTTCTT
 AGTGGCTGTATCTTGGATTCTGTCTTGTGCCAGCTCCCTCTCTCACACCCTTCTCCTGACCC
 GGCTGTCTTTCTGTGCTGCGAACACCATCCCCATGTCTTCTGTGACCTTGCTGCCCTGCTC
 AAGCTGTCTGTGCTCAGATATCTTCTCAATGAGCTGGTCATGTTTACAGTAGGGGTGGTGG
 30 TCATTACCCTGCCATTTCATGTGTATCCTGGTATCATATGGCTACATTGGGGCCACCATCCTG
 AGGGTCCCTTCAACCAAAGGGATCCACAAAGCATTGTCCACATGTGGCTCCCATCTCTCTG
 TGGTGTCTCTCTATTATGGGTCAATATTTGGCCAGTACCTTTTCCCGACTGTAAGCAGTTCT
 ATTGACAAGGATGTCATTGTGGCTCTCATGTACACGGTGGTCACACCCATGTTGAACCCCT
 TTATCTACAGCCTTAGGAACAGGGACATGAAAGARGCCCTTGGGAAACTCTTCAGTAGAG
 35 CAACATTTTTCTCCTTGGTGACATCTGACTTTTTAAAAAATTAG (SEQ ID NO: 462).

AOLFR247 sequences:

MGQHNLTVLTFILMELTRPELQIPLFGVFLVIYLLITVVGNLTMIIILTKLDSHLHTPMYFSIRHL
 ASVDLGNSTVICPKVLANFVDRNTISYYACAAQLAFFLMFIIEFFILSAMA YDRYVAICNPLL
 40 YYVIMSQRLLCHVLVGIQYLYSTFQALMFTIKIFTLTFCGSNVISHFYCDDVPLLPMLCSNAQEIE
 LLSILFSVFNLISSFLIVLVSYMLILLAICQMHSAGRKKAFSTCGSHLTVVVVVFYGSLLFMYMQ
 PNSTHFFDTDKMASVFYTLVIPMLNPLIYSLRNEEVKNAFYKLFEN (SEQ ID NO: 463).

ATGGGCCAACACAATCTAACAGTGCTAACTGAATTCATTCTGATGGAACCTACAAGGCGGC
 45 CTGAGCTGCAGATTCCCCTTTTTGGAGTCTTCCTCGTCATCTACCTAATCACAGTGGTGGGC
 AACCTAACTATGATCATTGACCAAAGTGGACTCCCACTTACATACACCTATGTACTTTTCT
 TATCAGACATTTGGCTTCTGTTGATCTTGGTAATTCTACTGTCATTTGTCCCAAGGTGCTGG
 CAAATTTTTGTTGTGGATCGAAATACTATTTCTATTATGCATGTGCTGCACAGCTGGCATTC
 TTCCTTATGTTTATTATCAGTGAATTTTTCATCCTGTCAGCCATGGCCTATGACCGCTATGT
 50 GGCCATTTGTAACCTCTGCTCTATTATGTTATTATGTCTCAGCGACTGTGTCATGTACTGG
 TGGGCATTCAATATCTCTACAGCACATTTTCAAGGCTCTGATGTTCACTATTAAGATTTTTACA
 TTGACCTTCTGTGGCTCTAATGTCATCAGTCATTTTACTGTGATGATGTTCTTTGCTACC
 TATGCTTTGCTCAAATGCACAGGAAATAGAATTGTTGAGCATACTATTTTCTGTATTTAAT
 TGATCTCCTCCTTTCTGATAGTCTTAGTGTCCTACATGTTGATTTTGTAGCTATATGTCAA
 55 ATGCACTTCTGCAGAGGGCAGGAAAAAGGCTTTCTCCACATGTGGTTCCTATTTGACAGTGG
 TGGTTGTGTTCTATGGGTCTCTACTCTTCATGTACATGCAGCCCAATTCCACTCACTTCTTT

GATACTGATAAAATGGCTTCTGTGTTTTACACTTTAGTAATCCCCATGCTTAACCCTTTGAT
TTACAGCTTAAGAAACGAAGAGGTGAAAAATGCCTTCTATAAGCTCTTTGAGAATTGA
(SEQ ID NO: 464).

5 **AOLFR248 sequences:**

MPCMPALPTGGLLPHPQHTMMEIANVSSPEVFLVLLGFSTRPSLETVLFIVVLSFYMVLSILNGI
IILVSHTDVHLHTPMYFFLANLPFLDMSFTTSIVPQLLANLWGPQKTISYGGCVVQFYISHWL
ATECVLLATMSYDRYAAICRPLHYTVIMHPQLCLGLALASWLGGLTSMVGSTLTMLPLCG
NNCIDHFFCEMLIMQLACVDTSLNEMEMYLASFVFLPLGLILVSYGHIAVLKIRSAEGR
10 RKAFTNCSSHVAVVSLFYGSIIIFYMYLQPAKSTSHEQGFIALFYTVVTPALNPLIYTLRNTEVKS
ALRHMVLENC CGSAGKLAQI (SEQ ID NO: 465).

ATGCCCTGTATGCCCTGTGCTCTTCCCACAGGTGGCCTTTTGCCCCACCCCCAGCATACAAT
GATGGAAATAGCCAATGTGAGTTCTCCAGAAGTCTTTGTCCTCCTGGGCTTCTCCACACGA
15 CCCTCACTAGAACTGTCTCTTCATAGTTGTCTTGAGTTTTTACATGGTATCGATCTTGGG
CAATGGCATCATCATTCTGGTCTCCCATACAGATGTGCACCTCCACACACCTATGTACTTCT
TTCTTGCCAACTCCCTTCTGGACATGAGCTTACCACGAGCATTGTCCCACAGCTCCTG
GCTAACCTCTGGGGACCACAGAAAACCATAAGCTATGGAGGGTGTGTGGTCCAGTTCTAT
ATCTCCCATTTGGCTGGGGGCAACCGAGTGTGTCTGCTGGCCACCATGTCTATGACCGCT
20 ACGCTGCCATCTGCAGGCCACTCCATTACACTGTCATTATGCATCCACAGCTTTGCCTTGG
GCTAGCTTTGGCCTCCTGGCTGGGGGGTCTGACCACCAGCATGGTGGGCTCCACGCTCACC
ATGCTCCTACCGCTGTGTGGGAACAATTGCATCGACCACTTCTTTGCGAGATGCCCCCTCA
TTATGCAACTGGCTTGTGTGGATACCAGCCTCAATGAGATGGAGATGTACCTGGCCAGCTT
TGTCTTTGTTGCTGCTGCCTCTGGGGCTCATCCTGGTCTCTTACGGCCACATTGCCCGGGCCG
25 TGTTGAAGATCAGGTCAGCAGAAGGGCGGAGAAAGGCATTCAACACCTGTTCTTCCCACG
TGGCTGTGGTGTCTCTGTTTTACGGGAGCATCATCTTCATGTATCTCCAGCCAGCCAAGAG
CACCTCCCATGAGCAGGGCAAGTTCATAGCTCTGTTCTACACCGTAGTCACTCCTGCGCTG
AACCCACTTATTTACACCCTGAGGAACACGGAGGTGAAGAGCGCCCTCCGGCACATGGTA
TTAGAGAACTGCTGTGGCTCTGCAGGCAAGCTGGCGCAAATTTAG (SEQ ID NO: 466).

30

AOLFR249 sequences:

MKSQIEKSDLKYRAILLQKVTRMFLLFWVLLLVLRLVVMGRGNSTEVTEFHLLGFGVQHEF
QHVLFIVLLLIYVTSIGNIGMILLIKTDSRLQTPMYFFPQHAFVDICYTSAITPKMLQSFTEN
NLITFRGCVIQLVYATFATSDCYLLAIMAMDCYVAICKPLRYPMIMSQT VYIQLVAGSYIIGSI
35 NASVHTGFTFSLFCKSNKINHFFCDGLPILALSCSNIDINILDVVFGFDLMFTLVIFSYIYIM
VTILKMSSTAGRKKSFSSTCASHLTAVTIFYGTL SYMYLQPQSNNSQENMKVASIFYGTVIPMLN
PLIYSLRNKEGK (SEQ ID NO: 467).

ATGAAAAGTCAAATTGAAAAAGTGACTTAAATATAGAGCCATTTTATTGCAAAAAGTC
40 ACAAGGATGTTCTGCTTTTCTGGGTCCTTCTCTTGGTCTTTCTAGACTTTTGGTAGTCAT
GGGTCGAGGAAACAGCACTGAAAGTGAAGTGAATTCATCTTCTGGGATTTGGTGTCCAACAC
GAATTTGAGCATGTCCTTTTCATTGTAATCTTCTTATCTATGTGACCTCCCTGATAGGAAA
TATTGGAATGATCTTACTCATCAAGACCGATTCCAGACTTCAAACACCCATGTACTTTTTTC
CACAACATTTGGCTTTTGTGATATCTGTTATACTTCTGCTATCACTCCCAAGATGCTCCAA
45 AGCTTCACAGAAGAAAATAATTTGATAACATTTCCGGGGCTGTGTGATACAATTCTTAGTTT
ATGCAACATTTGCAACCACTGACTGTTACCTCCTAGCTATTATGGCAATGGATTGTTATGT
TGCCATCTGTAAGCCCTTCGCTATCCCATGATCATGTCCCAACAGTCTACATCCAACCTCG
TAGCTGGCTCATATATTATAGGCTCAATAAATGCCTCTGTACATACAGGTTTTACATTTTCA
CTGTCTTCTGCAAGTCTAATAAAATCAATCACTTTTCTGTGATGGTCTCCCAATTCTTGC
50 CCTTTCATGCTCCAACATTGACATCAACATCATTCTAGATGTTGTCTTTGTGGGATTTGACT
TGATGTTCACTGAGTTGGTCATCATCTTTTCTACATCTACATTATGGTCACCATCCTGAAG
ATGTCTTCTACTGCTGGGAGGAAAAAATCCTTCTCCACATGTGCCTCCACCTGACAGCAG
TAACCATTTTCTATGGGACACTCTTACATGTACTTACAGCCTCAGTCTAATAATTCTCAG
GAGAATATGAAAGTAGCCTCTATATTTTATGGCACTGTTATTCCCATGTTGAATCCTTTAAT
55 CTATAGCTTGAGAAATAAGGAAGGAAATAA (SEQ ID NO: 468).

AOLFR250 sequences:

MENQSSISEFFLRGISAPPEQQQSLFGIFLCMYLVTLTGNLLIILAIGSDLHLHTPMYFFLANLSFV
DMGLTSSTVTKMLVNIQTRHHTISYTGCLTQMYFFLMFGDLDSFFLAAMAYDRYVAICHPLCY
STVMRPQVCALMLALCWVLTNIVALHTHFLMARLSFCVTGEIAHFFCDITPVLKLSGSDTHINE
5 MMVFLVGGTVLIVPFLCIVTSYIHIVPAILRVTRGGVGKAFSTCSSHLCVVCVFYGTFLFSAYLC
PPSIASEEKDIAAAAMYTIVTPMLNPFYISLRNKDMKGALKRFLSHRSIVSS (SEQ ID NO: 469).

ATGGAAAACCAATCCAGCATTCTGAATTTTCTCCGAGGAATATCAGCGCCTCCAGAGC
AACAGCAGTCCCTCTTCGGAATTTTCTGTGTATGTATCTTGTACCTTGACTGGGAACCTG
10 CTCATCATCTCGGCCATTGGCTCTGACCTGCACCTCCACACCCCATGTACTTTTCTTGGC
CAACCTGTCTTTTGTGACATGGGTTTAACGTCTCCACAGTTACCAAGATGCTGGTGAAT
ATACAGACTCGGCATCACACCATCTCCTATACGGGTTGCCTCACGCAAATGTATTTCTTTCT
GATGTTTGGTGATCTAGACAGCTTCTTCCTGGCTGCCATGGCGTATGACCGCTATGTGGCC
ATTTGCCACCCCTCTGCTACTCCACAGTCATGAGGCCCAAGTCTGTGCCCTAATGCTTGC
15 ATTGTGCTGGGTCTCACCAATATCGTTGCCCTGACTCACACGTTCTCATGGCTCGGTTGT
CCTTCTGTGTGACTGGGGAAATTGCTCACTTTTCTGTGACATCACTCCTGTCTGAAGCTG
TCATGTTCTGACACCCACATCAACGAGATGATGGTTTTTGTCTTGGGAGGCACCGTACTCA
TCGTCCCTTTTATGCATTGTACCTCCTACATCCACATTGTGCCAGCTATCCTGAGGGTC
CGAACCCGTGGTGGGGTGGGCAAGGCCTTTTCCACCTGCAGTTCCACCTCTGCGTTGTTT
20 GTGTGTTCTATGGGACCCTCTTCAGTGCCTACCTGTGTCTCCCTCCATTGCCTCTGAAGAG
AAGGACATTGCAGCAGCTGCAATGTACACCATAGTGAAGTCCCATGTTGAACCCCTTTATCT
ATAGCCTAAGGAACAAGGACATGAAGGGGGCCCTAAAGAGGCTCTTCAGTCACAGGAGTA
TTGTTTCTCTTAG (SEQ ID NO: 470).

AOLFR251 sequences:

MEGNKTWITDITLPRFQVGPALAILLCGLFSAFYTLTLLGNGVIFGIICLDCKLHTPMYFFLSHLA
IVDISYASNYVPKMLTNLMNQESTISFFPCIMQTFLYLAFHVECLILVMSYDRYADICHPLRY
NILMSWRVCTVLAVASWVFSLLALVPLVLILRLPFCGPHEINHFEILSVLKLACADTWNQV
VIFAACVFILVGPLCLVLSYLRILAILRIQSSEGRRKAFSTCSSHLCVVGLFFGSAIVTYMAPK
30 SRHPEEQKVLSLFYSLFNPMLNPLIYSLRNAEVKGALRRALRKERLT (SEQ ID NO: 471).

ATGGAAGGCAACAAGACATGGATCACAGACATCACCTTGCCGCGATTCCAGGTTGGTCCA
GCACTGGAGATTCTCCTCTGTGGACTTTTCTCTGCCTTCTATACACTCACCTGCTGGGGAA
TGGGGTCATCTTTGGGATTATCTGCCTGGACTGTAAGCTTCACACACCCATGTACTTCTTCC
35 TCTCACACCTGGCCATTGTTGACATATCCTATGCTTCCAACATATGTCCCAAGATGCTGACG
AATCTTATGAACCAGGAAAGCACCATCTCCTTTTTTCCATGCATAATGCAGACATTCTTGT
ATTTGGCTTTTGCTCACGTAGAGTGCTGATTTTGGTGGTGATGTCCTATGATCGCTATGCG
GACATCTGCCACCCCTTACGTTACAATATCCTCATGAGCTGGAGAGTGTGCACTGTCCTGG
CTGTGGCTTCTGGGTGTTGAGCTTCTCCTGGCTCTGGTCCCTTTAGTTCTCATCTGAGG
40 CTGCCCTTCTGCGGGCCTCATGAAATCAACCACTTCTGTGAAATCCTGTCTGTCTCAAGTT
GGCCTGTGCTGACACCTGGCTCAACCAGGTGGTCATCTTTGCAGCCTGCGTGTTTCATCCTG
GTGGGGCCACTCTGCCTGGTGCTGGTCTCCTACTTGCGCATCCTGGCCGCCATCTTGAGGA
TCCAGTCTGGGGAGGGCCGCAGAAAGGCCTTCTCCACCTGCTCCTCCACCTTTGCGTGGT
GGGACTCTTCTTTGGCAGCGCCATTGTACGTACATGGCCCCCAAGTCCCGCCATCCTGAG
45 GAGCAGCAGAAAGTTCTTTCCCTGTTTTACAGCCTTTTCAATCCAATGCTGAACCCCTGA
TATATAGCCTAAGGAATGCAGAGGTCAAGGGCGCCCTGAGGAGGGCACTGAGGAAGGAG
AGGCTGACGTGA (SEQ ID NO: 472).

AOLFR252 sequences:

MRLANQTLGGDFFLLGIFSQISHPGRLCLLIFSIFLMAVSWNITLILLIHIDSSLHTPMYFFINQLSL
IDLTYSVTVPKMLVNQLAKDKTISVLGCGTQMYFYQLGGAECCLLAAMAYDRYVAICHPLR
YSVLMSHRVCLLLASGCWFVGSVDGFMLTPIAMSFPCRSHIEIHFCEVPAVLKLSGSDTSLY
KIFMYLCCVIMLLIPVTVISVSYYYIILTIHKMNSVEGRKKAFTTCSHITVVSIFYGAAIYNYML
PSSYQTPEKDMMSFFYTILTPVLNPIIYSFRNKDVTRALKKMLSVQKPPY (SEQ ID NO: 473).

55

ATGCGGCTGGCCAACCAGACCCTGGGTGGTGACTTTTTCTGTTGGGAATCTTCAGCCAGA
 TCTCACACCCTGGCCGCCTCTGCTTGCTTATCTTCAGTATATTTTTGATGGCTGTGTCTTGG
 AATATTACATTGATACTTCTGATCCACATTGACTCCTCTCTGCATACTCCCATGTACTTCTT
 5 TATAAACCACTCTCACTCATAGACTTGACATATATTTCTGTCACTGTCCCCAAAATGCTG
 GTGAACCAGCTGGCCAAAGACAAGACCATCTCGGTCCTTGGGTGTGGCACCCAGATGTAC
 TTCTACCTGCAGTTGGGAGGTGCAGAGTGCTGCCTTCTAGCCGCCATGGCCTATGACCGCT
 ATGTGGCTATCTGCCATCCTCTCCGTTACTCTGTGCTCATGAGCCATAGGGTATGTCTCCTC
 CTGGCATCAGGCTGTGGTTTGTGGGCTCAGTGGATGGCTTCATGCTCACTCCCATCGCCA
 10 TGAGCTTCCCCTTCTGCAGATCCCATGAGATTGAGCACTTCTTCTGTGAGGTCCCTGTGTT
 TTGAAGCTCTCTTGCTCAGACACCTCACTTTACAAGATTTTCATGTACTTGTGCTGTGTCAT
 CATGCTCCTGATACCTGTGACGGTCATTTCACTGTCTTACTACTATATCATCTCACCATCC
 ATAAGATGAACTCAGTTGAGGGTCGGAAGGCTTCACCACCTGCTCCTCCACATTAC
 AGTGGTCAGCCTCTTCTATGGAGCTGCTATTTACAACATACATGCTCCCCAGCTCCTACAA
 ACTCCTGAGAAAGATATGATGTCATCCTTTTTCTACACTATCCTTACACCTGTCTTGAATCC
 15 TATCATTTACAGTTTCAGGAATAAGGATGTCACAAGGGCTTTGAAAAAATGCTGAGCGT
 GCAGAAACCTCCATATTAA (SEQ ID NO: 474).

AOLFR253 sequences:

20 MTFSSSGNCEPVMCSGNQTSQNQTASTDFTLTGLFAESKHAALLYTVTFLLFLMALTGNALL
 ILLIHSEPRLHTPMYFFISQLALMDLMLYLCVTPKMLVGQVTGDDTISPSGCGIQMFFHLTLAG
 AEVFLAAMAYDRYAACVRPLHYPLLMNQRVCQLLSACWVLGMVDGLLLTPITMSFPFCQS
 RKILSFCETPALLKLSCDVSLYKMLTYLCCILMLLTPIMVISSSYTLILHLIHRMNSAAGRRA
 LATCSSHMIIVLLFGASFYTYMLRSSYHTAEQDMMVSAFYTIFTPVLNPLIYSLRNKDVTRAL
 RSMMQSRMNQEK (SEQ ID NO: 475).

25 ATGACTTTTTTTTCTCAGGGGGAACTGTGAGCCAGTCATGTGCTCAGGGAATCAGACTT
 CTCAGAATCAAACAGCAAGCACTGATTTACCCCTCACGGGACTCTTTGCTGAGAGCAAGCA
 TGCTGCCCTCCTCTACACCGTGACCTTCTTTCTTTCTTGATGGCCCTCACTGGGAATGCCC
 30 TCCTCATCCTCCTCATCCACTCAGAGCCCCGCTCCACACCCCCATGTACTTCTTCATCAGC
 CAGCTCGCGCTCATGGATCTCATGTACCTATGCGTGACTGTGCCCAAGATGCTTGTGGGCC
 AGGTCAGTGGAGATGATACCATTTCCCCGTCAGGCTGTGGGATCCAGATGTTCTTCCACCT
 GACCTGGCTGGAGCTGAGGTTTTCTCCTGGCTGCCATGGCCTATGACCGATATGCTGCT
 GTTTCAGACCTCTCCATTACCCACTGCTGATGAACCAGAGGGTGTGCCAGCTCCTGGTGT
 CAGCCTGCTGGGTTTTGGGAATGGTTGATGGTTTGTGCTCACCCCCATTACCATGAGCTT
 35 CCCCTTTGCCAGTCTAGGAAAATCCTGAGTTTTTCTGTGAGACTCCTGCCCTGCTGAAGC
 TCTCCTGCTCTGACGTCTCCCTCTATAAGATGCTCACGTACCTGTGCTGCATCCTCATGCTT
 CTCACCCCCATCATGGTCATCTCCAGCTCATAACCCCTCATCCTGCATCTCATCCACAGGAT
 GAATTCTGCCGCCGCCGAGGAAGGCTTGGCCACCTGCTCCTCCACATGATCATAGTG
 CTGCTGCTCTTCGGTGCTTCCTTCTACACCTACATGCTCCGGAGTTCCTACCACACAGCTGA
 40 GCAGGACATGATGGTGTCTGCCTTTTACACCATCTTCACTCCTGTGCTGAACCCCTCATTT
 ACAGTCTCCGCAACAAAGATGTCACCAGGGCTCTGAGGAGCATGATGCAGTCAAGAATGA
 ACCAAGAAAAGTAG (SEQ ID NO: 476).

AOLFR254 sequences:

45 MTNTSSSDFTLLGLLVNSEAAGIVFTVILAVFLGAVTANLVMIFLIQVDSRLHTPMYFLLSQLSI
 MDTLFICTTVPKLLADMVSKEKISFVACGIQIFLYLTMIGSEFFLLGLMAYDCYVAVCNPLRYP
 VLMNRKKCLLLAAGAWFGGSLDGFLLPITMNVPCGSR SINHFCEIPAVLKLACADTSLEYET
 LMYICCVLMLLIPISHISTSYSLILLTIHRMPSAEGRKKAFTTCSHLLTVVSIFYGAIFYTYVLPQS
 50 FHTPEQDKVVSIFYTIVTPMLNPLIYSLRNKDVIGAFKKVFACSSAQKVATSDA (SEQ ID NO:
 477).

55 ATGACGAACACATCATCCTCTGACTTCACCCTCCTGGGGCTTCTGGTGAACAGTGAGGCTG
 CCGGGATTGTATTTACAGTGATCCTTGCTGTTTTCTTGGGGGCCGTGACTGCAAATTTGGT
 CATGATATTCTTGATTCAGGTGGACTCTCGCCTCCACACCCCCATGTACTTTCTGCTCAGTC
 AGCTGTCCATCATGGACACCTTTTCATCTGTACCACTGTCCCAAACTCCTGGCAGACAT
 GGTTCATAAGAGAAGATCATTTCTTTGTGGCCTGTGGCATCCAGATCTTCTCTACCTG

ACCATGATTGGTTCTGAGTTCTTCCTCCTGGGCCTCATGGCCTATGACTGCTACGTGGCTGT
 CTGTAACCTCTGAGATACCCAGTCTGATGAACCGCAAGAAGTGTCTTTTGGCTGGCTGCT
 GGTGCCTGGTTTGGGGGCTCCCTCGATGGCTTTCTGCTCACTCCCATCACCATGAATGTCC
 CTTACTGTGGCTCCCGAAGTATCAACCATTTTTCTGTGAGATCCCAGCAGTTCTGAAACT
 5 GGCCTGTGCAGACACGTCCTTGTATGAAACTCTGATGTACATCTGCTGTGTCTCATGTTG
 CTCATCCCCATCTCTATCATCTCCACTTCCTACTCCCTCATCTTGTTAACCATCCACCGCAT
 GCCCTCTGCTGAAGGTGCGAAAAAGGCCTTACCACCTTGTTCCCTCCCACTTGACTGTAGTT
 AGCATCTTCTATGGGGCTGCCTTCTACACATACGTGCTGCCCCAGTCCTTCCACACCCCCG
 10 AGCAGGACAAAGTAGTGTGAGCCTTCTATACCATGTGTCAGGCCATGCTTAATCCTCTCAT
 CTACAGCCTCAGAAACAAGGACGTATAGGGGCATTAAAAAGGTATTTGCATGTTGCTCA
 TCTGCTCAGAAAGTAGCAACAAGTGATGCTTAG (SEQ ID NO: 478).

AOLFR255 sequences:

MEQSNYSVYADFILLGLFSNARFPWLLFALILLVFLTSIASNVVKILLIHDSRLHTPMYFLLSQLS
 15 LRDILYISTIVPKMLVDQVMSQRAISFAGCTAQHFLYLTLAGAEFFLLGLMSYDRYVAICNPLH
 YPVLMSRKICWLIVAAAWLGGSIDGFLTPVTMQFPFCASREINHFFCEVPALLKLSCTDTSAY
 ETAMYVCCIMMLLIPFSVISGSYTRILITVYRMSEAEGRGKAVATCSSHMVVVSLFYGAAMYT
 YVLPHSYHTPEQDKAVSAFYTILTPMLNPLIYSLRNKDVGTALQKVVGRCVSSGKVTTT (SEQ
 ID NO: 479).
 20
 ATGGAGCAGAGCAATTATTCGGTGTATGCCGACTTTATCCTTCTGGGTTTGTTCAGCAACG
 CCCGTTTCCCCTGGCTTCTCTTTGCCCTCATTCTCCTGGTCTTTTGACCTCCATAGCCAGC
 AACGTGGTCAAGATCATTCTCATCCACATAGACTCCCGCTCCACACCCCCATGTACTTCTC
 GCTCAGCCAGCTCTCCCTCAGGGACATCCTGTATATTTCCACCATTGTGCCCAAAATGCTG
 25 GTCGACCAGGTGATGAGCCAGAGAGCCATTTCCTTTGCTGGATGCACTGCCCAACACTTCC
 TCTACTTGACCTTAGCAGGGGCTGAGTTCTTCCTCCTAGGACTCATGTCCTATGATCGCTAC
 GTAGCCATCTGCAACCCTCTGCACTATCCTGTCTCATGAGCCGCAAGATCTGCTGGTTGA
 TTGTGGCGGCAGCCTGGCTGGGAGGGTCTATCGATGGTTTCTTGCTCACCCCCGTCAACCAT
 GCAGTTCCCCTTCTGTGCCTCTCGGGAGATCAACCACTTCTTCTGCGAGGTGCCTGCCCTC
 30 TGAAGCTCTCCTGCACGGACACATCAGCCTACGAGACAGCCATGTATGTCTGCTGTATTAT
 GATGCTCCTCATCCCTTTCTCTGTCTATCTCGGGCTCTTACACAAGAATTCTCATTACTGTTT
 ATAGGATGAGCGAGGAGGAGGGGAGGGGAAAGGCTGTGGCCACCTGCTCCTCACACATGG
 TGGTTGTGACGCTCTTCTATGGGGCTGCCATGTACACATACGTGCTGCCTCATTCTTACCAC
 ACCCTGAGCAGGACAAAGCTGTATCTGCCTTCTACACCATCCTTACTCCCATGCTCAATC
 35 CACTCATTTACAGCCTTAGGAACAAGGATGTACAGGGGCCCTACAGAAGGTTGTGGGGA
 GGTGTGTGCTCCTCAGGAAAGGTAACCACTTTCTAA (SEQ ID NO: 480).

AOLFR256 sequences:

MGGKQPWVTEFILVGFQVGPALAILLCGLFSVFYTLTLLGNGVIFGIICLDSKLHTPMYFFLSHL
 40 AIIDMSYASNNVPKMLANLMNQKSTISFVPCIMQTFLYLAFVTECLILVMSYDRYVAICHPF
 QYTVIMSWRVCTILASTCWIISFLMALVHITHILRPPFCGPQKINHIFCQIMSVFKLACAGPRLNQ
 VVLYAGSAFIVEGPLCLELVSNLHILSRHLEDPMGRAADRLTLPAPSHLCMVGLLFGSTMVM
 YMAPKSRHPEEQKVLSLFYSLFNPMNLPLIYSLRNAEVKGALKRVLWKQRSK (SEQ ID NO:
 481).
 45
 ATGGGAGGCAAGCAGCCCTGGGTACAGAATTCATCCTGGTGGGATTCCAGGTTGGTCCA
 GCACTGGCGATTCTCCTCTGTGGACTCTTCTCTGTCTTCTATACACTCACCCCTGCTGGGGAA
 TGGGGTCATCTTTGGGATTATCTGCCTGGACTCTAAGCTTCACACACCCATGTACTTCTTCC
 TCTCACACCTGGCCATCATTGACATGTCCTATGCTTCCAACAATGTTCCCAAGATGTTGGC
 50 AAACCTAATGAACCAGAAAAGCACCATCTCCTTTGTTCCATGCATAATGCAGACTTTTTTG
 TATTTGGCTTTTGTGTTACAGAGTGCCTGATTTTGGTGGTGATGTCCTATGATAGGTATGT
 GGCCATCTGCCACCCTTTCCAGTACACTGTCATCATGAGCTGGAGAGTGTGCACGATCCTG
 GCCTCAACATGCTGGATAATTAGCTTTCTCATGGCTCTGGTCCATATAACTCATATTCTGAG
 GCCGCCTTTTGTGGCCACAAAAGATCAACCACTTATCTGTCAAATCATGTCCGTATTCA
 55 AATTGGCCTGTGCTGGCCCTAGGCTCAACCAGGTGGTCTATATGCGGGTTCTGCGTTTCT
 CGTAGAGGGGCCGCTCTGCCTGGAGCTGGTCTCCAACCTGCACATCCTGTGCGGCCATCTT

GAGGATCCAGTAATGGGGAGGGCCGAGACCGACTTACTCTTCCTGCTCCTTCCCACCTTT
GCATGGTGGGACTCCTTTTTTGGCAGCACCATGGTCATGTACATGGCCCCCAAGTCCCGCCA
CCCTGAGGAGCAGCAGAAGGTCCTTTCCCTGTTTTACAGCCTTTTCAACCCGATGCTGAAC
CCCTTGATCTACAGCCTGAGGAACGCAGAGGTCAAGGGTGCCTGAAAAGAGTGTTGTGG
5 AAACAGAGATCAAAGTGA (SEQ ID NO: 482).

AOLFR257 sequences:

MESNQTWITEVILLGFQVDPALELFLFGFFLLFYSLTLMGNGIILGLIYLD SRLHTPMYVFLSHL
AIVDMSYASSTVPKMLANLVMHKKVISFAPCIIQTFLYLAFAITECLILVMMC YDRYVAICHPL
10 QYTLIMNWRVCTVLASTCWIFSLLALVHITLILRLPFCGPQKINHFFCQIMSVFKLACADTRLN
QVVLFAGSFILVGPLCLVLVSYLHILVAILRIQSGEGRRKAFSTCSSHL CVVGLFFGSAIVMYM
APKSSHSQERRKILSLFYSLFNPLNPLIYSLRNAEVKGALKRVLWKQRSM (SEQ ID NO: 483).

ATGGAAAGCAATCAGACCTGGATCACAGAAGTCATCCTGTTGGGATTCCAGGTGGACCCA
15 GCTCTGGAGTTGTTCTCTTTGGGTTTTTCTTGCTATTCTACAGCTTAACCCTGATGGGAAA
TGGGATTATCCTGGGGCTCATCTACTTGGACTCTAGACTGCACACACCCATGTATGTCTTC
CTGTCACACCTGGCCATTGTGGACATGTCCTATGCCTCGAGTACTGTCCCTAAGATGCTAG
CAAATCTTGATGCACAAAAAAGTCATCTCCTTTGCTCCTTG CATACTTCAGACTTTTTTG
TATTTGGCGTTTGCTATTACAGAGTGTCTGATTTTGGTGATGATGTGCTATGATCGGTATG
20 TGGCAATCTGTCAACCCCTTGCAATACACCCCTCATTATGAAGTGGAGAGTGTGCACTGTCCT
GGCCTCAACTTGCTGGATATTTAGCTTTCTCTTGCTCTGGTCCATATTACTCTTATTCTGA
GGCTGCCTTTTTGTGGCCCAAAAAGATCAACCACTTTTTCTGTCAAATCATGTCCGTATTC
AAATTGGCCTGTGCTGACACTAGGCTCAACCAGGTGGTCTTATTGCGGGTCTGCGTTCA
TCTTAGTGGGGCCGCTCTGCCTGGTGCTGGTCTCCTACTTG CACATCCTGGTGGCCATCTTG
25 AGGATCCAGTCTGGGGAGGGCCGAGAAAGGCCTTCTCTACCTGCTCCTCCACCTCTGCG
TGGTGGGGCTTTTCTTTGGCAGCGCCATTGTCATGTACATGGCCCCCAAGTCAAGCCATTC
TCAAGAACGGAGGAAGATCCTTTCCCTGTTTTACAGCCTTTTCAACCCGATCCTGAACCCC
CTCATCTACAGCCTTAGGAATGCAGAGGTGAAAGGGGCTCTAAAGAGAGTCCTTTGAAA
CAGAGATCAATGTGA (SEQ ID NO: 484).

30

AOLFR259 sequences:

MGDNQSRVTEFILVGFLSVEMEVLLFWIFSLLYLFSLLANGMILGLICLD PRLRTPMYFFLSHL
AVIDIYYASSNLLNMLENLVKHKKTISFISCIMQMALYLTFAAAVCMILVVM S YDRFVAICHPL
HYTVIMNWRVCTVLAITSWACGFSLLALINLILLRLPFCGPQEVNHFFGEILSVLKLACADTWIN
35 EIFVFAGGVFVLVGPLSLMLISYMRILLAILKIQSKEGRKKAFTSCSSHL CVVGLYFGMAMVVY
LVPDNSQRQKQKILTLFYSLFNPLNPLIYSLRNAQVKGALYRALQKRTM (SEQ ID NO:
485).

ATGGGGGACAACCAATCACGGGTCACAGAATTCATCCTGGTTGGATTCCAGCTCAGTGTG
40 GAGATGGAAGTGCTCCTCTTCTGGATCTTCTCCCTGTTATATCTCTTCAGCCTGCTGGCAAA
TGGCATGATCTTGGGGCTCATCTGTCTGGATCCCAGACTGCGCACCCCCATGTACTTCTTCC
TGTCACACTTGGCCGTCATTGACATATACTATGCTTCCAGCAATTTGCTCAACATGCTGGA
AAACCTAGTGAAACACAAAAAACTATCTCGTTCATCTCTTG CATTATGCAGATGGCTTTG
TATTTGACTTTTGCTGCTGCAGTGTGCATGATTTTGGTGGTGATGTCTATGACAGATTTGT
45 GGCGATCTGCCATCCCCTGCAATTACACTGTCATCATGAAGTGGAGAGTGTGCACAGTACTG
GCTATTACTTCTGGGCATGTGGATTTTCCCTGGCCCTCATAAATCTAATTCTCCTTCTAAG
GCTGCCCTTCTGTGGGCCCCAGGAGGTGAACCACTTCTTCGGTGAAATTCTGTCTGTCTC
AACTGGCCTGTGCAGACACCTGGATTAATGAAATTTTGTCTTTGCTGGTGGTGTGTTTG
TCTTAGTCGGGGCCCTTTCTTGTATGCTGATCTCCTACATGCGCATCCTCTTGGCCATCCTG
50 AAGATCCAGTCAAAGGAGGGCCGCAAAAAGCCTTTTCCACCTGCTCCTCCACCTCTGTG
TGGTTGGGCTTTACTTTGGCATGGCCATGGTGGTTTACCTGGTCCCAGACAACAGTCAACG
ACAGAAGCAGCAGAAAATTCTCACCTGTTTTACAGCCTTTTCAACCCATTGCTGAACCCC
CTCATCTACAGCCTGCGGAATGCTCAAGTGAAGGGTGCCTTATACAGAGCACTGCAGAAA
AAGAGGACCATGTGA (SEQ ID NO: 486).

55

AOLFR24B sequences:

MPSINDTHFYPPFFLLLGIPGLDTHLHISFPFCIVYLIAIVGNMTILFVIKTEHSLHQPMFYFLAM
LSMIDLGLSTSTIPKMLGIFWFNLQEISFGGCLLQMFFIHMFTGMETVLLVVMAYDRFVAICNP
LQYTMILTNTKISILASVVVGRNLVLVTPFVFLRLPFCGHNIVPHTYCEHRGLAGLACAPIKIN
5 IYGLMVISYIIVDVILIASSYVLILRAVFLPSQDVRLLKAFNTCGSHVCVMLCFYTPAFFSFMTH
RFGQNIPHYIHILLANLYVVVPPALNPVIYGVRTKQIREQIVKIFVQKE (SEQ ID NO: 487)

ATGCCTTCTATCAATGACACCCACTTCTATCCCCCTTCTTCTCCTGCTAGGAATACCAGG
ACTGGACACTTTACATATCTGGATTCTTTCCCATCTGTATTGTGTACCTGATTGCCATTG
10 TGGGGAATATGACCATTCTCTTTGTGATCAAACTGAACATAGTCTACACCAGCCCATTGT
CTACTTCTGGCCATGTTGTCTATGATTGATCTGGGTCTGTCCACATCCACTATCCCCAAAA
TGCTAGGAATCTTCTGGTTCAACCTCCAAGAGATCAGCTTTGGGGGATGCCTTCTTCAGAT
GTTCTTTATTACATGTTTACAGGCATGGAGACTGTTCTGTGTGGTGGTCATGGCTTATGACC
GCTTGTGTGCCATCTGCAACCCCTCTCCAGTACACCATGATCCTCACCAATAAAACCATCAG
15 TATCCTAGCTTCTGTGGTTGTTGGAAGAAATTTAGTTCTTGTAAACCCATTTGTGTTTCTCA
TTCTGCGTCTGCCATTCTGTGGGCATAACATCGTACCTCACACATACTGTGAGCACAGGGG
TCTGGCCGGGTTGGCCTGTGCACCCATTAAGATCAACATAATCTATGGGCTCATGGTGATT
TCTTATATTATTGTGGATGTGATCTTAATTGCCTCTTCTATGTGCTTATCCTTAGAGCTGT
TTTTCGCCCTTCCCTCTCAAGATGTCCGACTAAAGGCCTTCAATACCTGTGGTTCTCATGTCT
20 GTGTTATGCTGTGCTTTTACACACCAGCATTTTTTTCTTTTATGACACATCGTTTTGGCCAA
AACATTCCCCACTATATCCATATTCTTTTGGCTAACCTGTATGTGGTTGTCCACCTGCCCT
TAACCCTGTCAATTTATGGAGTCAGGACCAAGCAGATCCGAGAGCAAATTGTGAAAATATTT
GTACAGAAAGAATAA (SEQ ID NO: 488)

AOLFR33B sequences:

MLHTNNTQFHPSTFLVVGVPGLLEDVHVWIGFPFFAVYLTALLGNIILFVIQTEQSLHQPMFYFL
AMLAGTDLGLSTATIPKMLGIFWFNLGEIAFGACITQMYTIHICTGLESVVLTVTGIDRYIAICNP
LRYSMILTNTKIVAILGIVHVRTLVFVTPFTFLRLPFCGVRIIPHTYCEHMGGLAKLACASINVIY
GLIAFSVGYIDISVIGFSYVQILRAVFLPAWDARLKALSTCGSHVCVMLAFYLPALFSFMTHRF
30 GHNIPHYIHILLANLYVVVPPALNSVIYGVKTKQIREQVLRILNPKSFWHFDPKRIFHNNSVRQ
(SEQ ID NO: 489)

ATGCTTCATACCAACAATACACAGTTTCACCCCTCCACCTTCTCCTCGTAGTGGGGGTCCAG
GGCTGGAAGATGTGCATGTATGGATTGGCTTCCCTTCTTTGCGGTGTATCTAACAGCCCT
35 TCTAGGGAACATCATTATCCTGTTTGTGATACAGACTGAACAGAGCCTCCACCAACCCATG
TTTACTTCTAGCCATGTTGGCCGGCACTGATCTGGGCTTGTCTACAGCAACCATCCCCA
AGATGCTGGGAATTTTCTGGTTTAATCTTGAGAGATTGCATTTGGTGCCTGCATCACACA
GATGTATACCATTCATATATGCACTGGCCTGGAGTCTGTGGTACTGACAGTCACGGGCATA
GATCGCTATATTGCCATCTGCAACCCCTGAGATATAGCATGATCCTTACCAACAAGGTAA
40 TAGCCATTCTGGGCATAGTCATTTGTCAGGACTTTGGTATTTGTGACTCCATTACATTT
CTCACCCCTGAGATTGCCTTCTGTGGTGTCCGGATTATCCCTCATACCTATTGTGAACACAT
GGGCTTGCCAAAGTTAGCTTGTGCCAGTATTAATGTTATATATGGATTGATTGCCTTCTCA
GTGGGATACATTGACATTTCTGTGATTGGATTTTCTCTATGTCCAGATCCTCCGAGCTGTCTT
CCATCTCCCAGCCTGGGATGCCCCGCTTAAGGCACTCAGCACATGTGGCTCTCACGTCTGT
45 GTTATGTTGGCTTTCTACCTGCCAGCCCTCTTTTCTTCTCATGACACACCGCTTTGGCCACAA
CATCCCTCATTACATCCACATTCTTCTGGCCAATCTGTATGTGGTTTTTCCCCCTGCTCTTA
ACTCTGTTATCTATGGGGTCAAAACAAAACAGATACGAGAGCAGGTACTTAGGATACTCA
ACCCTAAAAGCTTTTGGCATTTTGACCCCAAGAGGATCTTCCACAACAATTACAGTTAGACA
ATAA (SEQ ID NO: 490)

50

AOLFR112B sequences:

MKNKTVLTFEILLGLTDVPELQVAVFTFLFLAYLLSILGNLTILTLTLLDSHLQTPMYFFLRNFSF
LEISFTNIFIPRVLSITTNKNSISFAGCFTQYFFAMFLGATEFYLLAAMSVDYVAICKPLHYTTI
MSSRICIQLIFCSWLGLMAIPTITLMSQQDFCASNRLNHYFCDYEPLLELSCSDTSLIEKVVFL
55 VASVTLVVTLLVLVLSYAFIKTILKLPSAQQRKAFSTCSSHMIVISLSYGSCMFMYINPSAKEG
DTFNKGVALLITSVAPLLNPFYTLRNQQVKQPFKDMVKLLNL (SEQ ID NO: 491)

ATGAAAAATAAAACCGTGTTAACTGAGTTTATCCTTCTGGGTCTAACAGATGTCCCTGAAC
 TCCAGGTGGCAGTTTTACCTTTCTTTTCTTGGCTATTTACTCAGCATCCTTGGAAATCTG
 ACTATCCTCATCCTCACCTTGCTGGACTCCCACCTTCAGACTCCCATGTATTTCTTTCTCCG
 5 GAACTTCTCCTTCTTGGAATTTCTTACAAACATCTTCATTCCAAGGGTCTGATTAGCA
 TCACAACAGGGAACAAGAGTATCAGCTTTGCTGGCTGCTTCACTCAGTATTTCTTTGCCAT
 GTTCCTTGGGGCTACAGAGTTTACCTTCTGGCTGCCATGTCCTATGACCGCTATGTGGCC
 ATCTGCAAACCTCTGCATTACACCACCATCATGAGCAGCAGAATCTGCATCCAGCTGATTT
 TCTGCTCTTGGCTGGGTGGGCTAATGGCTATTATACCAACAATCACCTGATGAGTCAGCA
 10 GGACTTTTGTGCATCCAACAGACTGAATCATTACTTCTGTGACTATGAGCCTCTTCTGGAA
 CTCTCATGTTTCAGACACAAGCCTCATAGAGAAGGTTGTCTTTCTTGTGGCATCTGTGACCC
 TGGTGGTCACTCTGGTGTAGTGATTCTCTCCTATGCATTATTATCAAGACTATTCTGAAG
 CTCCCCTCTGCCAACAAGGACAAAAGCCTTTTCCACATGTTCTTCCCACATGATTGTCAT
 CTCCCCTCTTTACGGAAGCTGCATGTTTATGTACATTAATCCCTCTGCAAAAGAAGGGGAT
 15 ACATTCAACAAGGGAGTAGCTCTACTCATTACTTCAGTTGCTCCTTTGTTGAACCCCTTTAT
 TTACACCCTAAGGAACCAACAGGTAACCAACCCCTTCAAGGATATGGTCAAAAAGCTTCT
 GAATCTTTAA (SEQ ID NO: 492)

AOLFR130B sequences:

20 MEGKNQTAPSEFHLGFDHNLQYLLFTIFFLTICTLGGNVFIIVVTIADSHLHTPMYYFLGNL
 ALIDICYTTTNVPMVMVHLLSEKKIISYGGCVTQLFAFFVVGSECLLLAAMAYDRYIAICKPLR
 YSFIMNKALCSWLAASCWTCGFLNSVLHTVLTFLHLPFCGNNQINYYFFCDIPPLLLSCGDTSLNE
 LALLSIGILISWTPFLCILSYLYIISTILRISRSEGRHKAFSTCASHLLIVLYYGSIFTYVRPISSYS
 LEKDRLISVLYSVVTPMLNPVIYTLRNKDIKEAVKAIGRKWQPPVFSSDI (SEQ ID NO: 493)

25 ATGGAAGGAAAGAATCAAACAGCTCCATCTGAATTCATCATCTTGGGGTTCGACCACCTGA
 ATGAATTGCAGTATTTACTCTTCACCATCTTCTTTCTGACCTACATATGCACCTTAGGAGGC
 AATGTTTTTATCATTGTGGTGACCATAGCTGATTCCACCTACACACACCCATGTATTATTT
 CCTAGGAAATCTTGCCCTTATTGACATCTGCTACACTACTACTAATGTCCCCCAGATGATG
 30 GTGCATCTTCTGTCAGAGAAGAAAATCATTTCCTATGGAGGCTGTGTGACCCAGCTCTTTG
 CATTCAATTTCTTTGTTGGCTCAGAGTGTCTCCTCCTGGCAGCAATGGCATATGATCGATAT
 ATTGCTATCTGTAAGCCGTTAAGGTACTCATTTATTATGAACAAGGCCCTGTGCAGCTGGT
 TAGCAGCCTCATGCTGGACATGTGGGTTTCTCAACTCAGTGTTGCACACCGTTCTGACCTT
 CCACCTGCCCTTCTGTGGTAACAATCAGATCAATTATTTCTTCTGTGACATACTCCCTTGC
 35 TCATCTTGTCTTGTGGTGATACCTCCCTCAATGAAGTGGCTTTGCTGTCCATTGGGATCCTC
 ATAAGCTGGACTCCTTTCTGTGCATCATCCTTTCTTACCTTTACATCATCTCCACCATCCT
 GAGGATCCGTTCTCTGAGGGGAGGCACAAAGCCTTTTCCACCTGTGCCTCCACCTGCTC
 ATTGTTATTCTCTATTATGGCAGTGCTATCTTCACGTATGTGAGGCCCATCTCATCTTACTC
 TCTAGAGAAAAGATAGATTGATCTCAGTGCTGTATAGTGTTGTGCACACCCATGCTGAATCCT
 40 GTAATTTATACGCTAAGGAATAAGGACATCAAAGAGGCTGTGAAGGCCATAGGGAGAAAG
 TGGCAGCCACCAGTTTTCTCTTCTGATATATAA (SEQ ID NO: 494)

AOLFR142B sequences:

45 MARKDMAHINCTQATEFILVGLTDHQELKMPLFVLFSLIYFTVVGNLGLILLIRADTSLNTPM
 YFFLSNLAFFVDFCYSSVTPKMLGNFLYKQNVISFDACATQLGCFLTFMISESLLASMAVDY
 VAICNPLLYMVVMTGPICQLVAVPYSYSLMALFHTILTFRLSYCHSNIVNHFYCDDMPLRL
 TCSDFRFLQWIFACAGIMFISSLLIVFVSYMFIIISAILRMHSAEGRQKAFSTCGSHMLAVTIFYG
 TLIFMYLQPSSSHALDTDKMASVFYTVIIPMLNPLIYSLQNKEVKEALKKIINKN (SEQ ID NO:
 495)

50 ATGGCCAGAAAAGATATGGCTCACATCAATTGCACCCAGGCGACAGAGTTTATTCTTGTGG
 GCCTCACAGACCATCAGGAGTTGAAGATGCCCTCTTTGTGCTATTCTTATCCATCTACCTC
 TTCACAGTGGTAGGCAACTTGGGTTTGATCCTACTCATTAGAGCGGATACAAGTCTCAACA
 CACCAATGTACTTCTTCTTAGCAACCTAGCTTTTGTGGATTCTGTACTCTTCTGTGATT
 55 ACACCCAAAATGCTTGGGAATTTCTTGTACAAACAAAATGTTATATCCTTTGATGCATGTG
 CTAATCAACTGGGCTGCTTTCTCACCTTCATGATATCAGAATCCTTGCTACTGGCTTCCATG

GCCTATGACCGATATGTGGCCATTTGTAACCCTCTATTGTATATGGTTGTAATGACTCCAG
 GAATCTGCATTCAACTTGTAGCAGTTCCTTATAGCTATAGCTTCCTAATGGCACTATTTTAC
 ACCATCCTCACCTTCCGCCTCTCCTATTGCCACTCCAACATTGTCAACCATTTCTATTGTGA
 TGACATGCCTCTCCTCAGGCTAACTTGCTCAGACACTCGCTTCAAACAGCTCTGGATCTTT
 5 GCCTGTGCTGGTATCATGTTTCATTTCTCCCTTCTGATTGTCTTTGTCTCCTACATGTTTCATC
 ATTTCTGCCATCCTGAGGATGCATTCAGCTGAGGGAAGACAGAAGGCTTTCTCGACGTGTG
 GCTCTCACATGCTGGCAGTCACCATATTCTATGGGACCCTCATTTTTATGTACTTACAGCCT
 AGCTCTAGCCATGCCCTGGACACAGACAAGATGGCCTCTGTCTTCTACACAGTGATCATTC
 CCATGTTGAATCCCTTAATCTATAGCCTCCAGAATAAGGAGGTGAAAGAAGCTCTGAAGA
 10 AAATCATTATCAATAAAAACTAG (SEQ ID NO: 496)

AOLFR171C sequences:

MAEVNIIYVTVFILKGITNRPELQAPCFGVFLVIYLVTVLGNLGLITLIKIDTRLHTPMYYFLSHL
 AFVDLCYSSAITPKMMVNFVVERNTIPFHACATQLGCFLTFMITECFLLASMA YDCYVAIC SPL
 15 HYSTLMSRRVCIQLVAVPYIYSFLVALFHTVITFRLTYCGPNLINHFYCDDLPLALSCSDTHMK
 EILIFAFAGFDMISSSSIVLTSYIFIIAILRIRSTQGQHKAI STCGSHMVTVTIFYGTLIFMYLPKS
 NHSLD TDKMASVFYTVVIPMLNPLIYSLRNKEVKDASKKALDKGCENLQIL TFLKIRKLY (SEQ
 ID NO: 497)

20 ATGGCTGAAGTTAATATCATTTATGTCAGTGTATTCTGAAAGGAATTACCAACCGGC
 CAGAGCTTCAGGCCCCGTGCTTTGGGGTGTTTTAGTTATCTATCTGGTCACAGTGCTGGG
 CAATCTTGGGTTGATTACTTTAATCAAGATTGATACTCGACTCCACACACCTATGTACTATT
 TCCTCAGCCACCTGGCCTTTGTTGACCTTTGTTACTCCTCTGCTATTACACCGAAGATGATG
 GTGAATTTTGTGTGGAACGCAACACCATTTCCTTTCCATGCTTGTGCAACCCAACTGGGTT
 25 GTTTTCTCACCTTCATGATCACTGAGTGTTTCCTTCTAGCCTCCATGGCCTACGATTGCTAT
 GTCGCCATCTGTAGTCCCCTGCATTATTCAACACTGATGTCAAGAAGAGTCTGCATTCAAC
 TGGTGGCAGTTCATATATATACAGCTTCCTGGTTGCCCTCTTCCACACCGTTATCACTTTC
 CGTCTGACTTACTGTGGCCCAAACCTTAATTAACCATTCTATTGTGATGACCTCCCCTTCTT
 AGCTCTGTCTGCTCAGACACACACATGAAGGAAATTCTGATATTGCTTTGCTGGCTTT
 30 GATATGATCTCTTCTCTTCCATTGTCCTCACCTCCTACATCTTTATTATTGCCGCTATCCTA
 AGGATCCGCTCTACTCAGGGGCAACACAAAGCCATTTCCACCTGTGGCTCCCATATGGTGA
 CTGTCATATTTTCTATGGCACACTGATCTTTATGTACCTACAGCCCAAATCAAATCACTCC
 TTGGACACAGACAAGATGGCTTCTGTATTTTACACAGTGGTGATCCCCATGTTAAACCCCC
 TAATCTATAGTCTAAGGAACAAAGAAGTGAAAGATGCCTCAAAGAAAGCCTTGGATAAAG
 35 GTTGTGAAAACCTACAGATATTAACATTTTTAAAAATAAGAAAACCTTTATTAA (SEQ ID NO:
 498)

AOLFR225B sequences:

MKNRTMFGEFILLGLTNQPELQVMIFIFLTYMLSILGNLTIITLTLDDPHLQTPMYFFLRNFSF
 40 LEISFTSIFIPRLTSMITGNKVISFAGCLTQYFFAIFLGATEFYLLASMSYDRYVAICKPLHYLTI
 MSSRVCIQLVFCSWLGGFLAILPPIILMTQVDFCVSNILNHYYCDYGPLVELACSDTSLLELMVI
 LLAVVTLMVTLVLVTLSTYTIIRTLRIPSAQQRKAFSTCSSHMIVISLSYGSCMFMYINPSAKE
 GGA FNKGIAVLITSVTPLNPFYTLRNQQVKQAFKDSVKKIVKL (SEQ ID NO: 499)

45 ATGAAAAACAGAACCATGTTTGGTGAGTTTATTCTACTGGGCCTTACAAATCAACCTGAAC
 TCCAAGTGATGATATTCATCTTTCTGTTCCCTCACCTACATGCTAAGTATCCTAGGAAATCTG
 ACTATTATCACCTCACCTTACTAGACCCCCACCTCCAGACCCCCATGTATTTCTTCTCCTCCG
 GAATTTCTCCTTCTTAGAAATTTCTTTCACATCCATTTTTATTCCCAGATTCTTGACCAGCA
 TGACAACAGGAAATAAAGTTATCAGCTTTGCTGGCTGCTTGACTCAGTATTTTTTTGCTAT
 50 ATTTCTTGGAGCTACCGAGTTTACCTCCTGGCCTCCATGTCTTATGATCGTTATGTGGCCA
 TCTGCAAAACCCTTGCAATTACCTGACTATTATGAGCAGCAGAGTCTGCATACAACCTAGTGTT
 CTGCTCCTGGTTGGGGGGATTCTAGCAATCTTACCACCAATCATCCTGATGACCCAGGTA
 GATTTCTGTGTCTCCAACATTCTGAATCACTATTACTGTGACTATGGGCCTCTCGTGGAGCT
 TGCCTGCTCAGACACAAGCCTCTTAGAACTGATGGTCATCCTCTTGGCCGTTGTGACTCTC
 55 ATGGTTACTCTGGTGCTGGTGACACTTTCTTACACATACATTATCAGGACTATTCTGAGGA
 TCCCTTCTGCCCAGCAAAGGACAAAGGCCTTTTCCACTTGTTCTCTCCACATGATTGTCATC

TCCCTCTCTTATGGCAGCTGCATGTTTATGTACATTAATCCTTCTGCAAAAGAAGGAGGTG
 CTTTCAACAAAGGAATAGCTGTACTCATTACTTCGGTACTCCCTTACTGAATCCCTTCATA
 TATACTTTAAGAAATCAGCAAGTGAAACAAGCTTCAAGGACTCAGTCAAAAAGATTGTG
 AACTTTAA (SEQ ID NO: 500)

5

AOLFR274B sequences:

MEFVFLAYPSCPELHLSFLGVSLVYGLIITGNILIVVSIHTETCLCTSMYYFLGSLSGIEICYTAV
 VVPHILANTLQSEKTITLLGCATQMAFFIALGSADCFLLAAMAYDRYVAICHPLQYPLLMTLTL
 CVHLVVASVISGLFLSLQLVAFIFSLPFCQAQGIEHFFCDVPPVMHVVCAQSHIHEQSVLVAAIL
 10 AIAVPFFLITTSYTFIVAALLKIHSAAGRHRAFSTCSSHLTVVLLQYGCCAFMYLCPSSSYNPKQ
 DRFISLVYTLGTPLLNPLIYALRNSEMKGAVGRVLTRNCLSQNS (SEQ ID NO: 501)

ATGGAATTTGTGTTCTCTGGCCTATCCCTCCTGCCCAGAACTGCATATTCTGTCTTCTCTTGG
 GGTCAGCCTGGTTTATGGTTTGATCATCACTGGGAACATTCTCATTGTGGTGTCCATTAC
 15 ACAGAAACCTGTCTATGCACATCCATGTACTATTTCTGGGCAGCCTTTCTGGGATTGAAA
 TATGCTACACTGCAGTGGTGGTGCCCATATCCTGGCCAACACCCTACAGTCAGAGAAGAC
 CATCACTCTCCTGGGCTGTGCCACCCAGATGGCTTTCTTCATTGCACTGGGCAGTGTCTGAT
 TGCTTCCTCTTGGCTGCCATGGCCTATGACCGCTATGTGGCCATTTGCCACCCGTTGCAGTA
 CCCTCTCCTCATGACATTGACTCTTTGTGTCCACTTGGTTGTGGCATCAGTCATCAGTGGTC
 20 TGTTCTCTGTCTTACAACCTGGTGGCCTTCATCTTCTCTGCCATTCTGCCAGGCTCAGGGC
 ATTGAGCACTTCTTTTGTGATGTGCCACCAGTCATGCATGTTGTTGTGCTCAGAGTCACAT
 TCATGAGCAGTCAGTGTCTGGTGGCAGCCATACTAGCCATTGCTGTGCCTTTCTTCCTCATC
 ACCACCTCCTACACCTTCATAGTGGCTGCTCTGCTCAAGATCCACTCGGCTGCTGGCCGCC
 ACCGGGCCTTCTCCACCTGCTCTTCCCACCTCACTGTGGTGTGCTGCTGCAGTATGGCTGCTGT
 25 GCCTTCATGTACCTGTGCCCCAGCTCCAGCTACAACCCCAAGCAAGATCGGTTTCATCTCAC
 TGGTGTACACATTGGGAACCCCACTGCTCAACCCACTTATCTATGCCCTGAGGAACAGTGA
 GATGAAAGGGGCCGTAGGGAGAGTTCTTACCAGGAAGTGCCTTTCCAGAACAGCTAG
 (SEQ ID NO: 502)

AOLFR276B sequences:

MGGFGTNISSTTSFTLTGFPEMKGLEHWLAALLLLLYAISFLGNILILFIIKEEQSLHQPMYYFLS
 LFSVNDLGVSFSTLPTVLAAVCFHAPETTFDACLAQMFFIHFSSWTEFGILLAMSFHDHYVAICNP
 LRYATVLTDRVAHNGISIVIRSFCEMVFPLPFLKRLPFCKASVVLAHSYCLHADLRLPWGDT
 TINSMYGLFIVISAFGVDSLILLSYVLILHVSVAIASRGERLKLNTCVSHIYAVLIFYVPMVSVS
 35 MVHRFGRHAPEYVHKFMSLCTSNALPNYLFHQD (SEQ ID NO: 503)

ATGGGGGGCTTTGGGACTAACATCTCAAGTACTACCAGCTTCACTCTAACAGGCTTCCCTG
 AGATGAAGGGTCTGGAGCACTGGCTGGCTGCCCTTCTGCTGCTGCTTTATGCTATTTCTT
 40 CCTGGGCAACATCCTCATCCTCTTTATCATAAAGGAAGAGCAGAGCTTGCAACAGCCAATG
 TACTACTTCTGTCTCTTTTTCTGTTAATGACCTGGGTGTGCTCTTTCTACATTGCCCACT
 GTACTGGCTGCTGTGTGTTTCATGCCCCAGAGACAACCTTTGATGCCTGCCTGGCCCAGA
 TGTTCTTCATCCACTTTTCTCCTGGACAGAGTTTGGCATCCTACTGGCCATGAGTTTGAC
 CACTATGTGGCCATCTGTAACCCGCTGCGCTATGCCACAGTGCTCACTGATGTCCGTGTGG
 CCCACAATGGCATATCCATTGTATCCGAGCTTCTGCATGGTATTCCCACTTCCCTTCTC
 45 CTGAAGAGACTGCCTTTCTGTAAGGCCAGTGTGGTACTGGCCATTCTACTGTCTGCATG
 CAGACCTGATTCGGCTGCCCTGGGGAGACACTACCATCAACAGCATGTATGGCCTGTTTAT
 TGTCATCTCTGCCTTTGGTGTAGATTCACTGCTCATCCTCCTCTCCTATGTGCTCATTCTAC
 ATTCTGTGCTGGCCATTGCCTCCAGGGGTGAGAGGCTTAAGACACTCAACACATGTGTGTC
 ACATATCTATGCAGTGCTGATCTTCTATGTGCCTATGGTTAGTGTGTCCATGGTTTCATCGAT
 50 TTGGGAGGCATGCTCCTGAATATGTGCACAAGTTCATGTCTCTTTGTACCTCCAATGCTCT
 ACCCAATTATCTATTCCATCAAGACTAA (SEQ ID NO: 504)

AOLFR311B sequences:

MDWENCSSLTDFFLLGITNNPEMKVTLFAVFLAVYIINFSANLGMIVLIRMDYQLHTPMYFFLS
 55 HLSFCDLCYSTATGPKMLVDLLAKNKSIPFYGCALQFLVFCIFADSECLLLSVMAFDYKAIINP
 LLYTVNMSSRVCYLLLTGVYLVGIADALIHMTLAFRLCFCGSNEINHFFCDIPLLLLSRSDTQV

NELVLFTVFGFIELSTISGVFISYCYIILSVLEIHS A EGRFKALSTCTSHLSAVAIFQGTLLFMYFRP
SSSYSLDQDKMTSLFYTLVVPMLNPLIYSLRNKDVKEALKKLKNKILF (SEQ ID NO: 505)

5 ATGGACTGGGAAAATTGCTCCTCATTAAGTATTTTTTCTCTTGGGAATTACCAATAACCC
AGAGATGAAAGTGACCTATTGCTGTATTCTTGGCTGTTTATATCATTAATTTCTCAGCAA
ATCTTGGGAATGATAGTTTTAATCAGAATGGATTACCAACTTCACACACCAATGTATTTCTT
CCTCAGTCATCTGTCTTTCTGTGATCTCTGCTATTCTACTGCAACTGGGCCCAAGATGCTGG
TAGATCTACTTGCCAAGAACAAGTCAATACCCCTCTATGGCTGTGCTCTGCAATTCTTGGT
CTTCTGTATCTTTGCAGATTCTGAGTGTCTACTGCTGTCAGTGATGGCCTTTGATCGGTACA
10 AGGCCATCATCAACCCCCTGCTCTATACAGTCAACATGTCTAGCAGAGTGTGCTATCTACT
CTTGAAGTGGGTTTATCTGGTGGGAATAGCAGATGCTTTGATACATATGACACTGGCCTTC
CGCCTATGCTTCTGTGGGTCTAATGAGATTAATCATTCTTCTGTGATATCCCTCCTCTCTT
ATTACTCTCTCGCTCAGATACACAGGTCAATGAGTAGTGTTATTACCGTCTTTGGTTTTA
TTGAAGTGAAGTACCATTTTCAAGAGTTTTTCAATTTCTTATTGTTATATCATCCTATCAGTCTTG
15 GAGATACACTGCTGAGGGGAGGTTCAAAGCTCTCTACATGCACTTCCCACCTTATCTG
CGGTTGCAATTTTCCAGGGAACCTGCTCTTTATGTATTTCGGGCAAGTTCTTCTATCTCT
CTAGATCAAGATAAAATGACCTCATTGTTTTACACCCTTGTTGGTCCCAGTTGAACCCCT
GATTTATAGCCTGAGGAACAAGGATGTGAAAGAGGCCCTGAAAAAACTGAAAAATAAAAT
TTTATTTTAA (SEQ ID NO: 506)

20

AOLFR314 sequences:

MEVKNCCMVTEFILLGIPHTEGLEMTLFLVFLPFYACTLLGNVSILVAVMSSARLHTPMYFFLG
NLSVFDMGFSSVTCPKMLLYLMGLSRLISYKDCVCQLFFFHFLGSIECFLFTVMAYDRFTAICY
PLRYTVIMNPRICVALAVGTWLLGCIHSSILSTLFTLPYCGPNEVDHFFCDIPALLPLACADTSL
25 AQRVSFTNVGLISLVCFLILLSYTRITISILSIRTTEGRRRAFSTCSAHLIAILCAYGPIITVYLQPT
PNPMLGTVVQILMNLVGPMLNPLIYTLRNKEVKTALKTILHRTGHVPES (SEQ ID NO: 507)

30 ATGGAGGTGAAGAACTGCTGCATGGTGACAGAGTTCATCCTTTTGGGAATCCCACACACA
GAGGGGCTGGAGATGACACTTTTTGTCTTATTCTTGCCCTTCTATGCCTGCACTCTACTGGG
AAATGTGTCTATCCTTGTGCTGTTATGTCTTCTGCTCGCCTTCACACACCTATGTATTTCT
TCCTGGGAAACTTGTCTGTGTTTGACATGGGTTTCTCCTCAGTGACTTGCCCAAAATGCT
GCTCTACCTTATGGGGCTGAGCCGACTCATCTCCTACAAAGACTGTGTCTGCCAGCTTTTCT
TCTTCCATTTCTCGGGAGCATTGAGTGCTTCTTGTTTACGGTGATGGCCTATGACCGCTTC
ACTGCCATCTGTTATCCTCTGCGATACACAGTCATCATGAACCCAAGGATCTGTGTGGCCC
35 TGGCTGTGGGCACATGGCTGTTAGGGTGCATTCATTCCAGTATCTTGACCTCCCTCACCTTC
ACCTTGCCATACTGTGGTCCCAATGAAGTGGATCACTTCTTCTGTGACATTCCAGCACTGTT
GCCCTTGGCCTGTGCTGACACATCCTTAGCCCCAGAGGGTGAGCTTCACCAACGTTGGCCTC
ATATCTCTTGTCTGCTTCTGCTAATTTCTTTATCCTACACTAGAATCACAATATCTATCTT
AAGCATCTGTACAACCTGAGGGCCGTGCGCTTCTCCACCTGCACTGCTCACCTCATCTATT
40 GCCATCCTCTGTGCCTATGGGCCCATCATCACTGTCTACCTGCAGCCACACCCCAACCCCA
TGCTGGGAACCGTGGTACAAATTCTCATGAATCTGGTAGGACCAATGCTGAACCCCTTGAT
CTATACCTTGAGGAATAAGGAAGTAAAAACAGCCCTGAAAACAATATTGCACAGGACAGG
CCATGTTCTCTGAGAGTTAG (SEQ ID NO: 508)

45 **AOLFR324B sequences:**

MPIANDTQFHTSSFLLLGIPGLEDVHIWIGFPFFSVYLIALLGNAAIFFVIQTEQSLHEPMYCYLA
MLDSIDLSTATIPKMLGIFWFNIKEISFGGYLSQMFFIHFFTVMESIVLVAMAFDRYIAICKPL
WYTMILTSKIISLIAGIAVLRSLYMPIVFLVLLRPLFCGHRIPHTYCEHMGIA RLACASIKVNIM
FGLGSISLILLDLVLLIILSHIRILYAVFCLPSWEARLKALNTCGSHIGVILAFSTPAFFSFFTHCFGH
50 DIPQYIHIFLANLYVVVPPTLNPIYGVRTKHIRETVLRIFFKTDH (SEQ ID NO: 509)

ATGCCTATAGCTAACGACACCCAGTTCATACTTCTTCATTCCCTACTGCTGGGTATCCCAGG
GCTAGAAGATGTGCACATCTGGATTGGATTCCCTTTTTTCTCTGTGTATCTTATTGCACTCC
TGGGAAATGCTGCTATCTTCTTTGTGATCCAACTGAGCAGAGTCTCCATGAGCCCATGTA
55 CTACTGCCTGGCCATGTTGGATTCCATTGACCTGAGCTTGTCTACGGCCACCATTCCCAAA
ATGCTGGGCATCTTCTGGTTCAATATCAAGGAAATATCTTTTGGAGGCTACCTTTCTCAGA

5 TGTTCTTCATCCATTTCTTCACTGTCATGGAGAGCATCGTATTGGTGGCCATGGCCTTTGAC
 CGCTACATTGCCATTTGCAAACCTCTTTGGTACACCATGATCCTCACCAGCAAAATCATCA
 GCCTCATTGCAGGCATTGCTGTCCTGAGGAGCTTGACATGGTCATTCCACTGGTGTCTTCT
 CCTCTTAAGGTTGCCCTTCTGTGGACATCGTATCATCCCTCATACTTACTGTGAGCACATGG
 10 GCATTGCCCGTCTGGCCTGTGCCAGCATCAAAGTCAACATTATGTTTGGTCTTGGCAGTAT
 TTCTCTCTTGTATTGGATGTGCTCCTTATTATTCTCTCCCATATCAGGATCCTCTATGCTGT
 CTTCTGCCTGCCCTCCTGGGAAGCTCGACTCAAAGCTCTCAACACCTGTGGCTCTCACATT
 GGTGTTATCTTAGCCTTTTCTACACCAGCATTTTCTCTTTCTTTACACACTGCTTTGGCCAT
 GATATCCCCAATATATCCACATTTTCTTGGCTAATCTATATGTGGTTGTTCCCTCCCACCT
 15 CAATCCTGTAATCTATGGGGTCAGAACCAACATATTAGGGAGACAGTGCTGAGGATTTTC
 TTCAAGACAGATCACTAA (SEQ ID NO: 510)

AOLFR328 sequences:

15 MALGNHSTITEFLLGLSADPNIRALLFVFLGIYLLTIMENLMLLLVRADSCLHKPMYFFLSH
 LSFVDLCFSSVIVPKMLENLLSQRKTISVEGCLAQVFFVFTAGTEACLLSGMAYDRHAAIRRP
 LLYGQIMGKQLYMHVWGSWGLGFLDALINVLLAVNMVFCEAKIIHHYSYEMPSLLPLSCSDI
 SRSLIVLLCSTLLHGLGNFLLVFLSYTRIISTILSISSTSGRSKAFSTCSAHLTAVTLYYGSGLLRHL
 MPNSGSPIELIFSVQYTVVTPMLNSLIYSLKNKEVKVALKRTLEKYLQYTRR (SEQ ID NO: 511)

20 ATGGCCTTGGGGAATCACAGCACCATCACCGAGTTCCTCCTCCTTGGGCTGTCTGCCGACC
 CCAACATCCGGGCTCTGCTCTTTGTGCTGTTCTTGGGATTTACCTCCTGACCATAATGGA
 AAACCTGATGCTGCTGCTCGTGATCAGGGCTGATTCTTGTCTCCATAAGCCCATGTATTTCT
 TCCTGAGTCACCTCTCTTTTGTGATCTCTGCTTCTCTTCAGTCATTGTGCCCAAGATGCTG
 GAGAACCTCCTGTACAGAGGAAAACCATTTAGTAGAGGGCTGCCTGGCTCAGGTCTTCT
 25 TTGTGTTTGTCACTGCAGGGACTGAAGCCTGCCTTCTCTCAGGGATGGCCTATGACCGCCA
 TGCTGCCATCCGCCGCCCACTACTTTATGGACAGATCATGGGTAAACAGCTGTATATGCAC
 CTTGTGTGGGGCTCATGGGGACTGGGCTTCTGGACGCACTCATCAATGTCCTCCTAGCTG
 TAAACATGGTCTTTTGTGAAGCCAAAATCATTCACTACAGCTATGAGATGCCATCCCT
 CCTCCCTCTGTCCTGCTCTGATATCTCCAGAAGCCTCATCGTTTTGCTCTGCTCCACTCTCC
 30 TACATGGGCTGGGAACTTCCTTTTGGTCTTCTTATCCTACACCCGTATAATCTCTACCATC
 CTAAGCATCAGCTCTACCTCGGGCAGAAGCAAGGCCTTCTCCACCTGCTCTGCCCACCTCA
 CTGCAGTGACACTTTACTATGGCTCAGGTTTGTCTCCGCCATCTCATGCCAACTCAGGTTTC
 CCCATAGAGTTGATCTTCTCTGTGCAGTATACTGTAGTCACTCCCATGCTGAATTCCCTCA
 TCTATAGCCTGAAAAATAAGGAAGTGAAGGTAGCTCTGAAAAGAACTTTGGAAAAATATT
 35 TGCAATATACCAGACGTTGA (SEQ ID NO: 512)